

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

During the past month, have you had at least one drink of any alcoholic beverage such as beer, wine, wine coolers, or liquor?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		56.2	63.5	62.2	62.4	60.0	41.8	44.0
<b>No</b>		43.8	36.5	37.8	37.6	40.0	58.2	56.0
<b>Male</b>	<b>Yes</b>	63.7	69.5	70.6	69.1	64.4	43.5	57.8
	<b>No</b>	36.3	30.5	29.4	30.9	35.6	56.5	42.2
<b>Female</b>	<b>Yes</b>	49.0	57.1	53.4	55.8	55.6	40.2	34.1
	<b>No</b>	51.0	42.9	46.6	44.2	44.4	59.8	65.9

Denominator is: All survey respondents

[Return to Question Page](#)

During the past month, have you had at least one drink of any alcoholic beverage such as beer, wine, wine coolers, or liquor?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		1798	173	331	432	350	212	300
<b>Yes</b>		1019	108	213	270	207	90	131
<b>No</b>		776	65	118	160	143	121	169
<b>Don?t know/Not sure</b>		1			1			
<b>Refused</b>		2			1		1	
<b>Male</b>	<b>Total</b>	765	83	150	188	148	87	109
	<b>Yes</b>	500	56	110	132	98	41	63
	<b>No</b>	263	27	40	55	50	45	46
	<b>Refused</b>	2			1		1	
<b>Female</b>	<b>Total</b>	1033	90	181	244	202	125	191
	<b>Yes</b>	519	52	103	138	109	49	68
	<b>No</b>	513	38	78	105	93	76	123
	<b>Don?t know/Not sure</b>	1			1			

Denominator is: All survey respondents

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

A drink is one can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1 cocktail, or 1 shot of liquor. On the days when you drank, about how many drinks did you drink on the average?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>1</b>		43.4	25.5	33.1	42.1	48.0	57.3	61.5
<b>2</b>		30.8	28.1	28.2	34.0	33.9	27.7	29.0
<b>3</b>		13.3	13.7	21.4	13.7	11.4	11.1	4.8
<b>4</b>		4.6	6.5	6.1	4.0	4.5	3.2	2.6
<b>5</b>		2.2	5.3	5.3	1.1	.3		1.1
<b>6</b>		2.4	6.6	3.7	1.6	1.2	.8	1.1
<b>7</b>		.5	2.4		.9			
<b>8</b>		.5	.8	1.0	1.0			
<b>9</b>		.6	4.9					
<b>10</b>		.6	2.9	.7		.6		
<b>12</b>		.5		.5	1.7			
<b>14</b>		.1	.8					
<b>15</b>		.2	1.2					
<b>18</b>		.2	1.2					
<b>Male</b>	<b>1</b>	36.7	14.8	28.6	32.9	39.5	60.0	58.5
	<b>2</b>	28.9	25.6	24.4	34.8	36.3	14.4	26.4
	<b>3</b>	16.6	14.1	24.4	17.2	14.7	17.6	8.5
	<b>4</b>	6.5	9.4	8.8	5.5	5.9	6.4	2.8
	<b>5</b>	3.1	5.8	7.6	1.3	.6		1.9
	<b>6</b>	2.8	6.5	3.4	2.2	1.8	1.6	1.9
	<b>7</b>	.9	4.3		1.3			
	<b>8</b>	.8	1.4	.8	1.7			
	<b>9</b>	1.2	8.7					
	<b>10</b>	1.0	3.6	1.3		1.2		
	<b>12</b>	.9		.8	3.0			
	<b>14</b>	.2	1.4					
	<b>15</b>	.3	2.2					
	<b>18</b>	.3	2.2					
<b>Female</b>	<b>1</b>	51.6	39.3	39.3	53.1	58.0	54.7	65.4
	<b>2</b>	33.2	31.3	33.5	33.0	31.2	40.7	32.4
	<b>3</b>	9.3	13.3	17.3	9.6	7.6	4.7	
	<b>4</b>	2.2	2.8	2.3	2.2	2.8		2.2
	<b>5</b>	1.2	4.7	2.3	.8			
	<b>6</b>	1.9	6.6	4.0	.8	.5		
		.1			.4			

7							
8	.2		1.2				
10	.2	1.9					
Denominator is: All survey respondents who had at least one drink of any alcoholic beverage							

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

A drink is one can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1 cocktail, or 1 shot of liquor. On the days when you drank, about how many drinks did you drink on the average?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		1009	107	213	268	207	90	124
<b>1</b>		425	25	67	106	101	48	78
<b>2</b>		319	33	63	91	68	28	36
<b>3</b>		138	19	39	43	22	10	5
<b>4</b>		50	8	15	12	10	2	3
<b>5</b>		21	4	11	4	1		1
<b>6</b>		27	8	10	4	3	1	1
<b>7</b>		5	2		3			
<b>8</b>		7	1	3	3			
<b>9</b>		1	1					
<b>10</b>		6	2	3		1		
<b>12</b>		3		1	2			
<b>14</b>		1	1					
<b>15</b>		1	1					
<b>18</b>		1	1					
<b>Don't know/Not sure</b>		3	1	1		1		
<b>Refused</b>		1					1	
<b>Male</b>	<b>Total</b>	498	56	110	131	98	41	62
	<b>1</b>	179	8	32	41	38	23	37
	<b>2</b>	147	16	27	45	36	7	16
	<b>3</b>	80	11	19	25	13	7	5
	<b>4</b>	35	5	12	8	6	2	2
	<b>5</b>	14	2	8	2	1		1
	<b>6</b>	17	5	5	3	2	1	1
	<b>7</b>	4	2		2			
	<b>8</b>	6	1	2	3			
	<b>9</b>	1	1					
	<b>10</b>	5	1	3		1		
	<b>12</b>	3		1	2			
	<b>14</b>	1	1					
	<b>15</b>	1	1					
	<b>18</b>	1	1					
	<b>Don't know/Not sure</b>	3	1	1		1		
	<b>Refused</b>	1						1
			511	51	103	137	109	49

<b>Female</b>	<b>Total</b>							
	<b>1</b>	246	17	35	65	63	25	41
	<b>2</b>	172	17	36	46	32	21	20
	<b>3</b>	58	8	20	18	9	3	
	<b>4</b>	15	3	3	4	4		1
	<b>5</b>	7	2	3	2			
	<b>6</b>	10	3	5	1	1		
	<b>7</b>	1			1			
	<b>8</b>	1		1				
	<b>10</b>	1	1					

Denominator is: All survey respondents who had at least one drink of any alcoholic beverage

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Considering all types of alcoholic beverages, how many times during the past month did you have 5 or more drinks on an occasion?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>1</b>		9.0	15.8	11.9	13.2	4.2	3.5	2.0
<b>2</b>		5.3	8.1	8.5	5.4	3.4	1.4	3.5
<b>3</b>		2.1	1.7	2.9	1.8	1.7	3.9	1.0
<b>4</b>		1.5		2.2	1.9	1.0	1.8	1.5
<b>5</b>		.9	3.1	.7	.6	.2		.9
<b>6</b>		1.3	7.4	.5	.5	.6		
<b>7</b>		.8	2.9	.7	.5	.6		
<b>8</b>		.8	3.7	1.2		.3		
<b>9</b>		.2	1.2		.2			
<b>10</b>		.8	2.9	1.5	.7			
<b>12</b>		.2	.4	.2			.8	
<b>15</b>		.2	1.7					
<b>18</b>		.1			.2			
<b>20</b>		.5		1.0	.4	1.0		
<b>25</b>		.1	.4	.2				
<b>28</b>		.3			1.4			
<b>30</b>		.2			.4			1.0
<b>None</b>		75.8	50.6	68.5	72.8	87.0	88.6	89.9
<b>Male</b>	<b>1</b>	8.6	16.4	9.6	11.8	4.1	4.7	2.9
	<b>2</b>	7.6	9.3	11.7	8.9	4.7	1.6	4.8
	<b>3</b>	2.5		2.5	2.6	2.3	7.8	1.9
	<b>4</b>	2.5		3.8	3.5	1.8	3.1	1.9
	<b>5</b>	1.1	5.6	.8	.9			
	<b>6</b>	2.3	13.4	.4	.9	1.2		
	<b>7</b>	.9	1.5	1.3	.9	1.2		
	<b>8</b>	1.2	6.7	.8		.6		
	<b>9</b>	.4	2.2		.4			
	<b>10</b>	1.3	5.2	1.7	1.3			
	<b>12</b>	.3	.7	.4			1.6	
	<b>15</b>	.4	3.0					
	<b>18</b>	.1			.4			
	<b>20</b>	.7		1.7		1.8		
	<b>25</b>	.2	.7	.4				
<b>28</b>	.6			2.6				
<b>30</b>	.3						1.9	

	<b>None</b>	69.1	35.1	64.9	65.9	82.4	81.4	86.5
<b>Female</b>	<b>1</b>	9.6	15.0	15.0	14.9	4.3	2.3	1.0
	<b>2</b>	2.7	6.6	4.0	1.2	1.9	1.2	2.0
	<b>3</b>	1.5	3.8	3.5	.8	.9		
	<b>4</b>	.2					.6	1.0
	<b>5</b>	.6		.6	.2	.5		2.0
	<b>6</b>	.1		.6				
	<b>7</b>	.6	4.7					
	<b>8</b>	.3		1.7				
	<b>10</b>	.2		1.2				
	<b>20</b>	.2			.8			
	<b>30</b>	.2			.8			
	<b>None</b>	83.9	70.0	73.4	81.2	92.4	95.9	93.9

Denominator is: All survey respondents who had at least one drink of any alcoholic beverage during the past month

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Considering all types of alcoholic beverages, how many times during the past month did you have 5 or more drinks on an occasion?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		1019	108	213	270	207	90	131
<b>1</b>		92	17	26	33	10	3	3
<b>2</b>		51	10	14	14	7	2	4
<b>3</b>		20	2	7	4	3	3	1
<b>4</b>		16		5	5	2	2	2
<b>5</b>		10	4	2	2	1		1
<b>6</b>		7	3	2	1	1		
<b>7</b>		7	3	2	1	1		
<b>8</b>		8	3	4		1		
<b>9</b>		2	1		1			
<b>10</b>		9	3	4	2			
<b>12</b>		3	1	1			1	
<b>15</b>		2	2					
<b>18</b>		1			1			
<b>20</b>		4		1	1	2		
<b>25</b>		2	1	1				
<b>28</b>		1			1			
<b>30</b>		2			1			1
<b>Don't know/Not sure</b>		4	1		2			1
<b>None</b>		777	57	144	201	179	79	117
<b>Refused</b>		1						1
<b>Male</b>	<b>Total</b>	500	56	110	132	98	41	63
	<b>1</b>	40	9	10	13	4	2	2
	<b>2</b>	37	6	10	12	5	1	3
	<b>3</b>	12		3	3	2	3	1
	<b>4</b>	14		5	5	2	1	1
	<b>5</b>	6	4	1	1			
	<b>6</b>	6	3	1	1	1		
	<b>7</b>	5	1	2	1	1		
	<b>8</b>	5	3	1		1		
	<b>9</b>	2	1		1			
	<b>10</b>	8	3	3	2			
	<b>12</b>	3	1	1			1	
	<b>15</b>	2	2					
	<b>18</b>	1			1			

	20	3		1		2		
	25	2	1	1				
	28	1			1			
	30	1						1
	<b>Don't know/Not sure</b>	3	1		1			1
	<b>None</b>	348	21	71	90	80	33	53
	<b>Refused</b>	1						1
<b>Female</b>	<b>Total</b>	519	52	103	138	109	49	68
	1	52	8	16	20	6	1	1
	2	14	4	4	2	2	1	1
	3	8	2	4	1	1		
	4	2					1	1
	5	4		1	1	1		1
	6	1		1				
	7	2	2					
	8	3		3				
	10	1		1				
	20	1			1			
	30	1			1			
	<b>Don't know/Not sure</b>	1			1			
	<b>None</b>	429	36	73	111	99	46	64

Denominator is: All survey respondents who had at least one drink of any alcoholic beverage during the past month

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

During the past month, how many times have you driven when you've had perhaps too much to drink?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>1</b>		2.2	2.5	3.9	3.2	.9		1.0
<b>2</b>		1.0	3.6	1.2	.2	.6		1.0
<b>3</b>		.1		.2			.6	
<b>5</b>		.0		.2				
<b>7</b>		.1		.2	.1			
<b>8</b>		.1		.7				
<b>10</b>		.2	1.2					
<b>Never</b>		96.2	92.7	93.4	96.4	98.5	99.4	98.0
<b>Male</b>	<b>1</b>	2.4	.7	5.0	3.3	1.2		1.9
	<b>2</b>	1.6	6.5	.8	.4	1.2		1.9
	<b>3</b>	.1		.4				
	<b>5</b>	.1		.4				
	<b>7</b>	.1		.4				
	<b>8</b>	.2		.8				
	<b>10</b>	.3	2.2					
	<b>Never</b>	95.2	90.6	92.0	96.3	97.7	100.0	96.3
<b>Female</b>	<b>1</b>	1.9	4.7	2.3	3.2	.5		
	<b>2</b>	.3		1.7				
	<b>3</b>	.1					1.2	
	<b>7</b>	.0			.2			
	<b>8</b>	.1		.6				
	<b>Never</b>	97.5	95.3	95.3	96.6	99.5	98.8	100.0
Denominator is: All survey respondents who had at least one drink of any alcoholic beverage								

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

During the past month, how many times have you driven when you've had perhaps too much to drink?  
(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
<b>Total</b>		1019	108	213	270	207	90	131
<b>1</b>		25	3	8	11	2		1
<b>2</b>		10	3	4	1	1		1
<b>3</b>		2		1			1	
<b>5</b>		1		1				
<b>7</b>		2		1	1			
<b>8</b>		2		2				
<b>10</b>		1	1					
<b>Don't know/Not sure</b>		2		1	1			
<b>Never</b>		973	101	194	256	204	89	129
<b>Refused</b>		1		1				
<b>Male</b>	<b>Total</b>	500	56	110	132	98	41	63
	<b>1</b>	14	1	5	6	1		1
	<b>2</b>	7	3	1	1	1		1
	<b>3</b>	1		1				
	<b>5</b>	1		1				
	<b>7</b>	1		1				
	<b>8</b>	1		1				
	<b>10</b>	1	1					
	<b>Don't know/Not sure</b>	2		1	1			
	<b>Never</b>	472	51	99	124	96	41	61
<b>Female</b>	<b>Total</b>	519	52	103	138	109	49	68
	<b>1</b>	11	2	3	5	1		
	<b>2</b>	3		3				
	<b>3</b>	1					1	
	<b>7</b>	1			1			
	<b>8</b>	1		1				
	<b>Never</b>	501	50	95	132	108	48	68
	<b>Refused</b>	1		1				

Denominator is: All survey respondents who had at least one drink of any alcoholic beverage