

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Have you had sexual intercourse that resulted in pregnancy in the last 5 years?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		27.3	14.5	41.2	22.8			
No		72.7	85.5	58.8	77.2			
Male	Yes	27.3	14.5	41.2	22.8			
	No	72.7	85.5	58.8	77.2			

Denominator is: All male respondents under the age of 45.

Have you had sexual intercourse that resulted in pregnancy in the last 5 years?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		785	142	318	325			
Yes		210	22	119	69			
No		573	119	198	256			
Refused		2	1	1				
Male	Total	785	142	318	325			
	Yes	210	22	119	69			
	No	573	119	198	256			
	Refused	2	1	1				

Denominator is: All male respondents under the age of 45.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

When was the last time a sex partner became pregnant by you?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
She is currently pregnant		13.3	30.6	14.4	5.7			
Pregnant within the past year		19.8	20.4	17.6	22.9			
Pregnant within the past 5 years		66.9	49.0	68.1	71.4			
Male	She is currently pregnant	13.3	30.6	14.4	5.7			
	Pregnant within the past year	19.8	20.4	17.6	22.9			
	Pregnant within the past 5 years	66.9	49.0	68.1	71.4			

Denominator is: All male respondents under the age of 45 who have had sexual intercourse that resulted in pregnancy in the last 5 years.

When was the last time a sex partner became pregnant by you?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		210	22	119	69			
She is currently pregnant		28	7	17	4			
Pregnant within the past year		40	5	22	13			
Pregnant within the past 5 years		140	10	79	51			
Don't know/Not sure		1		1				
Refused		1			1			
Male	Total	210	22	119	69			
	She is currently pregnant	28	7	17	4			
	Pregnant within the past year	40	5	22	13			
	Pregnant within the past 5 years	140	10	79	51			
	Don't know/Not sure	1		1				
	Refused	1			1			

Denominator is: All male respondents under the age of 45 who have had sexual intercourse that resulted in pregnancy in the last 5 years.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Thinking back to just before she got pregnant how did you feel about her becoming pregnant?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
You wanted her to be pregnant sooner		11.5	2.0	13.7	11.7			
You wanted her to be pregnant later		19.5	36.7	20.1	12.5			
You wanted her to be pregnant then		61.2	36.7	61.9	68.8			
You didn't want her to be pregnant then or in the future		7.8	24.5	4.3	7.1			
Male	You wanted her to be pregnant sooner	11.5	2.0	13.7	11.7			
	You wanted her to be pregnant later	19.5	36.7	20.1	12.5			
	You wanted her to be pregnant then	61.2	36.7	61.9	68.8			
	You didn't want her to be pregnant then or in the future	7.8	24.5	4.3	7.1			

Denominator is: All male respondents under the age of 45 who have had sexual intercourse that resulted in pregnancy in the last 5 years.

Thinking back to just before she got pregnant how did you feel about her becoming pregnant?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		210	22	119	69			
You wanted her to be pregnant sooner		24	1	15	8			
You wanted her to be pregnant later		39	7	24	8			
You wanted her to be pregnant then		121	9	67	45			
You didn't want her to be pregnant then or in the future		17	5	6	6			
Don't know/Not sure		8		7	1			
Refused		1			1			
Male	Total	210	22	119	69			
	You wanted her to be pregnant sooner	24	1	15	8			
	You wanted her to be pregnant later	39	7	24	8			
	You wanted her to be pregnant then	121	9	67	45			
	You didn't want her to be pregnant then or in the future	17	5	6	6			
	Don't know/Not sure	8		7	1			
	Refused	1			1			

Denominator is: All male respondents under the age of 45 who have had sexual intercourse that resulted in pregnancy in the last 5 years.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you or your wife or partner using any kind of birth control now?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		72.7	66.1	71.0	77.0			
No		21.7	21.3	23.8	20.1			
Not sexually active		5.6	12.6	5.2	2.8			
Male	Yes	72.7	66.1	71.0	77.0			
	No	21.7	21.3	23.8	20.1			
	Not sexually active	5.6	12.6	5.2	2.8			

Denominator is: All male respondents under the age of 45 who are sexually active and whose sex partners are not pregnant.

Are you or your wife or partner using any kind of birth control now?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		653	104	275	274			
Yes		476	74	195	207			
No		134	19	62	53			
Not sexually active		32	9	14	9			
Don't know/Not sure		6	1	3	2			
Refused		5	1	1	3			
Male	Total	653	104	275	274			
	Yes	476	74	195	207			
	No	134	19	62	53			
	Not sexually active	32	9	14	9			
	Don't know/Not sure	6	1	3	2			
	Refused	5	1	1	3			

Denominator is: All male respondents under the age of 45 who are sexually active and whose sex partners are not pregnant.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What kinds of birth control are you or your wife or partner using now?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Tubes tied		18.4	3.8	14.7	26.7			
Vasectomy		17.2		13.9	26.1			
Pill		29.2	28.8	37.2	23.4			
Condoms		20.2	44.5	19.2	11.7			
Foam, jelly, cream		.8		.6	1.4			
Diaphragm		1.4	1.3	1.3	1.7			
Norplant		1.0		1.1	1.4			
Shots - DepoProvera		4.2	8.5	7.6				
Withdrawal		.5		1.4				
Other		7.0	13.2	3.1	7.6			
Male	Tubes tied	18.4	3.8	14.7	26.7			
	Vasectomy	17.2		13.9	26.1			
	Pill	29.2	28.8	37.2	23.4			
	Condoms	20.2	44.5	19.2	11.7			
	Foam, jelly, cream	.8		.6	1.4			
	Diaphragm	1.4	1.3	1.3	1.7			
	Norplant	1.0		1.1	1.4			
	Shots - DepoProvera	4.2	8.5	7.6				
	Withdrawal	.5		1.4				
	Other	7.0	13.2	3.1	7.6			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What kinds of birth control are you or your wife or partner using now?
(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	476	74	195	207			
Tubes tied	84	2	27	55			
Vasectomy	76		27	49			
Pill	147	24	72	51			
Condoms	92	30	36	26			
Foam, jelly, cream	5		1	4			
Diaphragm	7	1	3	3			
Norplant	4		2	2			
Shots - DepoProvera	18	8	10				
Withdrawal	3		3				
Don't know/Not sure	5		4	1			
Other	30	8	8	14			
Refused	5	1	2	2			
Male	Total	476	74	195	207		
	Tubes tied	84	2	27	55		
	Vasectomy	76		27	49		
	Pill	147	24	72	51		
	Condoms	92	30	36	26		
	Foam, jelly, cream	5		1	4		
	Diaphragm	7	1	3	3		
	Norplant	4		2	2		
	Shots - DepoProvera	18	8	10			
	Withdrawal	3		3			
	Don't know/Not sure	5		4	1		
	Other	30	8	8	14		
	Refused	5	1	2	2		

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What are your reasons for not using any birth control now?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
I am not having sex		10.4	31.5	7.7	4.2			
I want my wife or partner to get pregnant		14.0		20.6	13.1			
I don't want to use birth control		11.4	14.5	14.2	7.1			
My wife or partner doesn't want to use birth control		2.9	7.3	1.7	2.4			
I don't think my wife or partner can get pregnant		17.5	14.5	10.3	26.2			
I can't pay for birth control		1.4		3.4				
Other		42.4	32.1	42.1	47.0			
Male	I am not having sex	10.4	31.5	7.7	4.2			
	I want my wife or partner to get pregnant	14.0		20.6	13.1			
	I don't want to use birth control	11.4	14.5	14.2	7.1			
	My wife or partner doesn't want to use birth control	2.9	7.3	1.7	2.4			
	I don't think my wife or partner can get pregnant	17.5	14.5	10.3	26.2			
	I can't pay for birth control	1.4		3.4				
	Other	42.4	32.1	42.1	47.0			
Denominator is: All male respondents under the age of 45 are sexually active, whose sex partners are not pregnant, and are not currently using birth control with their partners.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What are your reasons for not using any birth control now?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		134	19	62	53			
I am not having sex		11	2	5	4			
I want my wife or partner to get pregnant		19		13	6			
I don't want to use birth control		14	3	8	3			
My wife or partner doesn't want to use birth control		3	1	1	1			
I don't think my wife or partner can get pregnant		20	2	6	12			
I can't pay for birth control		2		2				
Don't know/not sure		12	3	3	6			
Other		50	7	23	20			
Refused		3	1	1	1			
Male	Total	134	19	62	53			
	I am not having sex	11	2	5	4			
	I want my wife or partner to get pregnant	19		13	6			
	I don't want to use birth control	14	3	8	3			
	My wife or partner doesn't want to use birth control	3	1	1	1			
	I don't think my wife or partner can get pregnant	20	2	6	12			
	I can't pay for birth control	2		2				
	Don't know/not sure	12	3	3	6			
	Other	50	7	23	20			
	Refused	3	1	1	1			

Denominator is: All male respondents under the age of 45 are sexually active, whose sex partners are not pregnant, and are not currently using birth control with their partners.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the last year, have you gone to a health care provider for birth control or family planning services including condoms or vasectomy?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		7.5	10.7	8.7	4.8			
No		92.5	89.3	91.3	95.2			
Male	Yes	7.5	10.7	8.7	4.8			
	No	92.5	89.3	91.3	95.2			

Denominator is: All male respondents under the age of 45.

In the last year, have you gone to a health care provider for birth control or family planning services including condoms or vasectomy?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		785	142	318	325			
Yes		59	16	28	15			
No		720	124	289	307			
Don't know/Not sure		1	1					
Refused		5	1	1	3			
Male	Total	785	142	318	325			
	Yes	59	16	28	15			
	No	720	124	289	307			
	Don't know/Not sure	1	1					
	Refused	5	1	1	3			

Denominator is: All male respondents under the age of 45.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

When you went for birth control or family planning services in the last year, did you go to either a Planned Parenthood clinic or a health department clinic?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		57.5	88.9	50.0	21.1			
No		42.5	11.1	50.0	78.9			
Male	Yes	57.5	88.9	50.0	21.1			
	No	42.5	11.1	50.0	78.9			

Denominator is: All male respondents under the age of 45 who went someplace for birth control or family planning services.

When you went for birth control or family planning services in the last year, did you go to either a Planned Parenthood clinic or a health department clinic?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		59	16	28	15			
Yes		31	15	13	3			
No		23	1	14	8			
Don't know/Not sure		5		1	4			
Male	Total	59	16	28	15			
	Yes	31	15	13	3			
	No	23	1	14	8			
	Don't know/Not sure	5		1	4			

Denominator is: All male respondents under the age of 45 who went someplace for birth control or family planning services.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

When you have intercourse, how often do you use a method to prevent pregnancy?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Some of the time		8.1	6.5	10.7	6.5			
Most of the time		13.3	11.4	14.4	13.6			
Every time		78.6	82.1	74.9	79.9			
Male	Some of the time	8.1	6.5	10.7	6.5			
	Most of the time	13.3	11.4	14.4	13.6			
	Every time	78.6	82.1	74.9	79.9			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners that is not sterilization.

When you have intercourse, how often do you use a method to prevent pregnancy?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		305	71	135	99			
Some of the time		21	4	10	7			
Most of the time		36	7	17	12			
Every time		246	60	106	80			
Don't know/Not sure		2		2				
Male	Total	305	71	135	99			
	Some of the time	21	4	10	7			
	Most of the time	36	7	17	12			
	Every time	246	60	106	80			
	Don't know/Not sure	2		2				

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners that is not sterilization.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

How long have you been using a method to prevent pregnancy every time you have intercourse?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
More than six months		88.6	82.4	91.0	91.0			
Six months or less		11.4	17.6	9.0	9.0			
Male	More than six months	88.6	82.4	91.0	91.0			
	Six months or less	11.4	17.6	9.0	9.0			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners every time.

How long have you been using a method to prevent pregnancy every time you have intercourse?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		246	60	106	80			
More than six months		216	50	96	70			
Six months or less		27	9	10	8			
Don't know/Not sure		3	1		2			
Male	Total	246	60	106	80			
	More than six months	216	50	96	70			
	Six months or less	27	9	10	8			
	Don't know/Not sure	3	1		2			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners every time.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the next six months, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		66.1	79.1	64.7	59.0			
No		33.9	20.9	35.3	41.0			
Male	Yes	66.1	79.1	64.7	59.0			
	No	33.9	20.9	35.3	41.0			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control with their partners other than sterilization or vasectomy or are not using birth control with their partners.

In the next six months, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		449	91	203	155			
Yes		292	69	129	94			
No		131	16	60	55			
Don't know/Not sure		15	3	9	3			
Refused		11	3	5	3			
Male	Total	449	91	203	155			
	Yes	292	69	129	94			
	No	131	16	60	55			
	Don't know/Not sure	15	3	9	3			
	Refused	11	3	5	3			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control with their partners other than sterilization or vasectomy or are not using birth control with their partners.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the next 30 days, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		96.3	96.2	97.4	95.3			
No		3.7	3.8	2.6	4.7			
Male	Yes	96.3	96.2	97.4	95.3			
	No	3.7	3.8	2.6	4.7			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control with their partners other than sterilization or vasectomy or are not using birth control with their partners.

In the next 30 days, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		292	69	129	94			
Yes		276	66	122	88			
No		10	2	3	5			
Don't know/Not sure		2		2				
Refused		4	1	2	1			
Male	Total	292	69	129	94			
	Yes	276	66	122	88			
	No	10	2	3	5			
	Don't know/Not sure	2		2				
	Refused	4	1	2	1			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control with their partners other than sterilization or vasectomy or are not using birth control with their partners.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Does your health insurance coverage pay for at least some of the cost of a vasectomy?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		76.6	82.5	72.9	77.8			
No		23.4	17.5	27.1	22.2			
Male	Yes	76.6	82.5	72.9	77.8			
	No	23.4	17.5	27.1	22.2			

Denominator is: All male respondents under the age of 45 who have health insurance.

Does your health insurance coverage pay for at least some of the cost of a vasectomy?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		664	100	270	294			
Yes		199	26	81	92			
No		66	5	30	31			
Don't know/Not sure		381	66	149	166			
Refused		18	3	10	5			
Male	Total	664	100	270	294			
	Yes	199	26	81	92			
	No	66	5	30	31			
	Don't know/Not sure	381	66	149	166			
	Refused	18	3	10	5			

Denominator is: All male respondents under the age of 45 who have health insurance.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Did you know there is free or low cost birth control at health departments and Planned Parenthood clinics?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		72.5	66.2	74.7	73.9			
No		27.5	33.8	25.3	26.1			
Male	Yes	72.5	66.2	74.7	73.9			
	No	27.5	33.8	25.3	26.1			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

Did you know there is free or low cost birth control at health departments and Planned Parenthood clinics?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		534	93	230	211			
Yes		388	67	170	151			
No		138	25	56	57			
Don't know/Not sure		6		3	3			
Refused		2	1	1				
Male	Total	534	93	230	211			
	Yes	388	67	170	151			
	No	138	25	56	57			
	Don't know/Not sure	6		3	3			
	Refused	2	1	1				

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

From your understanding, would you say emergency birth control can be used?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
To prevent pregnancy up to three days after unprotected sex		44.2	36.9	49.1	43.5			
To end a pregnancy several weeks after it has begun		2.2		3.2	2.4			
Both of the above		15.8	12.4	13.4	19.9			
Neither of the above		37.8	50.7	34.2	34.2			
Male	To prevent pregnancy up to three days after unprotected sex	44.2	36.9	49.1	43.5			
	To end a pregnancy several weeks after it has begun	2.2		3.2	2.4			
	Both of the above	15.8	12.4	13.4	19.9			
	Neither of the above	37.8	50.7	34.2	34.2			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

From your understanding, would you say emergency birth control can be used?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		534	93	230	211			
To prevent pregnancy up to three days after unprotected sex		165	28	75	62			
To end a pregnancy several weeks after it has begun		8		5	3			
Both of the above		63	8	24	31			
Neither of the above		130	32	54	44			
Don't know/Not sure		160	24	67	69			
Refused		8	1	5	2			
Male	Total	534	93	230	211			
	To prevent pregnancy up to three days after unprotected sex	165	28	75	62			
	To end a pregnancy several weeks after it has begun	8		5	3			
	Both of the above	63	8	24	31			
	Neither of the above	130	32	54	44			
	Don't know/Not sure	160	24	67	69			
	Refused	8	1	5	2			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the last five years, did a partner of yours use emergency birth control pills?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		1.9	3.5	1.4	1.7			
No		98.1	96.5	98.6	98.3			
Male	Yes	1.9	3.5	1.4	1.7			
	No	98.1	96.5	98.6	98.3			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

In the last five years, did a partner of yours use emergency birth control pills?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		534	93	230	211			
Yes		9	2	3	4			
No		506	85	219	202			
Don't know/Not sure		16	5	7	4			
Refused		3	1	1	1			
Male	Total	534	93	230	211			
	Yes	9	2	3	4			
	No	506	85	219	202			
	Don't know/Not sure	16	5	7	4			
	Refused	3	1	1	1			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the last year, did a partner of yours use emergency birth control pills?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		57.8	100.0	33.3	33.3			
No		42.2		66.7	66.7			
Male	Yes	57.8	100.0	33.3	33.3			
	No	42.2		66.7	66.7			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control other than vasectomy or are not using birth control, and have had a partner use emergency birth control in the last five years.

In the last year, did a partner of yours use emergency birth control pills?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		9	2	3	4			
Yes		5	2	1	2			
No		4		2	2			
Male	Total	9	2	3	4			
	Yes	5	2	1	2			
	No	4		2	2			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control other than vasectomy or are not using birth control, and have had a partner use emergency birth control in the last five years.