

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

If you had a child in school, at what grade do you think he or she should begin receiving education in school about HIV infection and AIDS?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
1		7.5	4.5	7.8	5.7	9.7	10.0	
2		2.6	3.1	2.8	2.0	2.6	3.0	
3		11.6	11.8	13.2	10.3	11.0	12.7	
4		12.4	12.2	14.3	14.7	8.9	10.4	
5		17.4	22.6	15.8	18.5	16.2	14.4	
6		20.6	20.0	22.1	18.2	21.9	21.6	
7		10.8	12.5	7.1	14.1	9.2	10.5	
8		4.2	3.3	2.2	5.0	4.3	6.5	
9		3.0	2.9	3.3	2.9	3.5	2.3	
10		1.6		1.5	2.1	2.5	1.3	
11		.4		.6	.3	.1	.8	
12		.9		1.6	1.3	1.0		
Kindergarten		4.8	5.1	6.1	3.2	5.8	3.8	
Never		2.1	1.9	1.5	1.6	3.2	2.7	
Male	1	6.3	4.7	4.6	5.7	8.6	8.7	
	2	2.6	2.6	3.4	2.5	3.5		
	3	10.0	13.0	13.3	6.9	8.8	9.4	
	4	11.9	12.1	13.9	13.9	7.8	11.0	
	5	17.9	17.5	14.1	23.3	15.5	16.9	
	6	22.5	21.3	25.5	16.1	26.8	25.2	
	7	11.2	13.1	7.6	13.7	10.0	11.4	
	8	5.3	4.7	1.9	6.9	6.3	6.3	
	9	3.4	2.1	6.1	3.3	2.0	3.1	
	10	2.4		2.7	3.5	2.9	1.6	
	11	.3		1.1				
	12	1.2		.8	2.0	2.0		
	Kindergarten	3.0	5.2	2.7	1.2	4.5	2.4	
	Never	2.1	3.7	2.3	.8	1.2	4.1	
Female	1	8.6	4.2	11.2	5.7	10.9	11.3	
	2	2.6	3.7	2.2	1.5	1.8	5.6	
	3	13.3	10.6	13.1	13.6	13.2	15.7	
	4	12.9	12.4	14.7	15.6	10.0	9.8	
	5	17.0	28.0	17.6	13.7	16.9	12.1	
	6	18.7	18.7	18.6	20.2	17.0	18.3	
	7	10.4	11.9	6.6	14.5	8.4	9.8	
	8	3.1	1.8	2.6	3.1	2.2	6.7	

9	2.6	3.7	.3	2.5	5.0	1.5	
10	.8		.3	.6	2.1	1.0	
11	.5			.6	.3	1.5	
12	.7		2.6	.6			
Kindergarten	6.5	5.0	9.6	5.2	7.1	5.1	
Never	2.2		.6	2.5	5.2	1.5	

Denominator is: All survey respondents less than 65 years old.

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

If you had a child in school, at what grade do you think he or she should begin receiving education in school about HIV infection and AIDS?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	
Total		1,448	183	344	342	368	211	
1		111	10	27	18	36	20	
2		33	4	10	7	8	4	
3		165	24	43	34	38	26	
4		164	22	46	47	28	21	
5		223	37	50	59	50	27	
6		271	34	64	59	76	38	
7		135	18	23	43	30	21	
8		56	6	8	16	14	12	
9		38	5	9	11	9	4	
10		24		6	7	9	2	
11		4		1	1	1	1	
12		8		2	3	3		
Kindergarten		66	8	19	12	19	8	
Don't know/Not sure		107	12	31	16	29	19	
Never		29	2	4	5	12	6	
Refused		14	1	1	4	6	2	
Male	Total	642	91	155	152	160	84	
	1	43	6	7	8	15	7	
	2	15	2	5	4	4		
	3	60	12	17	11	13	7	
	4	70	11	21	20	10	8	
	5	102	16	21	31	21	13	
	6	131	19	31	25	39	17	
	7	60	8	11	18	14	9	
	8	31	4	3	10	9	5	
	9	20	2	8	6	2	2	
	10	16		5	6	4	1	
	11	1		1				
	12	6		1	2	3		
	Kindergarten	18	3	4	2	7	2	
	Don't know/Not sure	47	5	16	7	12	7	
	Never	14	2	3	1	3	5	
	Refused	8	1	1	1	4	1	
Total		806	92	189	190	208	127	

Female	1	68	4	20	10	21	13
	2	18	2	5	3	4	4
	3	105	12	26	23	25	19
	4	94	11	25	27	18	13
	5	121	21	29	28	29	14
	6	140	15	33	34	37	21
	7	75	10	12	25	16	12
	8	25	2	5	6	5	7
	9	18	3	1	5	7	2
	10	8		1	1	5	1
	11	3			1	1	1
	12	2		1	1		
	Kindergarten	48	5	15	10	12	6
	Don't know/Not sure	60	7	15	9	17	12
	Never	15		1	4	9	1
	Refused	6			3	2	1

Denominator is: All survey respondents less than 65 years old.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

If you had a teenager who was sexually active, would you encourage him or her to use a condom?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		89.3	94.4	91.2	91.3	86.0	82.4
No		2.8	1.0	.8	3.4	4.0	4.8
Would give other advice		7.9	4.6	8.0	5.3	9.9	12.8
Male	Yes	88.3	92.3	90.2	91.0	85.0	81.6
	No	3.3	2.0	.7	2.4	4.8	8.3
	Would give other advice	8.4	5.6	9.1	6.7	10.3	10.1
Female	Yes	90.3	96.5	92.3	91.6	87.2	83.2
	No	2.3		.9	4.3	3.3	1.4
	Would give other advice	7.4	3.5	6.8	4.0	9.6	15.4

Denominator is: All survey respondents less than 65 years old.

If you had a teenager who was sexually active, would you encourage him or her to use a condom?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		1,448	183	344	342	368	211
Yes		1,281	172	312	310	316	171
No		35	1	4	10	11	9
Would give other advice		107	7	24	16	34	26
Don't know/Not sure		17	3	4	3	5	2
Refused		8			3	2	3
Male	Total	642	91	155	152	160	84
	Yes	560	83	136	137	137	67
	No	19	1	2	3	6	7
	Would give other advice	50	4	14	8	15	9
	Don't know/Not sure	10	3	3	2	1	1
	Refused	3			2	1	
Female	Total	806	92	189	190	208	127
	Yes	721	89	176	173	179	104
	No	16		2	7	5	2
	Would give other advice	57	3	10	8	19	17
	Don't know/Not sure	7		1	1	4	1
	Refused	5			1	1	3

Denominator is: All survey respondents less than 65 years old.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What are your chances of getting infected with HIV, the virus that causes AIDS?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
High		1.6	3.7	2.0	2.0	.3		
Medium		3.7	6.6	5.0	3.8	2.6	.5	
Low		26.6	37.7	32.2	25.6	22.3	15.8	
None		67.9	52.0	60.4	68.6	74.7	83.4	
Not applicable		.2		.4		.2	.2	
Male	High	1.7	2.5	3.5	1.9			
	Medium	4.1	9.5	4.9	3.7	3.0		
	Low	28.7	47.1	30.5	26.7	23.8	18.8	
	None	65.3	40.9	60.5	67.7	72.8	81.2	
	Not applicable	.2		.7		.4		
Female	High	1.5	5.0	.6	2.0	.5		
	Medium	3.3	3.5	5.1	4.0	2.1	1.0	
	Low	24.5	27.7	34.0	24.5	20.8	12.9	
	None	70.6	63.7	60.3	69.5	76.5	85.6	
	Not applicable	.1					.5	

Denominator is: All survey respondents less than 65 years old.

What are your chances of getting infected with HIV, the virus that causes AIDS?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,448	183	344	342	368	211	
High		19	4	7	7	1		
Medium		48	11	16	12	8	1	
Low		412	73	118	94	91	36	
None		953	92	199	229	263	170	
Not applicable		3		1		1	1	
Don't know/Not sure		12	3	3		4	2	
Refused		1					1	
Male	Total	642	91	155	152	160	84	
	High	11	2	6	3			
	Medium	25	8	7	5	5		
	Low	200	44	53	43	41	19	
	None	397	35	85	101	111	65	
	Not applicable	2		1		1		
	Don't know/Not sure	7	2	3		2		

Female	Total	806	92	189	190	208	127	
	High	8	2	1	4	1		
	Medium	23	3	9	7	3	1	
	Low	212	29	65	51	50	17	
	None	556	57	114	128	152	105	
	Not applicable	1					1	
	Don't know/Not sure	5	1			2	2	
	Refused	1					1	

Denominator is: All survey respondents less than 65 years old.

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Have you ever been tested for HIV?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		44.6	54.0	54.1	47.8	36.9	28.0
No		55.4	46.0	45.9	52.2	63.1	72.0
Male	Yes	44.5	37.0	52.0	45.5	45.1	37.8
	No	55.5	63.0	48.0	54.5	54.9	62.2
Female	Yes	44.7	72.3	56.2	49.9	30.2	19.9
	No	55.3	27.7	43.8	50.1	69.8	80.1

Denominator is: All survey respondents less than 65 years old who have not donated blood since March 1985 and whose chances of getting HIV are not known.

Have you ever been tested for HIV?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		1,055	129	230	256	273	167
Yes		473	69	130	124	103	47
No		549	56	95	125	156	117
Don't know/Not sure		31	4	5	6	13	3
Refused		2			1	1	
Male	Total	450	66	101	110	110	63
	Yes	205	24	55	53	48	25
	No	228	40	43	55	53	37
	Don't know/Not sure	17	2	3	2	9	1
Female	Total	605	63	129	146	163	104
	Yes	268	45	75	71	55	22
	No	321	16	52	70	103	80
	Don't know/Not sure	14	2	2	4	4	2
	Refused	2			1	1	

Denominator is: All survey respondents less than 65 years old who have not donated blood since March 1985 and whose chances of getting HIV are not known.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Have you donated blood since March 1985?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		26.5	27.4	30.8	25.4	25.9	22.1	
No		73.5	72.6	69.2	74.6	74.1	77.9	
Male	Yes	28.4	26.3	30.4	26.5	30.8	27.1	
	No	71.6	73.7	69.6	73.5	69.2	72.9	
Female	Yes	24.6	28.5	31.2	24.4	21.0	17.4	
	No	75.4	71.5	68.8	75.6	79.0	82.6	

Denominator is: All survey respondents less than 65 years old and whose chances of getting HIV are not known.

Have you donated blood since March 1985?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,445	183	343	342	367	210	
Yes		390	54	113	86	94	43	
No		1,048	129	228	255	271	165	
Don't know/Not sure		7		2	1	2	2	
Male	Total	640	91	154	152	159	84	
	Yes	190	25	53	42	49	21	
	No	447	66	100	110	109	62	
	Don't know/Not sure	3		1		1	1	
Female	Total	805	92	189	190	208	126	
	Yes	200	29	60	44	45	22	
	No	601	63	128	145	162	103	
	Don't know/Not sure	4		1	1	1	1	

Denominator is: All survey respondents less than 65 years old and whose chances of getting HIV are not known.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Have you donated blood in the past twelve months?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		32.9	43.5	22.3	28.1	39.6	40.7	
No		67.1	56.5	77.7	71.9	60.4	59.3	
Male	Yes	35.2	51.6	21.6	27.3	39.3	50.0	
	No	64.8	48.4	78.4	72.7	60.7	50.0	
Female	Yes	30.3	35.7	22.9	28.9	40.2	27.0	
	No	69.7	64.3	77.1	71.1	59.8	73.0	

Denominator is: All survey respondents less than 65 years old, whose chances of getting HIV is not known, and who have donated blood since March 1985.

Have you donated blood in the past twelve months?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		390	54	113	86	94	43	
Yes		128	23	25	26	37	17	
No		260	31	88	58	57	26	
Don't know/Not sure		2			2			
Male	Total	190	25	53	42	49	21	
	Yes	65	12	11	12	19	11	
	No	124	13	42	29	30	10	
	Don't know/Not sure	1			1			
Female	Total	200	29	60	44	45	22	
	Yes	63	11	14	14	18	6	
	No	136	18	46	29	27	16	
	Don't know/Not sure	1			1			

Denominator is: All survey respondents less than 65 years old, whose chances of getting HIV is not known, and who have donated blood since March 1985.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Except for tests you may have had as part of blood donations, have you ever been tested for HIV?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		44.8	42.3	58.7	46.3	41.0	21.4
No		55.2	57.7	41.3	53.7	59.0	78.6
Male	Yes	42.2	34.9	58.1	43.4	41.4	20.5
	No	57.8	65.1	41.9	56.6	58.6	79.5
Female	Yes	47.9	49.6	59.3	49.4	40.5	22.9
	No	52.1	50.4	40.7	50.6	59.5	77.1

Denominator is: All survey respondents less than 65 years old, have donated blood since March 1985, and whose HIV risk is known.

Except for tests you may have had as part of blood donations, have you ever been tested for HIV?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		390	54	113	86	94	43
Yes		184	26	69	41	37	11
No		197	28	42	43	53	31
Don't know/Not sure		9		2	2	4	1
Male	Total	190	25	53	42	49	21
	Yes	88	10	33	20	20	5
	No	98	15	19	21	27	16
	Don't know/Not sure	4		1	1	2	
Female	Total	200	29	60	44	45	22
	Yes	96	16	36	21	17	6
	No	99	13	23	22	26	15
	Don't know/Not sure	5		1	1	2	1

Denominator is: All survey respondents less than 65 years old, have donated blood since March 1985, and whose HIV risk is known.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What was the main reason you had your last test for HIV?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Hospitalization		5.0		1.9	11.2	5.4	8.0	
Health Insurance		.7					11.1	
Life Insurance		17.3		14.3	28.6	29.6	11.1	
Employment		1.5			2.2	5.4		
Military		3.4	3.6	7.3		3.6		
Immigration		.8			2.9			
Find out		19.0	36.8	8.9	24.2	11.2		
Doctor referred		2.6		6.9	2.5			
Pregnancy		11.7	21.8	21.1	2.2	2.6		
Sex partner referred		.8	3.6					
Blood Donation		1.2			2.2	3.6		
Routine Checkup		19.9	14.5	22.5	14.5	19.7	50.8	
Occupational Exp		1.9		1.0	3.3	4.4		
Illness		2.6	4.7	4.6			4.0	
At risk		.6		2.1				
Other		10.9	15.0	9.2	6.2	14.3	15.1	
Male	Hospitalization	5.1		2.3	9.9	7.5		
	Health Insurance	1.3					15.4	
	Life Insurance	21.8		18.6	32.1	30.0	15.4	
	Employment	1.7				7.5		
	Military	6.4	9.1	16.3		5.0		
	Immigration	1.5			4.9			
	Find out	21.3	45.5	4.7	35.8	10.0		
	Doctor referred	3.4		11.6	2.5			
	Pregnancy	1.0	6.1					
	Sex partner referred	1.5	9.1					
	Blood Donation	1.1				5.0		
	Routine Checkup	17.8	12.1	16.3	9.9	20.0	53.8	
	Occupational Exp	1.1		2.3		2.5		
	Illness	2.6	9.1	4.7				
	At risk	1.1		4.7				
Other	11.4	9.1	18.6	4.9	12.5	15.4		
Hospitalization		4.8		1.5	13.2		28.6	
Life Insurance		12.1		10.8	23.7	28.6		
Employment		1.3			5.3			

Female	Find out	16.5	31.1	12.3	7.9	14.3		
	Doctor referred	1.6		3.1	2.6			
	Pregnancy	24.1	32.1	38.5	5.3	9.5		
	Blood Donation	1.3			5.3			
	Routine Checkup	22.4	16.0	27.7	21.1	19.0	42.9	
	Occupational Exp	2.9			7.9	9.5		
	Illness	2.6	1.9	4.6			14.3	
	Other	10.4	18.9	1.5	7.9	19.0	14.3	

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months.

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What was the main reason you had your last test for HIV?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		199	44	61	47	36	11
Hospitalization		9		2	4	2	1
Health Insurance		1					1
Life Insurance		30		9	11	9	1
Employment		2			1	1	
Military		6	1	4		1	
Immigration		1			1		
Find out		44	17	7	14	6	
Doctor referred		5		3	2		
Pregnancy		25	10	13	1	1	
Sex partner referred		1	1				
Blood Donation		2			1	1	
Routine Checkup		42	8	12	9	8	5
Occupational Exp		4		1	1	2	
Illness		6	2	3			1
At risk		2		2			
Other		19	5	5	2	5	2
Male	Total	95	16	26	24	23	6
	Hospitalization	4		1	1	2	
	Health Insurance	1					1
	Life Insurance	19		5	7	6	1
	Employment	1				1	
	Military	6	1	4		1	
	Immigration	1			1		
	Find out	23	8	2	10	3	
	Doctor referred	3		2	1		
	Pregnancy	1	1				
	Sex partner referred	1	1				
	Blood Donation	1				1	
	Routine Checkup	18	3	4	3	5	3
	Occupational Exp	2		1		1	
	Illness	2	1	1			
	At risk	2		2			
	Other	10	1	4	1	3	1
Total		104	28	35	23	13	5

Female	Hospitalization	5		1	3		1	
	Life Insurance	11		4	4	3		
	Employment	1			1			
	Find out	21	9	5	4	3		
	Doctor referred	2		1	1			
	Pregnancy	24	9	13	1	1		
	Blood Donation	1			1			
	Routine Checkup	24	5	8	6	3	2	
	Occupational Exp	2			1	1		
	Illness	4	1	2			1	
	Other	9	4	1	1	2	1	

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Where did you have your last blood test for HIV?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Private MD or HMO		33.9	50.0	31.4	20.5	33.8	42.1	
Health Dept.		6.2	11.6	6.8	3.8		11.1	
AIDS clinic		.6			2.3			
Hospital		19.6	9.3	19.8	24.7	23.4	24.6	
Family Planning		1.2	2.3	2.5				
Prenatal Clinic		1.3	3.4	1.7				
Community Clinic		6.1	10.4	7.4	4.5	2.7		
Employer Clinic		2.2	2.4	3.1	3.0			
Insurance Co.		3.0		3.4	8.0			
Other public		3.0	7.0	.8	4.5			
Military		3.4	3.6	5.9	1.1	3.8		
Home visit		9.5		9.9	15.8	15.7		
Self test kit		.7					11.1	
Other		9.3		7.3	11.8	20.6	11.1	
Male	Private MD or HMO	27.3	51.5	20.9	18.5	26.3	30.8	
	Health Dept.	3.6	9.1		2.5		15.4	
	Hospital	20.6	6.1	23.3	19.8	28.9	23.1	
	Community Clinic	5.3	9.1	7.0	7.4			
	Employer Clinic	4.1	6.1	7.0	4.9			
	Insurance Co.	2.2			7.4			
	Other public	3.7	9.1		7.4			
	Military	4.8	9.1	9.3		5.3		
	Home visit	12.7		16.3	22.2	10.5		
	Self test kit	1.3					15.4	
Other	14.4		16.3	9.9	28.9	15.4		
Female	Private MD or HMO	41.6	49.1	40.0	23.5	52.4	71.4	
	Health Dept.	9.4	13.2	12.3	5.9			
	AIDS clinic	1.3			5.9			
	Hospital	18.4	11.3	16.9	32.4	9.5	28.6	
	Family Planning	2.7	3.8	4.6				
	Prenatal Clinic	2.7	5.7	3.1				
	Community Clinic	6.9	11.3	7.7		9.5		
	Insurance Co.	4.0		6.2	8.8			
	Other public	2.2	5.7	1.5				
	Military	1.7		3.1	2.9			

Home visit	5.8		4.6	5.9	28.6		
Other	3.3			14.7			

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Where did you have your last blood test for HIV?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		197	44	61	46	35	11
Private MD or HMO		73	21	18	13	15	6
Health Dept.		13	6	4	2		1
AIDS clinic		2			2		
Hospital		35	5	13	8	7	2
Family Planning		3	1	2			
Prenatal Clinic		3	2	1			
Community Clinic		14	5	5	2	2	
Employer Clinic		4	1	2	1		
Insurance Co.		5		2	3		
Other public		5	2	1	2		
Military		6	1	3	1	1	
Home visit		17		6	6	5	
Self test kit		1					1
Don't know/Not sure		1			1		
Other		15		4	5	5	1
Male	Total	94	16	26	24	22	6
	Private MD or HMO	29	7	6	6	8	2
	Health Dept.	4	2		1		1
	Hospital	18	2	6	3	6	1
	Community Clinic	6	2	2	2		
	Employer Clinic	4	1	2	1		
	Insurance Co.	2			2		
	Other public	3	1		2		
	Military	4	1	2		1	
	Home visit	11		4	5	2	
	Self test kit	1					1
	Other	12		4	2	5	1
Female	Total	103	28	35	22	13	5
	Private MD or HMO	44	14	12	7	7	4
	Health Dept.	9	4	4	1		
	AIDS clinic	2			2		
	Hospital	17	3	7	5	1	1
	Family Planning	3	1	2			
	Prenatal Clinic	3	2	1			

Community Clinic	8	3	3		2		
Insurance Co.	3		2	1			
Other public	2	1	1				
Military	2		1	1			
Home visit	6		2	1	3		
Don't know/Not sure	1			1			
Other	3			3			

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Did you receive the results of your last test?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		87.1	89.3	92.2	81.8	79.0	100.0	
No		12.9	10.7	7.8	18.2	21.0		
Male	Yes	84.7	72.7	97.7	82.7	76.3	100.0	
	No	15.3	27.3	2.3	17.3	23.7		
Female	Yes	90.0	100.0	87.7	80.6	85.7	100.0	
	No	10.0		12.3	19.4	14.3		

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.

Did you receive the results of your last test?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		197	44	61	46	35	11	
Yes		175	41	56	38	29	11	
No		22	3	5	8	6		
Male	Total	94	16	26	24	22	6	
	Yes	82	13	25	20	18	6	
	No	12	3	1	4	4		
Female	Total	103	28	35	22	13	5	
	Yes	93	28	31	18	11	5	
	No	10		4	4	2		

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Did you receive counseling or talk with a health care professional about the results of your test?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		25.5	24.6	29.2	19.5	27.6	30.2
No		74.5	75.4	70.8	80.5	72.4	69.8
Male	Yes	23.4	16.7	28.6	16.4	27.6	30.8
	No	76.6	83.3	71.4	83.6	72.4	69.2
Female	Yes	27.9	28.3	29.8	24.1	27.8	28.6
	No	72.1	71.7	70.2	75.9	72.2	71.4

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process, and who received the results of their last test.

Did you receive counseling or talk with a health care professional about the results of your test?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		175	41	56	38	29	11
Yes		46	10	15	8	9	4
No		129	31	41	30	20	7
Male	Total	82	13	25	20	18	6
	Yes	21	2	7	4	6	2
	No	61	11	18	16	12	4
Female	Total	93	28	31	18	11	5
	Yes	25	8	8	4	3	2
	No	68	20	23	14	8	3

Denominator is: All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process, and who received the results of their last test