

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Do you currently use any smokeless tobacco products such as chewing tobacco and snuff?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes, chewing tobacco		2.2	4.4	4.0	2.1	1.3	1.3	.5
Yes, snuff		.9	1.1	1.2	1.1	.1	1.6	.5
Yes, both		.1	.2	.2		.0		.3
No, neither		96.8	94.3	94.6	96.8	98.5	97.1	98.7
Male	Yes, chewing tobacco	4.4	8.2	7.7	4.2	2.6	2.7	1.3
	Yes, snuff	1.8	2.1	2.4	2.1	.3	3.3	.9
	Yes, both	.2	.4	.3		.1		.6
	No, neither	93.6	89.3	89.6	93.7	97.0	94.1	97.2
Female	Yes, chewing tobacco	.1	.4	.1				
	Yes, snuff	.1			.1			.2
	No, neither	99.9	99.6	99.9	99.9	100.0	100.0	99.8

Denominator is: All survey respondents.

Do you currently use any smokeless tobacco products such as chewing tobacco and snuff?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		7,703	696	1,436	1,605	1,561	1,048	1,357
Yes, chewing tobacco		131	27	49	26	15	10	4
Yes, snuff		50	4	15	15	2	8	6
Yes, both		5	1	2		1		1
No, neither		7,461	658	1,362	1,553	1,530	1,022	1,336
Don't know/Not sure		7			1	1	2	3
Refused		49	6	8	10	12	6	7
Male	Total	3,092	307	630	641	646	403	465
	Yes, chewing tobacco	129	26	48	26	15	10	4
	Yes, snuff	48	4	15	14	2	8	5
	Yes, both	5	1	2		1		1
	No, neither	2,886	274	561	597	622	383	449
	Don't know/Not sure	6			1	1	1	3
	Refused	18	2	4	3	5	1	3
Female	Total	4,611	389	806	964	915	645	892
	Yes, chewing tobacco	2	1	1				
	Yes, snuff	2			1			1
	No, neither	4,575	384	801	956	908	639	887
	Don't know/Not sure	1					1	
	Refused	31	4	4	7	7	5	4

Denominator is: All survey respondents.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

On how many of the past 30 days did you use smokeless tobacco products?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
No days		2.8	2.4		10.5			
1-14 days		23.8	37.0	22.3	19.0	24.6		42.4
15-29 days		16.4	13.1	23.2	22.4	15.4	5.0	
30+ days		57.0	47.6	54.5	48.1	60.0	95.0	57.6
Male	No days	2.8	2.5		10.7			
	1-14 days	23.0	35.0	21.8	17.4	24.6		47.6
	15-29 days	16.8	13.5	23.3	22.8	15.4	5.0	
	30+ days	57.3	49.1	54.9	49.0	60.0	95.0	52.4
Female	1-14 days	61.1	100.0	100.0	100.0			
	30+ days	38.9						100.0

Denominator is: All survey respondents who use smokeless tobacco products.

On how many of the past 30 days did you use smokeless tobacco products?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		186	32	66	41	18	18	11
No days		2	1		1			
1-14 days		41	10	16	8	4		3
15-29 days		31	5	12	9	3	2	
30+ days		110	16	38	23	10	16	7
Don't know/Not sure		2				1		1
Male	Total	182	31	65	40	18	18	10
	No days	2	1		1			
	1-14 days	38	9	15	7	4		3
	15-29 days	31	5	12	9	3	2	
	30+ days	109	16	38	23	10	16	6
	Don't know/Not sure	2				1		1
Female	Total	4	1	1	1			1
	1-14 days	3	1	1	1			
	30+ days	1						1

Denominator is: All survey respondents who use smokeless tobacco products.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Are you seriously considering stopping the use of smokeless tobacco within the next 6 months?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		52.2	59.0	50.9	58.8	44.4	36.8	52.4
No		47.8	41.0	49.1	41.2	55.6	63.2	47.6
Male	Yes	52.8	61.1	50.6	60.0	44.4	36.8	52.4
	No	47.2	38.9	49.4	40.0	55.6	63.2	47.6
Female	Yes	14.6		100.0				
	No	85.4	100.0		100.0			

Denominator is: All survey respondents who use smokeless tobacco products.

Are you seriously considering stopping the use of smokeless tobacco within the next 6 months?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		186	32	66	41	18	18	11
Yes		99	17	34	26	9	7	6
No		77	13	30	13	8	10	3
Don't know/Not sure		10	2	2	2	1	1	2
Male	Total	182	31	65	40	18	18	10
	Yes	98	17	33	26	9	7	6
	No	75	12	30	12	8	10	3
	Don't know/Not sure	9	2	2	2	1	1	1
Female	Total	4	1	1	1			1
	Yes	1		1				
	No	2	1		1			
	Don't know/Not sure	1						1

Denominator is: All survey respondents who use smokeless tobacco products.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Are you planning to stop within the next 30 days?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		55.6	78.0	63.5	33.8	64.3	25.0	40.0
No		44.4	22.0	36.5	66.2	35.7	75.0	60.0
Male	Yes	55.9	78.0	64.3	33.8	64.3	25.0	40.0
	No	44.1	22.0	35.7	66.2	35.7	75.0	60.0
Female	No	100.0		100.0				

Denominator is: All survey respondents who use smokeless tobacco products and are considering stopping within the next six months.

Are you planning to stop within the next 30 days?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		99	17	34	26	9	7	6
Yes		49	12	19	8	5	2	3
No		42	5	12	15	4	4	2
Don't know/Not sure		8		3	3		1	1
Male	Total	98	17	33	26	9	7	6
	Yes	49	12	19	8	5	2	3
	No	41	5	11	15	4	4	2
	Don't know/Not sure	8		3	3		1	1
Female	Total	1		1				
	No	1		1				

Denominator is: All survey respondents who use smokeless tobacco products and are considering stopping within the next six months.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

At risk for smokeless tobacco-related illnesses (current users of smokeless tobacco).
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Not at risk – not used smokeless tobacco or don't currently		96.8	94.3	94.6	96.8	98.5	97.1	98.7
Current users of smokeless tobacco		3.2	5.7	5.4	3.2	1.5	2.9	1.3
Male	Not at risk – not used smokeless tobacco or don't currently	93.6	89.3	89.6	93.7	97.0	94.1	97.2
	Current users of smokeless tobacco	6.4	10.7	10.4	6.3	3.0	5.9	2.8
Female	Not at risk – not used smokeless tobacco or don't currently	99.9	99.6	99.9	99.9	100.0	100.0	99.8
	Current users of smokeless tobacco	.1	.4	.1	.1			.2
Denominator is: All survey respondents.								

At risk for smokeless tobacco-related illnesses (current users of smokeless tobacco).
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		7,703	696	1,436	1,605	1,561	1,048	1,357
Not at risk – not used smokeless tobacco or don't currently		7,461	658	1,362	1,553	1,530	1,022	1,336
Current users of smokeless tobacco		186	32	66	41	18	18	11
NA/Don't Know/Not sure/Refused		56	6	8	11	13	8	10
Male	Total	3,092	307	630	641	646	403	465
	Not at risk – not used smokeless tobacco or don't currently	2,886	274	561	597	622	383	449
	Current users of smokeless tobacco	182	31	65	40	18	18	10
	NA/Don't Know/Not sure/Refused	24	2	4	4	6	2	6
Female	Total	4,611	389	806	964	915	645	892
	Not at risk – not used smokeless tobacco or don't currently	4,575	384	801	956	908	639	887
	Current users of smokeless tobacco	4	1	1	1			1
	NA/Don't Know/Not sure/Refused	32	4	4	7	7	6	4
Denominator is: All survey respondents.								

