

Oregon BRFSS 2002

True or false: A pregnant woman with HIV can get treatment to help reduce the chances that she will pass the virus on to her baby?

(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
True		52.5	56.1	55.5	52.4	48.5	51.1
False		14.4	12.3	16.5	14.4	15.3	12.5
Don't know/Not sure		32.7	31.6	27.7	33.0	35.2	36.4
Refused		.4		.3	.2	1.0	
Male	True	47.2	52.9	50.5	47.6	40.2	47.0
	False	18.3	13.0	20.8	18.3	21.1	15.8
	Don't know/Not sure	34.0	34.1	28.1	34.1	37.4	37.2
	Refused	.4		.6		1.3	
Female	True	57.8	59.3	60.9	57.1	56.7	55.1
	False	10.5	11.6	11.8	10.5	9.5	9.2
	Don't know/Not sure	31.4	29.1	27.3	32.0	33.0	35.7
	Refused	.3			.4	.7	

Denominator is:

All survey respondents younger than 65 years of age.

Oregon BRFSS 2002

True or false: A pregnant woman with HIV can get treatment to help reduce the chances that she will pass the virus on to her baby?

(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		2,401	222	482	583	633	481
True		1,281	128	278	315	309	251
False		330	29	70	84	87	60
Don't know/Not sure		780	65	132	182	231	170
Refused		10		2	2	6	
Male	Total	997	84	212	232	263	206
	True	482	46	114	114	110	98
	False	181	10	43	44	53	31
	Don't know/Not sure	329	28	53	74	97	77
	Refused	5		2		3	
Female	Total	1,404	138	270	351	370	275
	True	799	82	164	201	199	153
	False	149	19	27	40	34	29
	Don't know/Not sure	451	37	79	108	134	93
	Refused	5			2	3	

Denominator is:
All survey respondents younger than 65 years of age.

Oregon BRFSS 2002

True or false: There are medical treatments available that are intended to help a person who is infected with HIV to live longer?

(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
True		88.9	88.3	88.1	91.2	87.7	88.5
False		2.0	2.1	3.2	1.5	2.0	.8
Don't know		9.0	9.6	8.6	7.2	9.7	10.4
Refused		.2		.1	.1	.5	.3
Male	True	88.4	90.5	85.0	91.5	88.2	86.2
	False	2.1	2.0	4.4	1.0	1.6	1.0
	Don't know	9.3	7.5	10.3	7.5	9.4	12.5
	Refused	.3		.2		.7	.3
Female	True	89.4	86.1	91.5	91.0	87.3	90.8
	False	1.8	2.2	1.8	1.9	2.4	.5
	Don't know	8.6	11.7	6.7	6.9	10.0	8.4
	Refused	.2			.3	.3	.4

Denominator is:
All survey respondents younger than 65 years of age.

Oregon BRFSS 2002

True or false: There are medical treatments available that are intended to help a person who is infected with HIV to live longer?

(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		2,400	222	481	583	633	481
True		2,160	198	431	537	565	429
False		45	6	13	10	11	5
Don't know		187	18	36	35	53	45
Refused		8		1	1	4	2
Male	Total	996	84	211	232	263	206
	True	892	77	183	215	237	180
	False	19	2	7	3	4	3
	Don't know	81	5	20	14	20	22
	Refused	4		1		2	1
Female	Total	1,404	138	270	351	370	275
	True	1,268	121	248	322	328	249
	False	26	4	6	7	7	2
	Don't know	106	13	16	21	33	23
	Refused	4			1	2	1

Denominator is:
All survey respondents younger than 65 years of age.

Oregon BRFSS 2002

How important do you think it is for people to know their HIV status by getting tested?

(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Very important		87.8	91.5	93.0	87.4	84.0	83.5
Somewhat important		6.6	3.3	4.4	7.1	8.4	9.2
Not at all important		.6	2.3	.2	.1	.3	.6
Don't know/Not sure		.8	.4		.5	1.7	1.4
Depends on the risk		3.9	2.6	2.2	4.4	5.0	5.2
Refused		.4		.3	.6	.6	.1
Male	Very important	84.8	89.4	91.8	83.5	80.6	78.8
	Somewhat important	8.0	2.0	4.8	9.2	10.5	13.2
	Not at all important	1.0	4.5		.2	.4	1.1
	Don't know/Not sure	1.0	.8		.4	2.0	2.3
	Depends on the risk	4.5	3.3	2.8	5.8	5.5	4.4
Female	Refused	.6		.6	.9	1.0	.3
	Very important	90.8	93.6	94.3	91.3	87.3	88.1
	Somewhat important	5.1	4.6	3.9	4.9	6.4	5.3
	Not at all important	.1		.3		.3	
	Don't know/Not sure	.6			.7	1.4	.6
Depends on the risk		3.3	1.9	1.5	2.9	4.5	6.0
Refused		.1			.3	.1	

Denominator is:
All survey respondents younger than 65 years of age.

Oregon BRFSS 2002

How important do you think it is for people to know their HIV status by getting tested?

(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		2,400	222	481	583	633	481
Very important		2,105	208	449	511	528	409
Somewhat important		164	6	20	39	60	39
Not at all important		9	2	1	1	2	3
Don't know/Not sure		18	1		3	8	6
Depends on the risk		95	5	10	26	31	23
Refused		9		1	3	4	1
Male	Total	996	84	211	232	263	206
	Very important	841	76	193	193	214	165
	Somewhat important	87	2	11	20	29	25
	Not at all important	7	2		1	1	3
	Don't know/Not sure	9	1		1	3	4
	Depends on the risk	45	3	6	15	13	8
	Refused	7		1	2	3	1
Female	Total	1,404	138	270	351	370	275
	Very important	1,264	132	256	318	314	244
	Somewhat important	77	4	9	19	31	14
	Not at all important	2		1		1	
	Don't know/Not sure	9			2	5	2
	Depends on the risk	50	2	4	11	18	15
	Refused	2			1	1	

Denominator is:

All survey respondents younger than 65 years of age.

Oregon BRFSS 2002

Have you ever been tested for HIV?

(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		43.9	43.9	57.6	48.8	37.4	26.5
No		56.1	56.1	42.4	51.2	62.6	73.5
Male	Yes	41.9	38.7	50.4	44.8	38.0	33.9
	No	58.1	61.3	49.6	55.2	62.0	66.1
Female	Yes	45.8	49.1	65.3	52.9	36.8	19.5
	No	54.2	50.9	34.7	47.1	63.2	80.5

Denominator is:
All survey respondents younger than 65 years of age.

Have you ever been tested for HIV?

(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		2,399	222	481	583	632	481
Yes		1,036	102	282	298	237	117
No		1,276	119	191	266	365	335
Don't know/Not sure		74	1	7	15	24	27
Refused		13		1	4	6	2
Male	Total	995	84	211	232	262	206
	Yes	406	32	106	107	100	61
	No	543	51	101	118	147	126
	Don't know/Not sure	41	1	4	6	12	18
	Refused	5			1	3	1
Female	Total	1,404	138	270	351	370	275
	Yes	630	70	176	191	137	56
	No	733	68	90	148	218	209
	Don't know/Not sure	33		3	9	12	9
	Refused	8		1	3	3	1

Denominator is:
All survey respondents younger than 65 years of age.

Oregon BRFSS 2002

What was the main reason you had your last test for HIV?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
It was required	17.7	6.5	12.4	24.5	23.6	20.2
Someone suggested you should be tested	3.3	4.9	3.5	3.6	2.4	1.8
You thought you may have gotten HIV through sex or drugs	3.6	7.7	2.7	3.8	2.2	1.5
You just wanted to find out whether you had HIV	26.1	34.2	29.9	19.9	21.3	28.9
You were worried that you could give HIV to someone	1.0		1.9	1.1	.3	1.2
If FEMALE: You were pregnant	13.8	20.9	22.2	13.0	3.7	
It was done as part of a routine medical check up	20.4	19.0	15.2	20.4	24.8	29.6
You were tested for some other reason	14.2	6.8	12.3	13.8	21.7	16.8
Male						
It was required	22.4	6.8	17.5	32.1	26.0	24.0
Someone suggested you should be tested	3.5	3.3	4.0	5.1	2.1	1.7
You thought you may have gotten HIV through sex or drugs	3.9	14.4	3.3	1.3	1.3	2.5
You just wanted to find out whether you had HIV	30.0	42.2	41.0	18.3	24.9	25.4
You were worried that you could give HIV to someone	1.6		3.3	2.2		1.3
It was done as part of a routine medical check up	24.7	23.5	16.1	25.2	31.9	31.6
You were tested for some other reason	13.9	9.9	14.8	15.6	13.8	13.5
Female						
It was required	13.4	6.3	8.2	17.8	21.3	14.0
Someone suggested you should be tested	3.2	6.1	3.0	2.2	2.7	2.0
You thought you may have gotten HIV through sex or drugs	3.3	2.7	2.1	5.9	3.1	
You just wanted to find out whether you had HIV	22.5	28.2	20.8	21.4	17.7	34.6
You were worried that you could give HIV to someone	.4		.8		.6	1.0
If FEMALE: You were pregnant	26.3	36.5	40.2	24.5	7.3	
It was done as part of a routine medical check up	16.5	15.7	14.5	16.0	17.8	26.2
You were tested for some other reason	14.3	4.6	10.3	12.1	29.6	22.2

Denominator is:

All survey respondents younger than 65 years of age who have been tested for HIV.

Oregon BRFSS 2002

What was the main reason you had your last test for HIV?

(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		1,033	101	281	297	237	117
It was required		174	6	33	65	49	21
Someone suggested you should be tested		42	7	12	12	9	2
You thought you may have gotten HIV through sex or drugs		39	7	11	12	8	1
You just wanted to find out whether you had HIV		250	27	74	62	53	34
You were worried that you could give HIV to someone		10		4	3	1	2
If FEMALE: You were pregnant		145	27	70	41	7	
It was done as part of a routine medical check up		211	19	46	57	54	35
You were tested for some other reason		156	8	29	42	56	21
Don't know/Not sure		5		2	2		1
Refused		1			1		
Male	Total	405	31	106	107	100	61
	It was required	86	2	17	32	21	14
	Someone suggested you should be tested	18	2	5	7	3	1
	You thought you may have gotten HIV through sex or drugs	16	5	6	2	2	1
	You just wanted to find out whether you had HIV	111	11	37	19	28	16
	You were worried that you could give HIV to someone	7		3	3		1
	It was done as part of a routine medical check up	109	8	20	29	32	20
	You were tested for some other reason	56	3	16	15	14	8
	Don't know/Not sure	2		2			
Female	Total	628	70	175	190	137	56
	It was required	88	4	16	33	28	7
	Someone suggested you should be tested	24	5	7	5	6	1
	You thought you may have gotten HIV through sex or drugs	23	2	5	10	6	
	You just wanted to find out whether you had HIV	139	16	37	43	25	18
	You were worried that you could give HIV to someone	3		1		1	1
	If FEMALE: You were pregnant	145	27	70	41	7	
	It was done as part of a routine medical check up	102	11	26	28	22	15
	You were tested for some other reason	100	5	13	27	42	13
	Don't know/Not sure	3			2		1
	Refused	1			1		

Denominator is:

All survey respondents younger than 65 years of age who have been tested for HIV.

Oregon BRFSS 2002

Where did you have your last blood test for HIV?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Private doctor or HMO	40.7	40.5	41.4	40.2	40.1	41.7
Counseling and testing site	5.3	5.3	6.0	4.4	6.8	2.9
Hospital	13.6	7.7	10.7	12.4	20.9	20.4
Clinic	26.6	39.7	31.2	25.3	17.1	14.2
In jail or prison	.4		.3	1.0	.4	
Home	6.4		4.1	10.5	7.5	10.2
Somewhere else	6.9	6.8	6.2	6.3	7.2	10.7
Male						
Private doctor or HMO	38.5	44.7	30.9	37.4	45.1	39.3
Counseling and testing site	7.2	9.6	9.3	5.2	9.5	
Hospital	12.6	5.9	12.6	7.4	20.8	17.1
Clinic	24.7	33.8	32.3	26.1	12.5	15.1
In jail or prison	.7		.6	2.1		
Home	6.2		3.6	11.2	3.1	14.2
Somewhere else	10.1	5.9	10.7	10.5	8.9	14.4
Female						
Private doctor or HMO	42.7	37.6	50.2	42.5	35.2	45.7
Counseling and testing site	3.6	2.2	3.2	3.7	4.1	7.4
Hospital	14.6	9.0	9.2	16.7	21.1	25.6
Clinic	28.3	43.9	30.4	24.5	21.6	12.7
In jail or prison	.1				.8	
Home	6.5		4.5	9.8	11.8	3.9
Somewhere else	4.1	7.3	2.5	2.8	5.6	4.6

Denominator is:

All survey respondents younger than 65 years of age who have ever been tested for HIV, when the test was not part of the blood donation process.

Oregon BRFSS 2002

Where did you have your last blood test for HIV?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Total	1,030	100	281	296	236	117
Private doctor or HMO	430	40	120	128	95	47
Counseling and testing site	50	5	14	13	14	4
Hospital	141	8	29	36	42	26
Clinic	260	41	89	67	46	17
In jail or prison	4		1	2	1	
Home	66		9	29	18	10
Somewhere else	69	6	17	18	17	11
Don't know/Not sure	9		2	2	3	2
Refused	1			1		
Male						
Total	403	30	106	106	100	61
Private doctor or HMO	155	13	33	41	44	24
Counseling and testing site	25	3	9	5	8	
Hospital	53	2	12	8	19	12
Clinic	97	10	35	26	18	8
In jail or prison	3		1	2		
Home	25		4	11	2	8
Somewhere else	41	2	11	12	8	8
Don't know/Not sure	4		1	1	1	1
Female						
Total	627	70	175	190	136	56
Private doctor or HMO	275	27	87	87	51	23
Counseling and testing site	25	2	5	8	6	4
Hospital	88	6	17	28	23	14
Clinic	163	31	54	41	28	9
In jail or prison	1				1	
Home	41		5	18	16	2
Somewhere else	28	4	6	6	9	3
Don't know/Not sure	5		1	1	2	1
Refused	1			1		

Denominator is:

All survey respondents younger than 65 years of age who have ever been tested for HIV, when the test was not part of the blood donation process.

Oregon BRFSS 2002

Have you engaged in high risk activity/sex for money or drugs or contracted STD/VD or used IV drug use?

(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		3.5	6.3	4.3	3.7	2.5	.7
No		96.5	93.7	95.7	96.3	97.5	99.3
Male	Yes	4.1	5.5	5.9	5.2	2.3	1.0
	No	95.9	94.5	94.1	94.8	97.7	99.0
Female	Yes	2.9	7.1	2.6	2.2	2.6	.4
	No	97.1	92.9	97.4	97.8	97.4	99.6

Denominator is:
All survey respondents younger than 65 years of age.

Have you engaged in high risk activity/sex for money or drugs or contracted STD/VD or used IV drug use?

(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		2,391	220	480	580	631	480
Yes		74	12	21	22	15	4
No		2,309	207	458	557	613	474
Refused		8	1	1	1	3	2
Male	Total	991	82	211	230	262	206
	Yes	39	4	13	13	6	3
	No	947	77	197	216	254	203
	Refused	5	1	1	1	2	
Female	Total	1,400	138	269	350	369	274
	Yes	35	8	8	9	9	1
	No	1,362	130	261	341	359	271
	Refused	3				1	2

Denominator is:
All survey respondents younger than 65 years of age.

Oregon BRFSS 2002

In the past 12 months, has a doctor, nurse, or other health professional talked to you about preventing sexually transmitted diseases through condom use?

(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		10.9	34.6	15.1	6.5	2.5	2.2
No		89.1	65.4	84.9	93.5	97.5	97.8
Male	Yes	9.1	30.4	9.3	6.5	2.3	3.4
	No	90.9	69.6	90.7	93.5	97.7	96.6
Female	Yes	12.7	38.6	21.3	6.5	2.6	1.0
	No	87.3	61.4	78.7	93.5	97.4	99.0

Denominator is:

All survey respondents younger than 65 years of age who have ever been tested for HIV, when the test was not part of the blood donation process.

Oregon BRFSS 2002

In the past 12 months, has a doctor, nurse, or other health professional talked to you about preventing sexually transmitted diseases through condom use?

(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		2,385	220	479	577	631	478
Yes		214	75	74	35	19	11
No		2,162	143	404	542	607	466
Don't know/Not sure		3	2				1
Refused		6		1		5	
Male	Total	988	82	210	230	262	204
	Yes	66	22	19	11	7	7
	No	918	58	191	219	253	197
	Don't know/Not sure	2	2				
	Refused	2				2	
Female	Total	1,397	138	269	347	369	274
	Yes	148	53	55	24	12	4
	No	1,244	85	213	323	354	269
	Don't know/Not sure	1					1
	Refused	4		1		3	

Denominator is:

All survey respondents younger than 65 years of age who have ever been tested for HIV, when the test was not part of the blood donation process.