

Oregon Healthy Teens 2003

Oregon Healthy Teens 2003, Data Summary, 8th Grade
E8.a. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from grocery stores?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	97.6	97.9	97.3	98.0
1	.9	.9	.9	
2	.4	.3	.5	
3	.3	.4	.3	
4	.1	.1	.1	
5-9	.1	.1	.1	
10-14	.0		.1	
15 or more	.5	.4	.7	2.0

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 8th Grade
E8.a. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from grocery stores?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	572	257	305	10
None	5,842	3,021	2,767	54
1	54	31	23	
2	23	12	11	
3	23	12	11	
4	9	5	4	
5-9	9	4	5	
10-14	1		1	
15 or more	28	9	18	1

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 8th Grade
E8.b. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from convenience stores (such as 7-Eleven)?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	97.2	97.7	96.5	98.0
1	1.2	.7	1.9	
2	.5	.8	.3	
3	.2	.3	.1	
4	.2	.1	.3	
5-9	.2	.1	.3	
10-14	.0	.1	.0	
15 or more	.5	.3	.6	2.0

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E8.b. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from convenience stores (such as 7-Eleven)?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	572	257	305	10
None	5,831	3,027	2,750	54
1	69	23	46	
2	27	15	12	
3	17	12	5	
4	10	3	7	
5-9	10	5	5	
10-14	4	3	1	
15 or more	21	6	14	1

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E8.c. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from drug stores?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	98.3	98.7	97.9	96.7
1	.6	.5	.6	1.3
2	.3	.2	.5	
3	.1	.2	.1	
4	.1	.0	.2	
5-9	.1	.1	.2	
10-14	.1	.1		
15 or more	.4	.1	.6	2.0

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E8.c. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from drug stores?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	572	257	305	10
None	5,889	3,049	2,787	53
1	30	14	15	1
2	22	10	12	
3	11	8	3	
4	6	1	5	
5-9	8	4	4	
10-14	3	3		
15 or more	20	5	14	1

Unweighted counts.

Oregon Healthy Teens 2003

Oregon Healthy Teens 2003, Data Summary, 8th Grade
E8.d. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from gas stations?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	97.8	98.3	97.3	98.0
1	.7	.7	.8	
2	.2	.2	.3	
3	.4	.2	.5	
4	.1	.0	.2	
5-9	.2	.2	.2	
10-14	.1	.0	.1	
15 or more	.5	.3	.6	2.0

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 8th Grade
E8.d. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from gas stations?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	572	257	305	10
None	5,868	3,041	2,773	54
1	37	16	21	
2	16	9	7	
3	23	11	12	
4	6	2	4	
5-9	12	6	6	
10-14	5	1	4	
15 or more	22	8	13	1

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 8th Grade
E8.e. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from friends 21 or older?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	89.5	88.7	90.3	89.8
1	3.8	4.0	3.7	4.0
2	2.0	2.3	1.6	.7
3	1.2	1.6	.7	
4	.9	1.1	.7	2.7
5-9	.7	.7	.8	
10-14	.3	.3	.3	
15 or more	1.6	1.2	1.9	2.8

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E8.e. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from friends 21 or older?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	572	257	305	10
None	5,352	2,737	2,567	48
1	209	115	92	2
2	133	80	52	1
3	83	57	26	
4	56	29	25	2
5-9	49	27	22	
10-14	18	11	7	
15 or more	89	38	49	2

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E8.f. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from friends under 21?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	88.6	87.6	89.7	90.5
1	4.2	4.9	3.5	3.4
2	2.2	2.5	1.9	
3	1.5	1.5	1.6	2.8
4	1.0	1.0	.9	1.3
5-9	1.0	1.2	.8	
10-14	.3	.3	.3	
15 or more	1.2	.9	1.4	2.0

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E8.f. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from friends under 21?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	572	257	305	10
None	5,287	2,683	2,555	49
1	241	145	93	3
2	154	93	61	
3	99	54	44	1
4	61	41	19	1
5-9	61	39	22	
10-14	18	10	8	
15 or more	68	29	38	1

Unweighted counts.

Oregon Healthy Teens 2003

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E8.g. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from taking it from home without permission?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	91.2	90.4	92.0	93.7
1	3.8	4.3	3.2	4.8
2	1.6	1.7	1.6	
3	.9	1.0	.8	
4	.8	1.0	.6	1.5
5-9	.6	.6	.6	
10-14	.2	.3	.1	
15 or more	.9	.8	1.1	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E8.g. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from taking it from home without permission?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	572	257	305	10
None	5,477	2,792	2,635	50
1	220	132	84	4
2	94	62	32	
3	56	30	26	
4	41	27	13	1
5-9	34	17	17	
10-14	14	8	6	
15 or more	53	26	27	

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E8.h. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from a parent?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	92.0	91.5	92.6	95.8
1	3.5	3.7	3.3	1.5
2	1.8	2.2	1.3	1.2
3	.7	.6	.7	
4	.6	.7	.6	
5-9	.3	.4	.2	
10-14	.2	.2	.2	1.5
15 or more	.8	.7	1.0	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E8.h. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from a parent?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	572	257	305	10
None	5,525	2,826	2,647	52
1	199	123	75	1
2	99	56	42	1
3	48	26	22	
4	34	21	13	
5-9	22	14	8	
10-14	12	5	6	1
15 or more	50	23	27	

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E8.i. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from a brother or sister?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	94.0	93.9	94.1	96.7
1	2.4	2.7	2.0	3.3
2	1.0	1.3	.8	
3	.6	.7	.4	
4	.4	.5	.4	
5-9	.6	.4	.9	
10-14	.2	.1	.3	
15 or more	.8	.5	1.2	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E8.i. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from a brother or sister?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	572	257	305	10
None	5,635	2,889	2,692	54
1	145	88	56	1
2	62	45	17	
3	42	27	15	
4	22	14	8	
5-9	28	12	16	
10-14	12	4	8	
15 or more	43	15	28	

Unweighted counts.

Oregon Healthy Teens 2003

Oregon Healthy Teens 2003, Data Summary, 8th Grade
E8.j. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from the Internet?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	99.0	99.4	98.6	98.0
1	.2	.2	.3	
2	.0	.0	.0	
3	.1	.1	.2	
4	.1	.2	.1	
5-9	.1	.1	.2	
10-14	.0	.0	.0	
15 or more	.3	.1	.6	2.0

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 8th Grade
E8.j. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from the Internet?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	572	257	305	10
None	5,929	3,074	2,801	54
1	12	4	8	
2	3	2	1	
3	10	4	6	
4	8	4	4	
5-9	9	3	6	
10-14	2	1	1	
15 or more	16	2	13	1

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 8th Grade
E8.k. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) by using fake I.D.?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
None	97.9	98.1	97.7	98.0
1	.5	.6	.3	
2	.2	.1	.2	
3	.2	.2	.1	
4	.2	.2	.2	
5-9	.2	.1	.2	
10-14	.2	.1	.3	
15 or more	.8	.6	.9	2.0

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E8.k. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) by using fake I.D.?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	572	257	305	10
None	5,871	3,044	2,773	54
1	28	17	11	
2	13	6	7	
3	14	6	8	
4	13	5	8	
5-9	10	3	7	
10-14	7	2	5	
15 or more	33	11	21	1

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E10.a. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a grocery store?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	5.9	4.3	7.7	4.0
Sort of easy	7.8	7.6	8.2	1.6
Sort of hard	23.8	25.9	21.5	16.0
Very hard	62.5	62.2	62.5	78.4

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E10.a. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a grocery store?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	848	402	429	17
Very easy	321	127	192	2
Sort of easy	466	228	237	1
Sort of hard	1,371	760	597	14
Very hard	3,555	1,834	1,690	31

Unweighted counts.

Oregon Healthy Teens 2003

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E10.b. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a convenience store (such as 7-Eleven)?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	6.9	5.6	8.5	4.1
Sort of easy	11.7	12.1	11.4	8.4
Sort of hard	27.2	29.4	24.8	17.9
Very hard	54.2	52.9	55.3	69.7

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E10.b. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a convenience store (such as 7-Eleven)?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	863	406	439	18
Very easy	374	159	213	2
Sort of easy	685	371	309	5
Sort of hard	1,630	923	694	13
Very hard	3,009	1,492	1,490	27

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E10.c. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a friends 21 or older?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	32.7	33.6	31.8	29.2
Sort of easy	22.1	24.1	20.0	9.9
Sort of hard	16.4	17.1	15.8	10.2
Very hard	28.8	25.3	32.4	50.6

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E10.c. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a friends 21 or older?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	883	412	454	17
Very easy	1,889	1,031	840	18
Sort of easy	1,278	708	563	7
Sort of hard	924	498	419	7
Very hard	1,587	702	869	16

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E10.d. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from friends under 21?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	26.2	25.9	26.5	24.6
Sort of easy	22.0	24.9	18.7	18.3
Sort of hard	20.2	21.2	19.2	11.3
Very hard	31.7	28.0	35.6	45.9

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E10.d. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from friends under 21?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	879	413	447	19
Very easy	1,484	819	653	12
Sort of easy	1,295	733	554	8
Sort of hard	1,128	599	520	9
Very hard	1,775	787	971	17

Unweighted counts.

Oregon Healthy Teens 2003

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E10.e. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a parent?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	10.7	11.0	10.6	6.0
Sort of easy	11.1	12.3	9.6	17.1
Sort of hard	16.1	16.5	15.6	14.5
Very hard	62.1	60.2	64.2	62.4

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E10.e. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a parent?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	887	419	450	18
Very easy	613	317	292	4
Sort of easy	639	353	277	9
Sort of hard	915	516	390	9
Very hard	3,507	1,746	1,736	25

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E10.f. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a brother or sister?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	13.7	13.2	14.4	5.7
Sort of easy	12.7	14.9	10.1	14.0
Sort of hard	14.5	15.8	13.2	10.6
Very hard	59.1	56.1	62.3	69.7

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E10.f. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a brother or sister?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	914	424	472	18
Very easy	744	387	353	4
Sort of easy	745	456	281	8
Sort of hard	870	492	371	7
Very hard	3,288	1,592	1,668	28

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E10.g. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) through the Internet?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	16.4	14.9	18.3	10.1
Sort of easy	13.1	14.6	11.3	20.5
Sort of hard	18.9	20.4	17.3	21.0
Very hard	51.5	50.1	53.2	48.5

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

E10.g. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) through the Internet?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	934	447	469	18
Very easy	947	468	474	5
Sort of easy	753	439	305	9
Sort of hard	1,071	618	438	15
Very hard	2,856	1,379	1,459	18

Unweighted counts.

Oregon Healthy Teens 2003

Oregon Healthy Teens 2003, Data Summary, 8th Grade
E10.h. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) just taking it at home without permission?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	31.8	33.6	30.0	24.8
Sort of easy	14.6	15.9	13.2	18.8
Sort of hard	13.7	12.9	14.5	20.5
Very hard	39.8	37.6	42.4	35.9

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 8th Grade
E10.h. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) just taking it at home without permission?

	Total	Female	Male	Gender Unknown
Total	6,561	3,351	3,145	65
Missing: skipped Q	889	419	452	18
Very easy	1,852	1,024	816	12
Sort of easy	870	476	385	9
Sort of hard	741	393	339	9
Very hard	2,209	1,039	1,153	17

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 8th Grade
A24. If you wanted to get some marijuana, how easy would it be for you to get some?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	29.1	28.6	29.7	23.9
Sort of easy	23.4	24.7	21.9	23.5
Sort of hard	17.5	18.1	16.5	38.6
Very hard	30.0	28.6	31.9	14.0

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003

Oregon Healthy Teens 2003, Data Summary, 8th Grade

A24. If you wanted to get some marijuana, how easy would it be for you to get some?

	Total	Female	Male	Gender Unknown
Total	6,700	3,483	3,160	57
Missing: skipped Q	999	454	530	15
Very easy	1,635	829	793	13
Sort of easy	1,359	754	594	11
Sort of hard	1,011	553	446	12
Very hard	1,696	893	797	6

Unweighted counts.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

A25. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	8.8	9.3	8.1	7.2
Sort of easy	17.9	21.3	13.8	16.0
Sort of hard	24.6	25.4	23.3	37.9
Very hard	48.8	44.0	54.7	38.9

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2003, Data Summary, 8th Grade

A25. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?

	Total	Female	Male	Gender Unknown
Total	6,700	3,483	3,160	57
Missing: skipped Q	1,017	464	538	15
Very easy	442	238	200	4
Sort of easy	984	601	372	11
Sort of hard	1,478	813	653	12
Very hard	2,779	1,367	1,397	15

Unweighted counts.