

## Oregon Healthy Teens 2003

### Oregon Healthy Teens 2003, Data Summary, 8th Grade

#### A26.a. How old were you when you first smoked a whole cigarette?

|              | Total | Female | Male  | Gender Unknown |
|--------------|-------|--------|-------|----------------|
| Total        | 100.0 | 100.0  | 100.0 | 100.0          |
| Never have   | 77.4  | 76.5   | 78.5  | 71.0           |
| 8 or younger | 4.9   | 4.7    | 5.2   | 1.8            |
| 9            | 2.2   | 2.1    | 2.3   | .8             |
| 10           | 2.6   | 2.6    | 2.5   | 6.3            |
| 11           | 3.5   | 3.7    | 3.2   | 5.7            |
| 12           | 4.3   | 5.0    | 3.5   | 9.9            |
| 13           | 4.4   | 4.6    | 4.2   | 3.3            |
| 14           | .7    | .8     | .6    | 1.1            |
| 15           | .0    | .0     |       |                |

Weighted percentages exclude missing and/or refused answers.

### Oregon Healthy Teens 2003, Data Summary, 8th Grade

#### A26.a. How old were you when you first smoked a whole cigarette?

|                    | Total | Female | Male  | Gender Unknown |
|--------------------|-------|--------|-------|----------------|
| Total              | 6,946 | 3,578  | 3,307 | 61             |
| Missing: skipped Q | 778   | 366    | 400   | 12             |
| Never have         | 4,794 | 2,466  | 2,297 | 31             |
| 8 or younger       | 277   | 139    | 136   | 2              |
| 9                  | 145   | 71     | 73    | 1              |
| 10                 | 164   | 79     | 80    | 5              |
| 11                 | 206   | 123    | 81    | 2              |
| 12                 | 267   | 152    | 110   | 5              |
| 13                 | 263   | 153    | 108   | 2              |
| 14                 | 51    | 28     | 22    | 1              |
| 15                 | 1     | 1      |       |                |

Unweighted counts.

### Oregon Healthy Teens 2003, Data Summary, 8th Grade

#### A1.a. How many cigarettes have you smoked, even a puff, in the last 24 hours?

|            | Total | Female | Male  | Gender Unknown |
|------------|-------|--------|-------|----------------|
| Total      | 100.0 | 100.0  | 100.0 | 100.0          |
| None       | 95.6  | 95.5   | 95.7  | 96.0           |
| 1-10       | 3.3   | 3.6    | 2.9   | 3.0            |
| 11-20      | .5    | .6     | .4    |                |
| 21-30      | .2    | .2     | .2    |                |
| 31-40      | .1    | .0     | .2    |                |
| 41 or more | .4    | .1     | .6    | 1.0            |

Weighted percentages exclude missing and/or refused answers.

## Oregon Healthy Teens 2003

### Oregon Healthy Teens 2003, Data Summary, 8th Grade

#### A1.a. How many cigarettes have you smoked, even a puff, in the last 24 hours?

|                    | Total | Female | Male  | Gender Unknown |
|--------------------|-------|--------|-------|----------------|
| Total              | 6,666 | 3,468  | 3,141 | 57             |
| Missing: skipped Q | 577   | 250    | 313   | 14             |
| None               | 5,815 | 3,072  | 2,703 | 40             |
| 1-10               | 194   | 107    | 85    | 2              |
| 11-20              | 39    | 25     | 14    |                |
| 21-30              | 10    | 7      | 3     |                |
| 31-40              | 5     | 1      | 4     |                |
| 41 or more         | 26    | 6      | 19    | 1              |

Unweighted counts.

### Oregon Healthy Teens 2003, Data Summary, 8th Grade

#### A1.b. How many cigarettes have you smoked, even a puff, in the last 7 days?

|            | Total | Female | Male  | Gender Unknown |
|------------|-------|--------|-------|----------------|
| Total      | 100.0 | 100.0  | 100.0 | 100.0          |
| None       | 92.5  | 92.1   | 93.0  | 94.0           |
| 1-10       | 4.4   | 5.1    | 3.7   | 1.8            |
| 11-20      | 1.4   | 1.4    | 1.3   | 3.1            |
| 21-30      | .7    | .6     | .8    |                |
| 31-40      | .3    | .4     | .3    |                |
| 41 or more | .7    | .4     | 1.1   | 1.0            |

Weighted percentages exclude missing and/or refused answers.

### Oregon Healthy Teens 2003, Data Summary, 8th Grade

#### A1.b. How many cigarettes have you smoked, even a puff, in the last 7 days?

|                    | Total | Female | Male  | Gender Unknown |
|--------------------|-------|--------|-------|----------------|
| Total              | 6,674 | 3,473  | 3,144 | 57             |
| Missing: skipped Q | 666   | 295    | 355   | 16             |
| None               | 5,554 | 2,923  | 2,595 | 36             |
| 1-10               | 249   | 158    | 89    | 2              |
| 11-20              | 70    | 31     | 37    | 2              |
| 21-30              | 52    | 27     | 25    |                |
| 31-40              | 27    | 16     | 11    |                |
| 41 or more         | 56    | 23     | 32    | 1              |

Unweighted counts.

## Oregon Healthy Teens 2003

**Oregon Healthy Teens 2003, Data Summary, 8th Grade**  
**A2. During the past 30 days, on how many days did you smoke**  
**cigarettes? (Current cigarette use is defined as one or more**  
**cigarettes in past 30 days)**

|               | Total | Female | Male  | Gender Unknown |
|---------------|-------|--------|-------|----------------|
| Total         | 100.0 | 100.0  | 100.0 | 100.0          |
| 0 days        | 89.5  | 88.7   | 90.5  | 85.2           |
| 1 or 2 days   | 4.7   | 5.4    | 4.0   | 7.8            |
| 3 to 5 days   | 1.9   | 2.1    | 1.6   | 1.7            |
| 6 to 9 days   | 1.0   | 1.1    | .9    | 2.0            |
| 10 to 19 days | 1.2   | 1.1    | 1.2   |                |
| 20 to 29 days | .8    | .8     | .8    |                |
| All 30 days   | .9    | .8     | 1.1   | 3.3            |

Weighted percentages exclude missing and/or refused answers.

**Oregon Healthy Teens 2003, Data Summary, 8th Grade**  
**A2. During the past 30 days, on how many days did you smoke cigarettes?**  
**(Current cigarette use is defined as one or more cigarettes in past 30 days)**

|                    | Total | Female | Male  | Gender Unknown |
|--------------------|-------|--------|-------|----------------|
| Total              | 6,952 | 3,580  | 3,311 | 61             |
| Missing: skipped Q | 597   | 262    | 321   | 14             |
| 0 days             | 5,689 | 2,947  | 2,705 | 37             |
| 1 or 2 days        | 264   | 155    | 105   | 4              |
| 3 to 5 days        | 119   | 72     | 46    | 1              |
| 6 to 9 days        | 67    | 35     | 30    | 2              |
| 10 to 19 days      | 81    | 40     | 41    |                |
| 20 to 29 days      | 59    | 36     | 23    |                |
| All 30 days        | 76    | 33     | 40    | 3              |

Unweighted counts.

**Oregon Healthy Teens 2003, Data Summary, 8th Grade**  
**A3. During the past 30 days, on the days you smoked, how many cigarettes did**  
**you smoke per day?**

|  | Total | Female | Male  | Gender Unknown |
|--|-------|--------|-------|----------------|
| Total  | 100.0 | 100.0  | 100.0 | 100.0          |
| I did not smoke cigarettes during the past 30 days | 89.6  | 88.6   | 90.9  | 87.8           |
| Less than 1 cigarette per day                      | 4.0   | 4.8    | 2.9   | 7.1            |
| 1 cigarette per day                                | 2.1   | 2.2    | 2.0   | 1.0            |
| 2 to 5 cigarettes per day                          | 3.1   | 3.4    | 2.7   | 1.8            |
| 6 to 10 cigarettes per day                         | .7    | .7     | .8    | 1.3            |
| 11 to 20 cigarettes per day                        | .3    | .2     | .4    | 1.0            |
| More than 20 cigarettes per day                    | .2    | .1     | .3    |                |

Weighted percentages exclude missing and/or refused answers.

## Oregon Healthy Teens 2003

### Oregon Healthy Teens 2003, Data Summary, 8th Grade

**A3. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?**

|  | Total | Female | Male  | Gender Unknown |
|--|-------|--------|-------|----------------|
| Total  | 6,651 | 3,463  | 3,131 | 57             |
| Missing: skipped Q                                 | 661   | 286    | 360   | 15             |
| I did not smoke cigarettes during the past 30 days | 5,391 | 2,828  | 2,528 | 35             |
| Less than 1 cigarette per day                      | 217   | 136    | 79    | 2              |
| 1 cigarette per day                                | 115   | 70     | 44    | 1              |
| 2 to 5 cigarettes per day                          | 174   | 99     | 73    | 2              |
| 6 to 10 cigarettes per day                         | 59    | 32     | 26    | 1              |
| 11 to 20 cigarettes per day                        | 20    | 9      | 10    | 1              |
| More than 20 cigarettes per day                    | 14    | 3      | 11    |                |

Unweighted counts.

### Oregon Healthy Teens 2003, Data Summary, 8th Grade

**A26.b. How old were you when you first tried smokeless tobacco (chew, snuff, plug)?**

|              | Total | Female | Male  | Gender Unknown |
|--------------|-------|--------|-------|----------------|
| Total        | 100.0 | 100.0  | 100.0 | 100.0          |
| Never have   | 92.3  | 94.3   | 90.0  | 87.7           |
| 8 or younger | 2.0   | 1.4    | 2.7   |                |
| 9            | .8    | .4     | 1.2   | 1.4            |
| 10           | .9    | .6     | 1.1   | 2.1            |
| 11           | .8    | .7     | .9    | 2.1            |
| 12           | 1.3   | .9     | 1.8   | 5.1            |
| 13           | 1.7   | 1.6    | 1.8   | 1.5            |
| 14           | .2    | .1     | .4    |                |

Weighted percentages exclude missing and/or refused answers.

### Oregon Healthy Teens 2003, Data Summary, 8th Grade

**A26.b. How old were you when you first tried smokeless tobacco (chew, snuff, plug)?**

|                    | Total | Female | Male  | Gender Unknown |
|--------------------|-------|--------|-------|----------------|
| Total              | 6,947 | 3,579  | 3,307 | 61             |
| Missing: skipped Q | 795   | 372    | 411   | 12             |
| Never have         | 5,679 | 3,029  | 2,610 | 40             |
| 8 or younger       | 125   | 46     | 79    |                |
| 9                  | 50    | 15     | 34    | 1              |
| 10                 | 64    | 22     | 40    | 2              |
| 11                 | 59    | 29     | 28    | 2              |
| 12                 | 89    | 32     | 54    | 3              |
| 13                 | 68    | 30     | 37    | 1              |
| 14                 | 18    | 4      | 14    |                |

Unweighted counts.

## Oregon Healthy Teens 2003

### Oregon Healthy Teens 2003, Data Summary, 8th Grade A4.a. How many times did you use chewing tobacco or snuff in the last 24 hours?

|            | Total | Female | Male  | Gender Unknown |
|------------|-------|--------|-------|----------------|
| Total      | 100.0 | 100.0  | 100.0 | 100.0          |
| None       | 99.0  | 99.4   | 98.6  | 95.9           |
| 1-10       | .7    | .5     | .9    | 3.1            |
| 11-20      | .1    | .1     | .1    |                |
| 21-30      | .1    |        | .1    |                |
| 31-40      | .0    | .0     | .1    |                |
| 41 or more | .1    |        | .1    | 1.0            |

Weighted percentages exclude missing and/or refused answers.

### Oregon Healthy Teens 2003, Data Summary, 8th Grade A4.a. How many times did you use chewing tobacco or snuff in the last 24 hours?

|                    | Total | Female | Male  | Gender Unknown |
|--------------------|-------|--------|-------|----------------|
| Total              | 6,691 | 3,481  | 3,153 | 57             |
| Missing: skipped Q | 608   | 260    | 333   | 15             |
| None               | 6,013 | 3,202  | 2,772 | 39             |
| 1-10               | 47    | 15     | 30    | 2              |
| 11-20              | 9     | 3      | 6     |                |
| 21-30              | 6     |        | 6     |                |
| 31-40              | 3     | 1      | 2     |                |
| 41 or more         | 5     |        | 4     | 1              |

Unweighted counts.

### Oregon Healthy Teens 2003, Data Summary, 8th Grade A4.b. How many times did you use chewing tobacco or snuff in the last 7 days?

|            | Total | Female | Male  | Gender Unknown |
|------------|-------|--------|-------|----------------|
| Total      | 100.0 | 100.0  | 100.0 | 100.0          |
| None       | 98.6  | 99.2   | 98.0  | 96.1           |
| 1-10       | .9    | .6     | 1.1   | 2.8            |
| 11-20      | .2    | .1     | .4    |                |
| 21-30      | .1    | .1     | .1    |                |
| 31-40      | .1    | .0     | .1    |                |
| 41 or more | .1    |        | .2    | 1.0            |

Weighted percentages exclude missing and/or refused answers.

**Oregon Healthy Teens 2003**

**Oregon Healthy Teens 2003, Data Summary, 8th Grade**

**A4.b. How many times did you use chewing tobacco or snuff in the last 7 days?**

|                    | Total | Female | Male  | Gender Unknown |
|--------------------|-------|--------|-------|----------------|
| Total              | 6,691 | 3,480  | 3,154 | 57             |
| Missing: skipped Q | 719   | 316    | 387   | 16             |
| None               | 5,884 | 3,140  | 2,706 | 38             |
| 1-10               | 50    | 15     | 33    | 2              |
| 11-20              | 14    | 4      | 10    |                |
| 21-30              | 9     | 4      | 5     |                |
| 31-40              | 7     | 1      | 6     |                |
| 41 or more         | 8     |        | 7     | 1              |

Unweighted counts.

**Oregon Healthy Teens 2003, Data Summary, 8th Grade**

**A5. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi, Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?**

|               | Total | Female | Male  | Gender Unknown |
|---------------|-------|--------|-------|----------------|
| Total         | 100.0 | 100.0  | 100.0 | 100.0          |
| 0 days        | 97.4  | 98.6   | 96.0  | 92.3           |
| 1 or 2 days   | 1.3   | .9     | 1.8   | 2.9            |
| 3 to 5 days   | .5    | .2     | .8    | 2.5            |
| 6 to 9 days   | .2    | .0     | .4    |                |
| 10 to 19 days | .2    | .1     | .3    | 1.4            |
| 20 to 29 days | .1    | .1     | .2    |                |
| All 30 days   | .2    | .0     | .5    | 1.0            |

Weighted percentages exclude missing and/or refused answers.

**Oregon Healthy Teens 2003, Data Summary, 8th Grade**

**A5. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi, Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?**

|                    | Total | Female | Male  | Gender Unknown |
|--------------------|-------|--------|-------|----------------|
| Total              | 6,952 | 3,580  | 3,311 | 61             |
| Missing: skipped Q | 594   | 255    | 325   | 14             |
| 0 days             | 6,200 | 3,280  | 2,879 | 41             |
| 1 or 2 days        | 72    | 23     | 47    | 2              |
| 3 to 5 days        | 30    | 10     | 18    | 2              |
| 6 to 9 days        | 17    | 1      | 16    |                |
| 10 to 19 days      | 18    | 7      | 10    | 1              |
| 20 to 29 days      | 10    | 3      | 7     |                |
| All 30 days        | 11    | 1      | 9     | 1              |

Unweighted counts.

## Oregon Healthy Teens 2003

### Oregon Healthy Teens 2003, Data Summary, 8th Grade

**A6. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?**

|               | Total | Female | Male  | Gender Unknown |
|---------------|-------|--------|-------|----------------|
| Total         | 100.0 | 100.0  | 100.0 | 100.0          |
| 0 days        | 96.1  | 96.9   | 95.3  | 95.7           |
| 1 or 2 days   | 2.1   | 1.9    | 2.4   | 2.5            |
| 3 to 5 days   | .8    | .7     | 1.0   |                |
| 6 to 9 days   | .3    | .2     | .3    |                |
| 10 to 19 days | .3    | .1     | .5    | .9             |
| 20 to 29 days | .2    | .2     | .3    |                |
| All 30 days   | .1    | .0     | .3    | 1.0            |

Weighted percentages exclude missing and/or refused answers.

### Oregon Healthy Teens 2003, Data Summary, 8th Grade

**A6. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?**

|                    | Total | Female | Male  | Gender Unknown |
|--------------------|-------|--------|-------|----------------|
| Total              | 6,952 | 3,580  | 3,311 | 61             |
| Missing: skipped Q | 605   | 257    | 334   | 14             |
| 0 days             | 6,089 | 3,221  | 2,825 | 43             |
| 1 or 2 days        | 133   | 56     | 75    | 2              |
| 3 to 5 days        | 47    | 19     | 28    |                |
| 6 to 9 days        | 27    | 11     | 16    |                |
| 10 to 19 days      | 22    | 6      | 15    | 1              |
| 20 to 29 days      | 16    | 7      | 9     |                |
| All 30 days        | 13    | 3      | 9     | 1              |

Unweighted counts.

### Oregon Healthy Teens 2003, Data Summary, 8th Grade

**A7. During the past 30 days, on how many days did you smoke cigarettes on school property?**

|               | Total | Female | Male  | Gender Unknown |
|---------------|-------|--------|-------|----------------|
| Total         | 100.0 | 100.0  | 100.0 | 100.0          |
| 0 days        | 97.9  | 97.7   | 98.1  | 96.4           |
| 1 or 2 days   | 1.4   | 1.5    | 1.2   | 1.2            |
| 3 to 5 days   | .4    | .4     | .4    | 1.0            |
| 6 to 9 days   | .2    | .2     | .1    |                |
| 10 to 19 days | .1    | .1     | .1    | 1.4            |
| 20 to 29 days | .0    |        | .0    |                |
| All 30 days   | .0    |        | .1    |                |

Weighted percentages exclude missing and/or refused answers.

## Oregon Healthy Teens 2003

### Oregon Healthy Teens 2003, Data Summary, 8th Grade A7. During the past 30 days, on how many days did you smoke cigarettes on school property?

|                    | Total | Female | Male  | Gender Unknown |
|--------------------|-------|--------|-------|----------------|
| Total              | 6,931 | 3,574  | 3,297 | 60             |
| Missing: skipped Q | 597   | 255    | 328   | 14             |
| 0 days             | 6,181 | 3,235  | 2,903 | 43             |
| 1 or 2 days        | 92    | 55     | 36    | 1              |
| 3 to 5 days        | 35    | 16     | 18    | 1              |
| 6 to 9 days        | 12    | 7      | 5     |                |
| 10 to 19 days      | 10    | 6      | 3     | 1              |
| 20 to 29 days      | 1     |        | 1     |                |
| All 30 days        | 3     |        | 3     |                |

Unweighted counts.

### Oregon Healthy Teens 2003, Data Summary, 8th Grade A8. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?

|               | Total | Female | Male  | Gender Unknown |
|---------------|-------|--------|-------|----------------|
| Total         | 100.0 | 100.0  | 100.0 | 100.0          |
| 0 days        | 99.2  | 99.5   | 98.8  | 98.4           |
| 1 or 2 days   | .4    | .2     | .5    |                |
| 3 to 5 days   | .1    | .1     | .1    | 1.6            |
| 6 to 9 days   | .1    | .1     | .1    |                |
| 10 to 19 days | .1    | .0     | .1    |                |
| All 30 days   | .2    | .0     | .4    |                |

Weighted percentages exclude missing and/or refused answers.

### Oregon Healthy Teens 2003, Data Summary, 8th Grade A8. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?

|                    | Total | Female | Male  | Gender Unknown |
|--------------------|-------|--------|-------|----------------|
| Total              | 6,931 | 3,576  | 3,294 | 61             |
| Missing: skipped Q | 603   | 254    | 335   | 14             |
| 0 days             | 6,273 | 3,302  | 2,925 | 46             |
| 1 or 2 days        | 28    | 10     | 18    |                |
| 3 to 5 days        | 9     | 5      | 3     | 1              |
| 6 to 9 days        | 8     | 3      | 5     |                |
| 10 to 19 days      | 5     | 1      | 4     |                |
| All 30 days        | 5     | 1      | 4     |                |

Unweighted counts.

## Oregon Healthy Teens 2003

### Oregon Healthy Teens 2003, Data Summary, 8th Grade

**A9. Out of every 100 students at your school, how many do you think have smoked cigarettes in the last 30 days?**

|        | Total | Female | Male  | Gender Unknown |
|--------|-------|--------|-------|----------------|
| Total  | 100.0 | 100.0  | 100.0 | 100.0          |
| 0-10   | 32.0  | 27.4   | 37.4  | 31.1           |
| 11-20  | 21.5  | 21.0   | 22.3  | 9.2            |
| 21-30  | 15.9  | 16.3   | 15.5  | 16.5           |
| 31-40  | 6.5   | 8.4    | 4.3   | 9.0            |
| 41-50  | 7.3   | 7.5    | 7.2   | 8.7            |
| 51-60  | 5.7   | 6.4    | 5.1   |                |
| 61-70  | 3.6   | 4.1    | 3.0   | 5.3            |
| 71-80  | 2.9   | 3.9    | 1.6   | 14.8           |
| 81-90  | 1.7   | 2.2    | 1.3   |                |
| 91-100 | 2.8   | 3.0    | 2.4   | 5.2            |

Weighted percentages exclude missing and/or refused answers.

### Oregon Healthy Teens 2003, Data Summary, 8th Grade

**A9. Out of every 100 students at your school, how many do you think have smoked cigarettes in the last 30 days?**

|                    | Total | Female | Male  | Gender Unknown |
|--------------------|-------|--------|-------|----------------|
| Total              | 6,952 | 3,580  | 3,311 | 61             |
| Missing: skipped Q | 620   | 262    | 344   | 14             |
| 0-10               | 2,053 | 918    | 1,119 | 16             |
| 11-20              | 1,323 | 712    | 606   | 5              |
| 21-30              | 1,038 | 549    | 479   | 10             |
| 31-40              | 424   | 271    | 149   | 4              |
| 41-50              | 479   | 254    | 222   | 3              |
| 51-60              | 337   | 209    | 128   |                |
| 61-70              | 213   | 126    | 83    | 4              |
| 71-80              | 175   | 119    | 54    | 2              |
| 81-90              | 107   | 65     | 42    |                |
| 91-100             | 183   | 95     | 85    | 3              |

Unweighted counts.