

1997 Benchmark Violation Report

July 8, 1999

Violations for 1997*

Water System

Fecal Coliform SWTR Unfiltered NO3 Other Chems. Lead Copper Total Coliform

4100457	LAKE OSWEGO MUNICIPAL WATER	33145	Comm. WS in Clackamas					Y	
4100720	ROSEBURG, CITY OF--WINCHESTER	30000	Comm. WS in Douglas						1
4100557	NEWBERG WATER DISTRICT	17310	Comm. WS in Yamhill					Y	
4100768	SUBURBAN EAST SALEM WATER DIST	11000	Comm. WS in Marion						1
4100587	ONTARIO, CITY OF	10300	Comm. WS in Malheur					Y	
4100724	ST. HELENS, CITY OF	8524	Comm. WS in Columbia					Y	
4100236	COTTAGE GROVE, CITY OF	8500	Comm. WS in Lane		4				
4100932	WARRENTON WATER SYSTEM	8000	Comm. WS in Clatsop		12	Y			
4100851	SWEET HOME, CITY OF	7235	Comm. WS in Linn		1				
4100798	SEAL ROCK WATER DISTRICT	6700	Comm. WS in Lincoln						1
4100699	REEDSPORT, CITY OF	6000	Comm. WS in Douglas		1			Y	1
4100843	STAYTON WATER SUPPLY	5630	Comm. WS in Marion					Y	
4100386	CRYSTAL SPRINGS WATER DISTRICT	5000	Comm. WS in Hood River	1					1
4100799	SEASIDE WATER DEPARTMENT	6000	Comm. WS in Clatsop		3				
4100648	GILBERT WATER DISTRICT	4925	Comm. WS in Multnomah					Y	
4100789	SANDY, CITY OF	5030	Comm. WS in Clackamas		5				
4100301	HECETA WATER DISTRICT	4500	Comm. WS in Lane		12	Y		Y	
4100651	HAZELWOOD WATER DISTRICT	3750	Comm. WS in Multnomah					Y	
4100461	RIVERGROVE WATER DISTRICT	3720	Comm. WS in Clackamas					Y	1
4100792	SCAPPOOSE, CITY OF	3500	Comm. WS in Columbia					Y	
4100544	MOUNT ANGEL, CITY OF	3100	Comm. WS in Marion					Y	
4100925	S.W. LINCOLN COUNTY WTR. DIST.	3000	Comm. WS in Lincoln		36	Y		Y	
4100549	TRI-CITY WATER DISTRICT	3000	Comm. WS in Douglas		9				
4100926	WALDPORT, CITY OF	3000	Comm. WS in Lincoln		1				
4100359	CORBETT WATER DISTRICT	2910	Comm. WS in Multnomah					Y	

* Number of Violations for 1997 for each Benchmark item except for Pb/Cu and Unfiltered. Pb/Cu is "Y" if system exceeded either the lead or copper action level in last two rounds. Unfiltered is "Y" if the system is unfiltered but must install filtration to meet the SWTR.

Violations for 1997*

Water System

					Fecal Coliform	SWTR	Unfiltered	NO3	Other Chems.	Lead Copper	Total Coliform
4100153	BURNS WATER DEPARTMENT	2800	Comm. WS	in Harney							1
4100551	MYRTLE POINT, CITY OF	2595	Comm. WS	in Coos						Y	
4191167	MT.HOOD MEADOWS, OREGON, LTD.,	2500	Transient WS	in Hood River		6					
4100062	YOUNGS RIVER-LEWIS & CLARK WD	2500	Comm. WS	in Clatsop		12	Y				
4100867	CHENOWITH WATER CO-OP	4680	Comm. WS	in Wasco							1
4101446	JUNIPER UTILITIES	2550	Comm. WS	in Deschutes							1
4100922	VERNONIA, CITY OF	2100	Comm. WS	in Columbia						Y	
4100915	UNION, CITY OF	2030	Comm. WS	in Union	1						1
4100278	ENTERPRISE, CITY OF	2025	Comm. WS	in Wallowa							1
4100505	MANZANITA WATER DEPARTMENT	3100	Comm. WS	in Tillamook		12	Y			Y	
4191024	OPRD PETER OGDEN STATE WAYSIDE	2000	Transient WS	in Jefferson							6
4100689	RAINIER WATER DEPARTMENT	2000	Comm. WS	in Columbia		11					
4100708	ROCKAWAY BEACH WATER DEPT.,	2500	Comm. WS	in Tillamook						Y	
4100313	L.A. WATER CO-OP	1942	Comm. WS	in Washington						Y	
4100279	ESTACADA, CITY OF	1910	Comm. WS	in Clackamas		12					
4100493	LYONS MEHAMA WATER DISTRICT	1670	Comm. WS	in Linn						Y	
4100626	PILOT ROCK, CITY OF	1500	Comm. WS	in Umatilla							1
4100203	COLUMBIA CITY MUN. WATERWORKS	1400	Comm. WS	in Columbia						Y	
4100554	NEHALEM, CITY OF	1400	Comm. WS	in Tillamook		12	Y				
4100726	WARREN WATER ASSOCIATION	1400	Comm. WS	in Columbia						Y	
4100452	LAFAYETTE, CITY OF	1980	Comm. WS	in Yamhill	1					Y	1
4100169	CANYONVILLE, CITY OF	1265	Comm. WS	in Douglas		1					
4100971	CAVE JUNCTION, CITY OF	1265	Comm. WS	in Josephine		5					
4100152	BROWNSVILLE, CITY OF	1450	Comm. WS	in Linn						Y	
4100041	AMITY, CITY OF	1200	Comm. WS	in Yamhill		2					
4100202	COLTON WATER DISTRICT	1200	Comm. WS	in Clackamas		1					
4100318	GEARHART WATER DEPARTMENT	1200	Comm. WS	in Clatsop			Y				
4100329	NESIKA BEACH WATER DISTRICT	1200	Comm. WS	in Curry						Y	

* Number of Violations for 1997 for each Benchmark item except for Pb/Cu and Unfiltered. Pb/Cu is "Y" if system exceeded either the lead or copper action level in last two rounds. Unfiltered is "Y" if the system is unfiltered but must install filtration to meet the SWTR.

Violations for 1997*

Water System

					Fecal Coliform	SWTR	Unfiltered	NO3	Other Chems.	Lead Copper	Total Coliform
4100609	PACIFIC CITY JOINT WATER-SAN. AUTH.	1200	Comm. WS	in Tillamook						Y	
4100311	GARIBALDI WATER SYSTEM	1125	Comm. WS	in Tillamook						Y	
4100079	KILCHIS REGIONAL WATER DIST.	1095	Comm. WS	in Tillamook						Y	
4191030	OPRD STARVATION CREEK PARK/RA	1071	Transient WS	in Hood River							1
4100254	DEPOE BAY, CITY OF	1060	Comm. WS	in Lincoln						Y	
4100821	SILETZ, CITY OF	1045	Comm. WS	in Lincoln		2					
4100670	PORT ORFORD, CITY OF	1034	Comm. WS	in Curry		1					
4100064	ATHENA, CITY OF WATER SYSTEM	1005	Comm. WS	in Umatilla							1
4100076	BANKS WATER DEPARTMENT	1000	Comm. WS	in Washington		6	Y				
4191068	OPRD CAPE LOOKOUT STATE PARK	500	Transient WS	in Tillamook		1					
4100958	YONCALLA, CITY OF	1000	Comm. WS	in Douglas		6					
4100704	RICKREALL WATER ASSOCIATION	990	Comm. WS	in Polk						Y	
4194192	OPRD NEHALEM BAY STATE PARK	945	Transient WS	in Tillamook							1
4100639	TIMBERLINE RIM WATER CO.,INC.,	1200	Comm. WS	in Clackamas							1
4100968	YAMHILL, CITY OF	1500	Comm. WS	in Yamhill		4					
4191805	ELMIRA HIGH/ELEMENTARY, SD 28J	850	NTNC WS	in Lane						Y	
4194448	REYNOLDS METAL COMPANY	850	NTNC WS	in Multnomah						Y	
4100702	RHODODENDRON SUMMER HOMES AS	825	Comm. WS	in Clackamas		12	Y				
4100297	FALLS CITY WATER DEPARTMENT	804	Comm. WS	in Polk		12	Y				
4100507	MAPLETON WATER DISTRICT	750	Comm. WS	in Lane		10					
4191072	OPRD HAT ROCK STATE PARK	800	Transient WS	in Umatilla				Y			
4192152	POPE & TALBOT, INC.,	800	NTNC WS	in Linn		1					
4100504	MALIN MUNICIPAL WATER	750	Comm. WS	in Klamath							1
4100672	POWERS, CITY OF	732	Comm. WS	in Coos		12	Y			Y	
4100547	MULINO WATER DISTRICT	640	Comm. WS	in Clackamas						Y	
4100506	NEAHKAHNIE WATER DISTRICT	600	Comm. WS	in Tillamook						Y	
4100966	YACHATS, CITY OF	600	Comm. WS	in Lincoln						Y	
4191907	FLEMING MIDDLE SCHOOL, CO.UNIT	560	NTNC WS	in Josephine						Y	

* Number of Violations for 1997 for each Benchmark item except for Pb/Cu and Unfiltered. Pb/Cu is "Y" if system exceeded either the lead or copper action level in last two rounds. Unfiltered is "Y" if the system is unfiltered but must install filtration to meet the SWTR.

Violations for 1997*

Water System

				Fecal Coliform	SWTR	Unfiltered	NO3	Other Chems.	Lead Copper	Total Coliform
4190030	ARROWHEAD GOLF CLUB	550	Transient WS in Clackamas							1
4100317	GATES, CITY OF	535	Comm. WS in Marion		9				Y	
4100783	ORCHARD HEIGHTS WATER ASSN.,	530	Comm. WS in Polk		1					
4100393	HUNTINGTON, CITY OF	525	Comm. WS in Baker							1
4100068	DEER CREEK ESTATES	500	Comm. WS in Marion							1
4100080	KILCHIS WATER DISTRICT	500	Comm. WS in Tillamook						Y	
4100950	WESTPORT WATER ASSOCIATION	500	Comm. WS in Clatsop		12	Y				
4190872	NORTHWEST ALUMINUM COMPANY	480	NTNC WS in Wasco							1
4100307	FOSSIL, CITY OF	470	Comm. WS in Wheeler							2
4193668	MADRONA ELEMENTARY, CO.UNIT	460	NTNC WS in Josephine						Y	
4191810	FERN RIDGE MIDDLE ELEM.,SD 28J	435	NTNC WS in Lane						Y	
4100870	LOWER CHENOWITH WATER DISTRICT	435	Comm. WS in Wasco							1
4191851	PLEASANT HILL HIGH, SD #1	1139	NTNC WS in Lane						Y	
4193970	CARUS ELEMENTARY, SD #29	420	NTNC WS in Clackamas						Y	
4100935	WASCO, CITY OF	420	Comm. WS in Sherman							2
4191906	FORT VANNOY ELEMENTARY,CO.UNIT	399	NTNC WS in Josephine						Y	
4191914	MANZANITA ELEMENTARY, CO.UNIT	385	NTNC WS in Josephine						Y	
4191901	ALLENDALE ELEMENTARY, SD #7	375	NTNC WS in Josephine						Y	
4100066	CENTURY MEADOWS, INC.,	400	Comm. WS in Marion							1
4191905	FRUITDALE ELEMENTARY, CO.UNIT	355	NTNC WS in Josephine						Y	
4100770	ARROWHEAD MOBILE HOME PARK	350	Comm. WS in Marion						Y	
4100134	KELSO WATER ASSN.	350	Comm. WS in Clackamas							3
4100748	LOMBARD WATER COMPANY	305	Comm. WS in Marion							1
4191712	SEVEN OAK MIDDLE SCHOOL, SD 89	350	NTNC WS in Linn						Y	
4100896	WILSON RIVER WATER DISTRICT	350	Comm. WS in Tillamook						Y	
4100952	WHEELER WATER SYSTEM	345	Comm. WS in Tillamook		12	Y				
4190552	LOST RIVER HIGH SCHOOL	330	NTNC WS in Klamath	1						1
4100838	WILLAMETTE W.C.-DOUGLAS GARDEN	327	Comm. WS in Lane						Y	

* Number of Violations for 1997 for each Benchmark item except for Pb/Cu and Unfiltered. Pb/Cu is "Y" if system exceeded either the lead or copper action level in last two rounds. Unfiltered is "Y" if the system is unfiltered but must install filtration to meet the SWTR.

Violations for 1997*

Water System

				Fecal Coliform	SWTR	Unfiltered	NO3	Other Chems.	Lead Copper	Total Coliform
4191506	GRIFFIN CREEK SCHOOL, SD #549	325	NTNC WS	in Jackson					Y	
4100994	RIVERWOOD MHP	325	Comm. WS	in Lane						1
4100755	ILLAHE GOLF CLUB ESTATES	320	Comm. WS	in Marion					Y	
4191687	LACOMB ELEMENTARY, SD #73	320	NTNC WS	in Linn					Y	
4100939	WESTFIR, CITY OF	310	Comm. WS	in Lane	2					
4190595	NESTUCCA VALLEY ELEMENTARY SCHO	305	NTNC WS	in Tillamook					Y	
4192641	USFS TIMBERLINE LODGE 1	303	NTNC WS	in Clackamas	5				Y	
4100163	CANBY REGENCY	300	Comm. WS	in Clackamas					Y	
4100833	DEERHORN COMMUNITY WATER ASSN.	300	Comm. WS	in Lane					Y	
4191509	SAMS VALLEY ELEMENTARY, SD #6	300	NTNC WS	in Jackson						1
4100259	DONALD, CITY OF	700	Comm. WS	in Marion						3
4100797	SCOTTS MILLS, CITY OF	290	Comm. WS	in Marion					Y	1
4190888	CENTRAL LINN HIGH, SD #552	280	NTNC WS	in Linn					Y	
4193742	LEBANON MIDDLE SCHOOL, SD 16	280	NTNC WS	in Linn					Y	
4100479	LEXINGTON, CITY OF	275	Comm. WS	in Morrow						1
4100753	OREGON SCHOOL FOR THE DEAF	275	Comm. WS	in Marion					Y	
4100807	SENECA, CITY OF	260	Comm. WS	in Grant						1
4101267	CITY BIBLE COLLEGE	256	Comm. WS	in Multnomah					Y	
4100402	IONE, CITY OF	255	Comm. WS	in Morrow						2
4100018	SCRAVEL HILL WATER CO-OP	255	Comm. WS	in Linn					Y	
4100630	ALDER CREEK BARLOW WATER DIST.	250	Comm. WS	in Clackamas					Y	
4190597	FERNDAL ELEMNTARY	250	NTNC WS	in Umatilla					Y	
4100985	HILLSBORO-CHERRY GROVE	250	Comm. WS	in Washington					Y	
4101329	PORT OF TILLAMOOK BAY	250	Comm. WS	in Tillamook					Y	
4100898	TIMBER WATER ASSOCIATION	250	Comm. WS	in Washington	8					
4100222	WESTVIEW MOBILE ESTATES	250	Comm. WS	in Washington						2
4100394	IDANHA CITY WATER	300	Comm. WS	in Linn	1					
4100314	LAURELWOOD MISSION TRAINING	230	Comm. WS	in Washington					Y	

* Number of Violations for 1997 for each Benchmark item except for Pb/Cu and Unfiltered. Pb/Cu is "Y" if system exceeded either the lead or copper action level in last two rounds. Unfiltered is "Y" if the system is unfiltered but must install filtration to meet the SWTR.

Violations for 1997*

Water System

				Fecal Coliform	SWTR	Unfiltered	NO3	Other Chems.	Lead Copper	Total Coliform
4192040	EDDYVILLE HIGH/ELEM.SCHOOLS	225	NTNC WS	in Lincoln					Y	
4101320	RIDDLE/RUSSELL CREEK	225	Comm. WS	in Douglas	12	Y				
4100835	SHANGRI LA WATER DISTRICT	225	Comm. WS	in Lane					Y	
4100421	FERNRIDGE MOBILE ESTATES	220	Comm. WS	in Lane					Y	1
4100367	HEBO JOINT WATER & SANITARY AUTH.	220	Comm. WS	in Tillamook					Y	
4193768	ROSEDALE ELEMENTARY, SD 24-J	200	NTNC WS	in Marion					Y	
4194670	BORING MIDDLE SCHOOL SD 46	210	NTNC WS	in Clackamas					Y	
4100458	RIVERBEND-RIVERBANK COMMUNITY	210	Comm. WS	in Clackamas						5
4190556	TRIANGLE LAKE HIGH/ELEM, SD 90	210	NTNC WS	in Lane					Y	
4100802	ARCH CAPE WATER SERVICE DIST.,	200	Comm. WS	in Clatsop	1					
4100315	LAURELWOOD WATER USERS	200	Comm. WS	in Washington					Y	
4100337	ROCK CREEK WATER DISTRICT	200	Comm. WS	in Polk	12	Y				
4195009	TRUS-JOIST MACMILLAN/JUNCTION CIT	220	NTNC WS	in Lane					Y	
4100832	SPRAY, CITY OF	195	Comm. WS	in Wheeler	1					2
4100806	SURF PINES WATER ASSOCIATION	194	Comm. WS	in Clatsop					Y	1
4190541	CAMAS VALLEY SCHOOL	185	NTNC WS	in Douglas					Y	
4191211	PACIFIC HIGH SCHOOL, SD 2J	183	NTNC WS	in Curry					Y	
4100628	COUNTRY CLUB WATER DISTRICT	175	Comm. WS	in Clackamas						2
4100340	COUNTRY ESTATES MOBILE PARK	175	Comm. WS	in Josephine					Y	
4100276	ELKTON, CITY OF	170	Comm. WS	in Douglas					Y	
4100514	FERN VALLEY ESTATES IMPR DIST.	170	Comm. WS	in Jackson					Y	
4101252	ESTACADA MOBILE VILLAGE	164	Comm. WS	in Clackamas						1
4191692	EAST LINN CHRISTIAN - LIBERTY	163	NTNC WS	in Linn					Y	
4100356	GRASS VALLEY WATER SYSTEM	160	Comm. WS	in Sherman						4
4193725	SUNNY HILL ELEMENTARY, SD 13	160	NTNC WS	in Coos					Y	
4191799	DELIGHT VALLEY ELEM., SD 45J3	155	NTNC WS	in Lane					Y	
4194865	EASTGATE CENTER	100	NTNC WS	in Linn					Y	
4100368	HELIX, CITY OF	155	Comm. WS	in Umatilla						1

* Number of Violations for 1997 for each Benchmark item except for Pb/Cu and Unfiltered. Pb/Cu is "Y" if system exceeded either the lead or copper action level in last two rounds. Unfiltered is "Y" if the system is unfiltered but must install filtration to meet the SWTR.

Violations for 1997*

Water System

				Fecal Coliform	SWTR	Unfiltered	NO3	Other Chems.	Lead Copper	Total Coliform
4191826	LATHAM ELEMENTARY, SD 45J3	155	NTNC WS in Lane						Y	
4100845	SUMPTER, CITY OF	155	Comm. WS in Baker	1	8	Y				1
4191716	TANGENT ELEMENTARY, SD 8J	155	NTNC WS in Linn							1
4100558	CHEHALEM VALLEY WATER ASSN.,	150	Comm. WS in Yamhill						Y	
4192104	DIAMOND LAKE LODGE/RESORT	150	Comm. WS in Douglas						Y	
4101150	FOREST HAVEN MOBILE PARK	150	Comm. WS in Clackamas							1
4100336	GOVERNMENT CAMP WATER SYSTEM	150	Comm. WS in Clackamas							1
4100774	GREEN OAKS MOBILE RANCH	150	Comm. WS in Marion						Y	
4100889	JUNO NON-PROFIT WATER COMPANY	150	Comm. WS in Tillamook						Y	
4101422	MESMAN ESTATES WATER COMPANY	150	Comm. WS in Josephine						Y	
4101459	NORTHRIDGE NORTH	150	Comm. WS in Crook				Y			
4101094	USFS TOKETEE RANGER STATION	150	Comm. WS in Douglas						Y	1
4100548	CLARKS BRANCH WTR. ASSOCIATION	140	Comm. WS in Douglas		1					
4100560	NORTHWEST NEWBERG WATER ASSN.,	140	Comm. WS in Yamhill						Y	
4190587	SILVER CREST SCHOOL	170	NTNC WS in Marion						Y	
4191899	WILLIAMS ELEMENTARY, CO.UNIT	140	NTNC WS in Josephine						Y	
4101159	ZIG ZAG VILLAGE WATER SYSTEM	138	Comm. WS in Clackamas						Y	1
4101452	BLUEGRASS PARK WATER CO. INC.	135	Comm. WS in Josephine						Y	
4190529	MOLALLA RIVER SD - RURAL DELL ELEM	135	NTNC WS in Clackamas							1
4194327	SELMET, INC./REM PRODUCTS DIV.	135	NTNC WS in Linn					Y		
4194765	ENVIRONMENTAL CONTAINER SYS.	130	NTNC WS in Josephine						Y	
4105086	POLEHN HEIGHTS WATER ASSN.	130	Comm. WS in Clackamas						Y	
4100482	BEAR CREEK HIDEOUT	125	Comm. WS in Lincoln		12	Y			Y	
4191677	GORE ELEMENTARY, SD #81	125	NTNC WS in Linn						Y	
4100947	SHADOWWOOD WATER SERVICE	125	Comm. WS in Clackamas						Y	
4100302	SILTCOOS HEIGHTS	125	Comm. WS in Lane		12	Y				
4100808	COUNTRY VIEW MOBILE H.ESTATES	120	Comm. WS in Jackson		1					1
4100881	LATIMER ROAD WATER ASSOCIATION	120	Comm. WS in Tillamook						Y	

* Number of Violations for 1997 for each Benchmark item except for Pb/Cu and Unfiltered. Pb/Cu is "Y" if system exceeded either the lead or copper action level in last two rounds. Unfiltered is "Y" if the system is unfiltered but must install filtration to meet the SWTR.

Violations for 1997*

Water System

						Fecal Coliform	SWTR	Unfiltered	NO3	Other Chems.	Lead Copper	Total Coliform
4101469	REDWOOD MEADOWS	120	Comm. WS	in Josephine								1
4101311	RIVERWOOD MOBILE HOME PARK	120	Comm. WS	in Columbia		1						1
4190519	WEYERHAEUSER-AURORA	120	NTNC WS	in Clackamas								1
4101005	BELLA CASA MOBILE HOME PARK	118	Comm. WS	in Lane							Y	
4101054	SOUTH FORK CAMP - DEPT OF CORRECTI	117	Comm. WS	in Tillamook								1
4100078	BARLOW, CITY OF	115	Comm. WS	in Clackamas								2
4100569	FIRS TRAILER PARK	110	Comm. WS	in Coos							Y	
4100965	SHALIMAR ESTATES	110	Comm. WS	in Marion								1
4100762	BREWSTER COMMUNITY HOMEOWNERS	100	Comm. WS	in Marion							Y	
4193762	CENTENNIAL ADMIN OFFICES	35	NTNC WS	in Marion							Y	
4101148	COLUMBIA ACRES WATER ASSOC.	100	Comm. WS	in Columbia							Y	
4194831	FOSTER POULTRY FARMS	100	NTNC WS	in Multnomah							Y	
4100144	MOUNTAINAIR WATER ASSOCIATION	100	Comm. WS	in Clackamas								1
4190722	ROGUE VALLEY ADVENTIST SCHOOL	100	NTNC WS	in Jackson							Y	
4100381	WOLSBORN FARMS WATER DISTRICT	100	Comm. WS	in Washington							Y	
4101248	YOUTH WITH A MISSION	100	NTNC WS	in Marion		1						1
4100189	CARVER MOBILE RANCH	95	Comm. WS	in Clackamas		1						1
4101125	MOUNTAIN VIEW MOBILE ESTATES	93	Comm. WS	in Clackamas							Y	
4100280	CEDARHURST IMPROVEMENT CLUB	90	Comm. WS	in Clackamas								1
4100201	COBURG/PIONEER VALLEY ESTATES	90	Comm. WS	in Lane							Y	
4101449	MARSHLAND WATER ASSOCIATION	90	Comm. WS	in Columbia			12	Y				
4100632	RIVERSIDE WATER DISTRICT	90	Comm. WS	in Clackamas								1
4101450	UNITY, CITY OF	90	Comm. WS	in Baker							Y	
4194542	WILLAMETTE IND.-SAGINAW LAM PLANT	90	NTNC WS	in Lane							Y	
4101365	ANGLERS' TRAILER VILLAGE	88	Comm. WS	in Curry							Y	
4100043	APPLEGATE MOBILE PARK	88	Comm. WS	in Jackson								3
4101415	CHART SUBDIVISION	85	Comm. WS	in Umatilla								1
4194421	PACIFIC SOFTWOOD, INC.	22	Transient WS	in Benton							Y	

* Number of Violations for 1997 for each Benchmark item except for Pb/Cu and Unfiltered. Pb/Cu is "Y" if system exceeded either the lead or copper action level in last two rounds. Unfiltered is "Y" if the system is unfiltered but must install filtration to meet the SWTR.

Violations for 1997*

Water System

				Fecal Coliform	SWTR	Unfiltered	NO3	Other Chems.	Lead Copper	Total Coliform
4100818	DRIFTWOOD MHP (WASH. CO.)	82	Comm. WS in Washington							2
4101477	ASPEN ESTATES SUBDIVISION	80	Comm. WS in Yamhill							1
4100295	BIG SPRUCE MOBILE HOME PARK	84	Comm. WS in Lane						Y	
4101126	CLINE FALLS MOBILE HOME PARK	80	Comm. WS in Deschutes							2
4100474	LAWRENCE SUBDIVISION WTR.ASSN.	70	Comm. WS in Linn						Y	
4193717	MOLALLA RIVER SD - MAPLE GROVE ELE	80	NTNC WS in Clackamas						Y	
4190123	OCHOCO LUMBER-PLANER MILL	80	NTNC WS in Crook	1						1
4105308	OXBERG WATER SYSTEM	80	Comm. WS in Yamhill						Y	
4101251	ROCKY POINTE MARINA	80	Comm. WS in Multnomah						Y	
4101310	TAMARACK MOBILE HOME PARK	80	Comm. WS in Columbia							1
4191213	UPPER CHETCO ELEMENTARY, SD 23	80	NTNC WS in Curry						Y	
4100567	WESTWOOD VILLAGE	80	Comm. WS in Lincoln						Y	
4190889	ANNEX ELEMENTARY, SD #29	75	NTNC WS in Malheur						Y	
4100707	LAWSON ACRES WATER ASSOCIATION	75	Comm. WS in Douglas		2					
4100923	McKENZIE PALISADES WATER BOARD	75	Comm. WS in Lane						Y	
4194636	PACIFIC COMMUNITY CHURCH/SCHL	75	NTNC WS in Coos						Y	
4100692	PRESCOTT, CITY OF	75	Comm. WS in Columbia		12	Y			Y	
4100996	SAGINAW PARK, INC.	75	Comm. WS in Lane						Y	
4100606	SALMON RIVER MOBILE VILLAGE	75	Comm. WS in Lincoln						Y	
4101163	SUNNY ACRES WATER DISTRICT	75	Comm. WS in Yamhill						Y	
4101368	TUMALO WEST WATER SYSTEM	75	Comm. WS in Deschutes						Y	
4192636	USFS ZIG ZAG RANGER STATION	75	NTNC WS in Clackamas							1
4101157	TERRAND MOBILE TERRACE	71	Comm. WS in Multnomah							1
4101201	ANCHOR MOBILE HOME PARK	70	Comm. WS in Curry							1
4194090	CONSUMERS POWER, INC.,	70	NTNC WS in Benton							1
4100998	DEXTER OAKS MOBILE HOME PARK	75	Comm. WS in Lane							1
4100805	EVERGREEN ACRES	70	Comm. WS in Clatsop						Y	
4193614	MID VALLEY REHABILITATION-WOOD PR	70	NTNC WS in Yamhill						Y	

* Number of Violations for 1997 for each Benchmark item except for Pb/Cu and Unfiltered. Pb/Cu is "Y" if system exceeded either the lead or copper action level in last two rounds. Unfiltered is "Y" if the system is unfiltered but must install filtration to meet the SWTR.

Violations for 1997*

Water System

					Fecal Coliform	SWTR	Unfiltered	NO3	Other Chems.	Lead Copper	Total Coliform
4105364	MT.VIEW TERRACE HOME PARK	70	Comm. WS	in Coos						Y	
4100573	SAND'N'WOOD MOBILE VILLA	70	Comm. WS	in Coos						Y	
4101241	ZIG ZAG WATER CO-OP	70	Comm. WS	in Clackamas						Y	1
4192139	TILLER ELEMENTARY, SD #15	65	NTNC WS	in Douglas		1					
4101426	VALLEY VISTA WTR.IMPROV.DIST.,	65	Comm. WS	in Jackson							1
4193427	COASTAL ST. HELENS CHEMICAL	62	NTNC WS	in Columbia							1
4100589	MOBILETTE RANCH	62	Comm. WS	in Malheur				Y			
4100004	ALBANY TRAILER COURT	50	Comm. WS	in Linn						Y	
4101460	CASSELMAN'S W.S.	60	Comm. WS	in Multnomah						Y	
4101455	CHAMPION PARK SUBDIVISION	60	Comm. WS	in Josephine						Y	
4100517	COBBLESTONE MHP	60	Comm. WS	in Jackson						Y	1
4193753	EVERGREEN ELEMENTARY	62	NTNC WS	in Marion						Y	
4194882	OLYMPIC FOREST PRODUCTS	60	NTNC WS	in Columbia						Y	
4100151	OREG.DISTRICT ASSEMBLY OF GOD	60	Comm. WS	in Marion						Y	
4101473	RAINTREE MEADOWS	60	Comm. WS	in Josephine						Y	
4101445	RIVERBEND WEST SUBDIVISION	60	Comm. WS	in Douglas		12	Y				
4191880	TWILIGHT ACRES NURSING HOME	60	Comm. WS	in Lane						Y	
4100376	WESTLAND ESTATES WATER SYSTEM	60	Comm. WS	in Umatilla				Y			
4100691	LAURELWOOD WATER SYSTEM	58	Comm. WS	in Columbia						Y	
4101254	CLOVERCREST COMMUNITY WATER SYS	55	Comm. WS	in Josephine						Y	
4100266	CURRINSVILLE MOBILE HOME PARK	55	Comm. WS	in Clackamas							2
4194560	WILLAMETTE IND.-SAGINAW PLANER	55	NTNC WS	in Lane						Y	
4100564	BAY HILLS WATER ASSOCIATION	50	Comm. WS	in Lincoln		1				Y	
4101015	COLUMBIA CREST WATER DISTRICT	50	Comm. WS	in Wasco							1
4100955	DEPT. OF CORRECTIONS (WILSONVILLE)	60	NTNC WS	in Clackamas						Y	1
4194284	IDAHO POWER-OXBOW PLANT	50	NTNC WS	in Baker	1						1
4100817	LAMPLIGHTER WATER ASSOC., INC.	50	Comm. WS	in Washington							1
4191915	MERLIN ELEMENTARY	50	NTNC WS	in Josephine						Y	

* Number of Violations for 1997 for each Benchmark item except for Pb/Cu and Unfiltered. Pb/Cu is "Y" if system exceeded either the lead or copper action level in last two rounds. Unfiltered is "Y" if the system is unfiltered but must install filtration to meet the SWTR.

Violations for 1997*

Water System

					Fecal Coliform	SWTR	Unfiltered	NO3	Other Chems.	Lead Copper	Total Coliform
4101467	PINE RIDGE SUBDIVISION	50	Comm. WS	in Josephine						Y	
4101317	PRINEVILLE MOBILE HOME PARK	50	Comm. WS	in Crook							1
4100330	RIVER VIEW VILLAGE INC.	50	Comm. WS	in Curry						Y	
4100929	RIVERSIDE MOBILE PARK	50	Comm. WS	in Lincoln						Y	
4194977	RUSSELL IND. W.C.	50	NTNC WS	in Deschutes							1
4194519	SUPERIOR LUMBER	95	NTNC WS	in Douglas						Y	
4194063	WEST LINN SCHOOL DIST.3J BLDG.	50	NTNC WS	in Clackamas						Y	
4100042	ANTELOPE, CITY OF	45	Comm. WS	in Wasco						Y	
4101462	NORTH STAR ESTATES	45	Comm. WS	in Josephine						Y	
4100766	KEIZER WATER DIST.-CEDAR PARK	43	Comm. WS	in Marion						Y	
4101381	DARNEILLE ESTATES	42	Comm. WS	in Josephine						Y	
4194397	MIST GRADE ELEMENTARY, SD 47J	42	NTNC WS	in Columbia						Y	
4101277	BLEY-WAS HEIGHTS WATER SYSTEM	41	Comm. WS	in Klamath							1
4193702	BLODGETT ELEMENTARY, SD 17-J	40	NTNC WS	in Benton						Y	
4100885	NORTHWOOD WATER DISTRICT,INC.,	40	Comm. WS	in Tillamook						Y	
4100353	PINE VILLA MOBILE PARK	40	Comm. WS	in Josephine							1
4194992	SANDY RIDGE HEADSTART (CLACK.CHIL	40	NTNC WS	in Clackamas						Y	
4100304	ALDERWOOD WATER DEVELOPMENT CO	35	Comm. WS	in Lane		1					
4194717	COLUMBIA RVR. PEOPLE'S UTILITY	35	NTNC WS	in Columbia						Y	
4193751	FAMILY HEADSTART	35	NTNC WS	in Marion						Y	1
4194632	OREGON OVERSEAS TIMBER COMPANY	35	NTNC WS	in Coos						Y	
4100865	RIVERVIEW COURT	35	Comm. WS	in Wasco						Y	
4194755	US WEST COMMUNICATIONS	35	NTNC WS	in Linn							1
4100810	HARMONY ACRES TRAILER COURT	27	Comm. WS	in Linn				Y		Y	
4194367	BLUE DIAMOND GROWERS	30	NTNC WS	in Marion						Y	
4190593	RUFUS ELEMENTARY, SD #3	30	NTNC WS	in Sherman							1
4194905	HESEL TRACTOR & EQUIP. CO.	28	NTNC WS	in Linn						Y	
4101258	MAYFAIR MOORAGE, INC.,	28	Comm. WS	in Multnomah							1

* Number of Violations for 1997 for each Benchmark item except for Pb/Cu and Unfiltered. Pb/Cu is "Y" if system exceeded either the lead or copper action level in last two rounds. Unfiltered is "Y" if the system is unfiltered but must install filtration to meet the SWTR.

Violations for 1997*

Water System

				Fecal Coliform	SWTR	Unfiltered	NO3	Other Chems.	Lead Copper	Total Coliform
4194513	SILVER VALLEY WATER USERS ASSN	28	Transient WS	in Tillamook		Y				
4100986	SUSTELLOS COUNTRY ACRES MHP	24	Comm. WS	in Lane						1
4101474	WESTLAND WATER ASSOCIATION	24	Comm. WS	in Columbia	11	Y				

1997 Benchmark: 88.6% of Oregonians served by public water systems were served water that met the benchmarks.

(2,754,694 Oregonians were served by public water systems in 1997, 311,982 were served water that failed to meet the benchmarks)

Notes

Fecal Coliform: any violation of the maximum contaminant level (MCL) for Fecal Coliform or E.Coli bacteria.

SWTR: any failure to adequately treat drinking water to meet the requirements of the Surface Water Treatment Rule.

Unfiltered: any system that is currently unfiltered but is either required to install filtration or find a new source of water

NO3: any system which exceeded the MCL for Nitrate (10mg/l)

Other Chems: any system which exceeded the MCL for any of the other 67 chemicals with MCLs

Lead / Copper: any system which exceeded either the Lead or Copper action level in either of the system's last two rounds of testing.

Total Coliform: any MCL violation for Total Coliform.

Comm. WS : community water system -- a water system which serves 25 or more year round residents or has 15 or more connections.

NTNC WS: a nontransient noncommunity water system -- a water system which serves 25 or more of the same users at least 6 months out of the year, but the users are not year round residents. For example: schools and work sites.

Transient WS : a transient noncommunity water system -- serves at least 10 people a day for at least 60 days out of the year. R Only those serving 500 or more persons a day are included. in the benchmarks. For example: restaurants, parks, and campgrounds.

* Number of Violations for 1997 for each Benchmark item except for Pb/Cu and Unfiltered. Pb/Cu is "Y" if system exceeded either the lead or copper action level in last two rounds. Unfiltered is "Y" if the system is unfiltered but must install filtration to meet the SWTR.