

DIAPHRAGM

cup inserted in vagina



Source: Thinkstock

PARAGARD® (copper IUD)


small copper device
placed in uterus



Source: iStock

MIRENA® (hormonal IUS)

small plastic device
placed in uterus




Source: Love My Larc

oregon **contraceptive** care

SKYLA[®] (hormonal IUS)

small plastic device
placed in uterus




Source: Love My Larc

oregon **contraceptive** care

MALE CONDOM

worn on penis



Source: Flickr - Tomizak

FEMALE CONDOM

polyurethane condom
inserted in vagina



Source: Thinkstock


SPERMICIDE

“kills” sperm



NUVARING®

small ring placed in
vagina



oregon **contraceptive** care

THE PILL

daily hormonal pills



source: Flickr: raychelmbits

ORTHO EVRA®

small hormonal patch
worn on skin



Source: Thinkstock

oregon **contraceptive** care

EMERGENCY CONTRACEPTION

hormonal pills can be taken up to 5 days after unprotected sex



source: planbonstep.com

oregon **contraceptive** care

VASECTOMY

blockage of tubes
carrying sperm



WITHDRAWAL

male “pulls out” before
ejaculation



source: freefoto.com

DEPO- PROVERA®

hormone shot every
three months



source: iStock

oregon **contraceptive** care

NEXPLANON®

small rod placed in arm

