

Immunization Primary Review Table

Use for School/Children's Facility Assessment ONLY



**When reviewing records, assess on month and year only.
Always read the options for each dose in descending order.**

DTAP CHILDHOOD SERIES: REQUIRED FOR CHILDREN'S FACILITIES AND GRADES K - 12

VACCINE	RECORD SHOWS:	WHEN WAS THE DOSE RECEIVED?	IMMUNIZATION STATUS:	NEEDS SHOT NOW!
Diphtheria/ Tetanus/ Pertussis Containing Vaccines DTP DTaP DT Td Tdap	0 DOSES	CHILD IS UNDER 2 MONTHS OF AGE	UP-TO-DATE	NO
		CHILD IS 2 MONTHS OF AGE OR OLDER	INCOMPLETE	YES
	1 DOSE	LESS THAN 2 MONTHS AGO OR CHILD IS LESS THAN 4 MONTHS OF AGE	UP-TO-DATE	NO
		2 MONTHS OR MORE AGO AND CHILD IS 4 MONTHS OF AGE OR OLDER	INCOMPLETE	YES
	2 DOSES	DOSE 1 RECEIVED AT OR AFTER 1 ST BIRTHDAY AND DOSE 2 RECEIVED LESS THAN 12 MONTHS AGO	UP-TO-DATE	NO
		DOSE 1 RECEIVED AT OR AFTER 1 ST BIRTHDAY AND DOSE 2 RECEIVED 12 MONTHS OR MORE AGO	INCOMPLETE	YES
		CHILD IS 7 YEARS OF AGE OR OLDER AND DOSE 2 RECEIVED LESS THAN 12 MONTHS AGO	UP-TO-DATE	NO
		CHILD IS 7 YEARS OF AGE OR OLDER AND DOSE 2 RECEIVED 12 MONTHS OR MORE AGO	INCOMPLETE	YES
		DOSE 2 RECEIVED LESS THAN 2 MONTHS AGO OR CHILD IS LESS THAN 6 MONTHS OF AGE	UP-TO DATE	NO
		DOSE 2 RECEIVED 2 MONTHS OR MORE AGO AND CHILD IS 6 MONTHS OF AGE OR OLDER	INCOMPLETE	YES
		3 DOSES	DOSE 3 RECEIVED AT OR AFTER 7 TH BIRTHDAY	COMPLETE
	DOSE 3 RECEIVED LESS THAN 12 MONTHS AGO		UP-TO-DATE	NO
	DOSE 1 RECEIVED AT OR AFTER 1 ST BIRTHDAY AND CHILD IS LESS THAN 4 YEARS OF AGE		UP-TO-DATE	NO
	DOSE 3 RECEIVED 12 MONTHS OR MORE AGO AND CHILD IS 18 MONTHS OF AGE OR OLDER		INCOMPLETE	YES
	4 DOSES	DOSE 4 WAS GIVEN AT OR AFTER 4 TH BIRTHDAY	COMPLETE	NO
		DOSE 4 WAS BEFORE 4 TH BIRTHDAY AND CHILD IS LESS THAN KINDERGARTEN GRADE	UP-TO-DATE	NO
		DOSE 4 WAS RECEIVED BEFORE 4 TH BIRTHDAY AND CHILD IS KINDERGARTEN OR HIGHER GRADE	INCOMPLETE	YES
	5 DOSES	COMPLETE	COMPLETE	NO

For students in grades 7-10 who are complete for the DTaP series, please see page 8 for the Tdap assessment.

To request this material in an alternate format (e.g. Braille), call (971) 673-0300.

Immunization Primary Review Table

Use for School/Children's Facility Assessment ONLY



**When reviewing records, assess on month and year only.
Always read the options for each dose in descending order.**

VACCINE	RECORD SHOWS:	WHEN WAS THE DOSE RECEIVED?	IMMUNIZATION STATUS:	NEEDS SHOT NOW!
Polio	0 DOSES	CHILD IS LESS THAN 2 MONTHS OF AGE	UP-TO-DATE	NO
		STUDENT IS 18 YEARS OF AGE OR OLDER	NOT REQUIRED	NO
		CHILD IS 2 MONTHS OF AGE OR OLDER AND LESS THAN 18 YEARS OF AGE	INCOMPLETE	YES
	1 DOSE	DOSE 1 RECEIVED LESS THAN 2 MONTHS AGO OR CHILD IS LESS THAN 4 MONTHS OF AGE	UP-TO-DATE	NO
		DOSE 1 RECEIVED 2 MONTHS OR MORE AGO, AND CHILD IS AT LEAST 4 MONTHS OF AGE, AND IS LESS THAN 18 YEARS OF AGE	INCOMPLETE	YES
	2 DOSES	DOSE 2 RECEIVED LESS THAN 12 MONTHS AGO	UP-TO-DATE	NO
		CHILD IS LESS THAN 18 MONTHS OF AGE	UP-TO-DATE	NO
		DOSE 2 RECEIVED 12 MONTHS OR MORE AGO AND CHILD IS LESS THAN 18 YEARS OF AGE	INCOMPLETE	YES
	3 DOSES	DOSE 3 RECEIVED ON OR AFTER 4 TH BIRTHDAY	COMPLETE	NO
		DOSE 3 RECEIVED LESS THAN 12 MONTHS AGO	UP-TO-DATE	NO
		CHILD IS LESS THAN KINDERGARTEN GRADE	UP-TO-DATE	NO
		DOSE 3 RECEIVED 12 MONTHS OR MORE AGO, AND CHILD IS KINDERGARTEN OR HIGHER GRADE, AND LESS THAN 18 YEARS OF AGE	INCOMPLETE	YES
	4 DOSES	COMPLETE	COMPLETE	NO

Immunization Primary Review Table

Use for School/Children's Facility Assessment ONLY



**When reviewing records, assess on month and year only.
Always read the options for each dose in descending order.**

Doses of varicella vaccine should only be counted if received in or after March of 1995, the date the vaccine was licensed in the United States. Any date after the date of birth is acceptable for history of chickenpox disease.

A dose of varicella vaccine given in the same month as the first birthday is acceptable for school and children's facility immunization requirements.

VACCINE	RECORD SHOWS:	WHEN WAS THE DOSE RECEIVED?	IMMUNIZATION STATUS:	NEEDS SHOT NOW!
Varicella	0 DOSES	HISTORY OF CHICKENPOX DISEASE AT ANY AGE (DISEASE DATE NOT REQUIRED)	COMPLETE	NO
		NOT RECEIVED AND CHILD IS UNDER 18 MONTHS OF AGE	UP-TO-DATE	NO
		NOT RECEIVED AND CHILD IS 18 MONTHS OF AGE OR OLDER	INCOMPLETE	YES
	1 DOSE	RECEIVED AT OR AFTER 12 MONTHS OF AGE AND PRIOR TO 13 YEARS OF AGE	COMPLETE	NO
		RECEIVED PRIOR TO 12 MONTHS OF AGE AND CHILD IS LESS THAN 18 MONTHS	UP-TO-DATE	NO
		RECEIVED PRIOR TO 12 MONTHS OF AGE AND CHILD IS 18 MONTHS OR OLDER	INCOMPLETE	YES
		RECEIVED AT OR AFTER 13 YEARS OF AGE AND LESS THAN TWO MONTHS AGO	UP-TO-DATE	NO
		RECEIVED AT OR AFTER 13 YEARS OF AGE AND TWO MONTHS OR MORE AGO	INCOMPLETE	YES
	2 DOSES	FIRST DOSE RECEIVED AT OR AFTER 12 MONTHS OF AGE AND SECOND DOSE GIVEN ONE MONTH (28 DAYS) OR MORE AFTER THE FIRST DOSE	COMPLETE	NO
		AT LEAST ONE DOSE GIVEN BETWEEN THE AGES OF TWELVE MONTHS AND TWELVE YEARS	COMPLETE	NO
		CHILD IS LESS THAN 18 MONTHS OF AGE	UP-TO-DATE	NO
		SECOND DOSE GIVEN LESS THAN ONE MONTH (28 DAYS) AFTER THE FIRST DOSE AND LESS THAN TWO MONTHS AGO	UP-TO-DATE	NO
		SECOND DOSE GIVEN LESS THAN ONE MONTH (28 DAYS) AFTER THE FIRST DOSE AND TWO OR MORE MONTHS AGO	INCOMPLETE	YES
	3 DOSES	COMPLETE	COMPLETE	NO

Immunization Primary Review Table

Use for School/Children's Facility Assessment ONLY



**When reviewing records, assess on month and year only.
Always read the options for each dose in descending order.**

A dose of MMR vaccine (or measles, mumps, and/or rubella vaccines) given in the same month as the first birthday is acceptable for school and children's facility immunization requirements.

MEASLES, MUMPS AND RUBELLA: REQUIRED FOR CHILDREN'S FACILITIES AND GRADES K - 12

VACCINE	RECORD SHOWS:	WHEN WAS THE DOSE RECEIVED?	IMMUNIZATION STATUS:	NEEDS SHOT NOW!
MMR (Measles, Mumps, and Rubella)	0 DOSES	CHILD IS UNDER 15 MONTHS OF AGE	UP-TO-DATE	NO
		CHILD IS 15 MONTHS OF AGE OR OLDER	INCOMPLETE	YES
	1 DOSE	RECEIVED AT OR AFTER 12 MONTHS OF AGE	UP-TO-DATE	NO
		RECEIVED PRIOR TO 12 MONTHS OF AGE AND CHILD IS UNDER 15 MONTHS OF AGE	UP-TO-DATE	NO
		RECEIVED PRIOR TO 12 MONTHS OF AGE AND CHILD IS 15 MONTHS OF AGE OR OLDER	INCOMPLETE	YES

SECOND DOSE MEASLES: REQUIRED ONLY FOR STUDENTS GRADES K - 12

VACCINE	RECORD SHOWS:	WHEN WAS THE DOSE RECEIVED?	IMMUNIZATION STATUS:	NEEDS SHOT NOW!
Second Dose Measles (Measles or MMR)	0 DOSES	NOT RECEIVED	INCOMPLETE	YES
	1 DOSE	RECEIVED LESS THAN TWO MONTHS AGO	UP-TO-DATE	NO
		RECEIVED TWO MONTHS OR MORE AGO	INCOMPLETE	YES
	2 DOSES	FIRST DOSE RECEIVED AT OR AFTER 12 MONTHS OF AGE AND SECOND DOSE GIVEN ONE MONTH (28 DAYS) OR MORE AFTER THE FIRST DOSE	COMPLETE	NO
		SECOND DOSE GIVEN LESS THAN ONE MONTH (28 DAYS) AFTER THE FIRST DOSE AND LESS THAN TWO MONTHS AGO	UP-TO-DATE	NO
		SECOND DOSE GIVEN LESS THAN ONE MONTH (28 DAYS) AFTER THE FIRST DOSE AND TWO OR MORE MONTHS AGO	INCOMPLETE	YES
	3 DOSES	COMPLETE	COMPLETE	NO

Immunization Primary Review Table

Use for School/Children's Facility Assessment ONLY



**When reviewing records, assess on month and year only.
Always read the options for each dose in descending order.**

VACCINE	RECORD SHOWS:	WHEN WAS THE DOSE RECEIVED?	IMMUNIZATION STATUS:	NEEDS SHOT NOW!
Hepatitis B	0 DOSES	CHILD IS LESS THAN 2 MONTHS OF AGE	UP-TO-DATE	NO
		CHILD IS 2 MONTHS OF AGE OR OLDER	INCOMPLETE	YES
	1 DOSE	RECEIVED AT OR AFTER 11 YEARS OF AGE AND LESS THAN 6 MONTHS AGO	UP-TO-DATE	NO
		RECEIVED AT OR AFTER 11 YEARS OF AGE AND 6 MONTHS OR MORE AGO	INCOMPLETE	YES
		RECEIVED BEFORE 11 YEARS OF AGE AND LESS THAN 2 MONTHS AGO OR CHILD IS LESS THAN 4 MONTHS OF AGE	UP-TO-DATE	NO
		RECEIVED BEFORE 11 YEARS OF AGE, 2 MONTHS OR MORE AGO AND CHILD IS 4 MONTHS OF AGE OR OLDER	INCOMPLETE	YES
	2 DOSES	1 st DOSE RECEIVED AT OR AFTER 11 YEARS OF AGE AND 2 nd DOSE RECEIVED AT LEAST 4 MONTHS AFTER 1 st DOSE	COMPLETE	NO
		RECEIVED LESS THAN 5 MONTHS AGO	UP-TO-DATE	NO
		RECEIVED 5 MONTHS OR MORE AGO AND CHILD IS LESS THAN 18 MONTHS OLD	UP-TO-DATE	NO
		RECEIVED 5 MONTHS OR MORE AGO AND CHILD IS 18 MONTHS OF AGE OR OLDER	INCOMPLETE	YES
	3 DOSES	COMPLETE	COMPLETE	NO

Immunization Primary Review Table

Use for School/Children's Facility Assessment ONLY



**When reviewing records, assess on month and year only.
Always read the options for each dose in descending order.**

Hepatitis A This requirement is phased in by grades through School Year (SY) 2014/15
 SY 2011/12 Children's facilities, Head Start, Preschool, Kindergarten, 1st, 2nd, 3rd grade
 SY 2012/13 Children's facilities, Head Start, Preschool, Kindergarten, 1st, 2nd, 3rd, 4th grade
 SY 2013/14 Children's facilities, Head Start, Preschool, Kindergarten, 1st, 2nd, 3rd, 4th, 5th grade
 SY 2014/15 Children's facilities, Head Start, Preschool, and all students grades K-12

A dose of hepatitis A vaccine given in the same month as the first birthday is acceptable for school and children's facility immunization requirements.

VACCINE	RECORD SHOWS:	WHEN WAS THE DOSE RECEIVED?	IMMUNIZATION STATUS:	NEEDS SHOT NOW!
Hepatitis A	0 DOSES	CHILD IS LESS THAN 18 MONTHS OF AGE	UP-TO-DATE	NO
		CHILD IS 18 MONTHS OF AGE OR OLDER	INCOMPLETE	YES
	1 DOSE	RECEIVED AT OR AFTER 12 MONTHS OF AGE AND LESS THAN 12 MONTHS AGO	UP-TO-DATE	NO
		RECEIVED AT OR AFTER 12 MONTHS OF AGE AND 12 OR MORE MONTHS AGO	INCOMPLETE	YES
		RECEIVED PRIOR TO 12 MONTHS OF AGE AND CHILD IS LESS THAN 18 MONTHS OF AGE	UP-TO-DATE	NO
		RECEIVED PRIOR TO 12 MONTHS OF AGE AND CHILD IS 18 MONTHS OR OLDER	INCOMPLETE	YES
	2 DOSES	BOTH DOSES RECEIVED AT OR AFTER 12 MONTHS OF AGE	COMPLETE	NO
		DOSE 1 RECEIVED PRIOR TO 12 MONTHS OF AGE AND DOSE 2 RECEIVED LESS THAN 12 MONTHS AGO	UP-TO-DATE	NO
		DOSE 1 RECEIVED PRIOR TO 12 MONTHS OF AGE AND DOSE 2 RECEIVED 12 MONTHS OR MORE AGO	INCOMPLETE	YES
	3 DOSES	COMPLETE	COMPLETE	NO

HIB Immunization Primary Review Table

Use for Children's Facility Assessment ONLY



**When reviewing records, assess on month and year only.
Always read the options for each dose in descending order.**

HIB (*Haemophilus Influenzae* Type B): Required only for children 2 months - 59 months of age

CURRENT AGE	RECORD SHOWS:	WHEN WAS THE HIB DOSE RECEIVED?	IMMUNIZATION STATUS:	NEEDS SHOT NOW!
2-11 Months	0 DOSES	NOT RECEIVED	INCOMPLETE	YES
	1 DOSE	RECEIVED LESS THAN 2 MONTHS AGO OR CHILD IS LESS THAN 4 MONTHS OF AGE	UP-TO-DATE	NO
		RECEIVED 2 MONTHS OR MORE AGO AND CHILD IS 4 MONTHS OF AGE OR OLDER	INCOMPLETE	YES
	2 DOSES	UP-TO-DATE	UP-TO-DATE	NO
	3 DOSES	UP-TO-DATE	UP-TO-DATE	NO
12-17 Months	0 DOSES	NOT RECEIVED	INCOMPLETE	YES
	1 DOSE	DOSE WAS AT OR AFTER 15 MONTHS OF AGE	COMPLETE	NO
		RECEIVED BEFORE 15 MONTHS OF AGE BUT LESS THAN 2 MONTHS AGO	UP-TO-DATE	NO
		RECEIVED 2 MONTHS OR MORE AGO	INCOMPLETE	YES
	2 DOSES	2 ND DOSE RECEIVED AT OR AFTER 15 MONTHS OF AGE	COMPLETE	NO
		1 ST DOSE RECEIVED AT OR AFTER 12 MONTHS OF AGE	COMPLETE	NO
		1 ST DOSE RECEIVED BEFORE 12 MONTHS OF AGE	UP-TO-DATE	NO
	3 DOSES	3 RD DOSE RECEIVED AT OR AFTER 12 MONTHS OF AGE	COMPLETE	NO
		3 RD DOSE RECEIVED BEFORE 12 MONTHS OF AGE	UP-TO-DATE	NO
18-59 Months	0 DOSES	NOT RECEIVED	INCOMPLETE	YES
	1 DOSE	RECEIVED AT OR AFTER 15 MONTHS OF AGE	COMPLETE	NO
		RECEIVED BEFORE 15 MONTHS OF AGE	INCOMPLETE	YES
	2 DOSE	2 ND DOSE WAS AT OR AFTER 15 MONTHS OF AGE	COMPLETE	NO
		1 ST DOSE WAS AT OR AFTER 12 MONTHS OF AGE	COMPLETE	NO
		1 ST DOSE WAS BEFORE 12 MONTHS OF AGE AND 2 ND DOSE WAS BEFORE 15 MONTHS OF AGE	INCOMPLETE	YES
	3 DOSES	3 RD DOSE WAS AT OR AFTER 12 MONTHS OF AGE	COMPLETE	NO
		3 RD DOSE WAS BEFORE 12 MONTHS OF AGE	INCOMPLETE	YES
	4 DOSES	COMPLETE	COMPLETE	NO

Use this page only for grades 7-10 in 2011-2012!

READ ME FIRST!

Tdap is a vaccine that was licensed for use in 2005 and is given to adolescents and adults. It helps boost protection against three diseases: tetanus, diphtheria, and pertussis (whooping cough). The childhood vaccine DTaP protects against the same diseases as Tdap, but DTaP is only given through 6 years of age.

Does the student's record show one dose of Tdap given at or after the 10th birthday, and are there at least 3 doses of Tdap, Td, DTaP, and/or DT total? If yes, this student is complete for Tdap, and you don't need to use the table!


Immunization Primary Review Table

Use for School Assessment ONLY



**When reviewing records, assess on month and year only.
Always read the options for each dose in descending order.**

TDAP BOOSTER This requirement is phased in by grades through School Year (SY) 2013-2014
 SY 2011/12 7th, 8th, 9th, 10th grade
 SY 2012/13 7th, 8th, 9th, 10th, 11th grade
 SY 2013/14 All students grades 7-12



USE THIS TABLE ONLY IF CHILD IS 7TH GRADE OR HIGHER AND COMPLETE FOR DTAP CHILDHOOD SERIES (SEE PAGE 1)

VACCINE	RECORD SHOWS:	WHEN WAS THE DOSE RECEIVED?	IMMUNIZATION STATUS:	NEEDS SHOT NOW!
Tetanus/ Diphtheria/ Pertussis Containing Vaccines Tdap Td DTaP DT	0 DOSES 1 DOSE 2 DOSES (Remember to count all DTaP, DT, Td, and Tdap doses)	<u>DO NOT USE THIS TABLE—USE DTAP TABLE ON PAGE 1</u>		
	3 DOSES 4 DOSES 5 DOSES 6 DOSES (Remember to count all DTaP, DT, Td, and Tdap doses)	LAST TETANUS/DIPHTHERIA/PERTUSSIS DOSE (Tdap or Td) WAS GIVEN AT OR AFTER 10 TH BIRTHDAY	COMPLETE	NO
		LAST TETANUS/DIPHTHERIA/PERTUSSIS DOSE (DTaP, DT, or Td) WAS GIVEN LESS THAN 5 YEARS AGO	UP-TO-DATE	NO
		LAST TETANUS/DIPHTHERIA/PERTUSSIS DOSE (DTaP, DT, or Td) WAS GIVEN 5 OR MORE YEARS AGO	INCOMPLETE— NEEDS TDAP NOW!	YES
	7 DOSES	COMPLETE	COMPLETE	NO