

Opiate Map – Source/Use Patterns

Heroin Use

Use for Various Reasons
Including Self-Treatment of Pain

Use of Diverted Opiates

Self-Use of Diverted Opiates

- From individual Rx's via family/friends, street purchase
- From theft and/or subsequent sale

Use of Prescribed Opiates

Unstable treatment and/or Unclear or Poor Benefit (pt **OR** provider perspective) for Less-Established Pain Indications

Stable Treatment with Good Benefit (pt **AND** provider perspective)

Opiate Map – Desired PH and Clinical Outcomes

Heroin Use

Use for Various Reasons
Including Self-Treatment of Pain

Use of Diverted Opiates

Self-Use of Diverted Opiates

- From individual Rx's via family/friends, street purchase
- From theft and/or subsequent sale

Use of Prescribed Opiates

Unstable treatment and/or Unclear or Poor Benefit (pt **OR** provider perspective) for Less-Established Pain Indications

Stable Treatment with Good Benefit (pt **AND** provider perspective)

Desired Clinical and PH Outcomes

- Improved Pain Management
- Better Physical Functioning
- Better Social Functioning
- Decreased opiate addiction
- Continued or Improved Connection to Health Care Delivery System
- Decreased Overdoses (fatal and non-fatal)
- Decreased use of injectable drugs

Opiate Map - A Patient-Centered Intervention Approach

