

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

If you had a child in school, at what age do you think he or she should begin receiving education in school about HIV infection and AIDS?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
First grade		11.7	9.8	12.5	11.1	12.8	11.9
Second grade		3.4	3.1	3.3	4.0	4.1	1.4
Third grade		7.9	7.9	8.8	7.9	6.0	9.4
Fourth grade		12.0	9.5	10.7	13.9	12.3	12.2
Fifth grade		14.7	17.1	16.9	11.8	14.4	15.1
Sixth grade		18.1	24.7	16.8	17.6	16.7	16.7
Seventh grade		9.3	7.1	9.0	9.4	11.2	8.6
Eighth grade		3.8	6.2	2.6	4.4	3.1	3.0
Ninth grade		2.0	3.2	2.2	1.8	1.3	1.7
Tenth grade		1.2	1.4	.9	1.5	.9	1.2
Eleventh grade		.2	.3	.1	.2	.2	.4
Twelfth grade		.2	.6	.0	.2	.3	.1
Kindergarten		7.2	4.9	6.6	8.9	8.1	5.8
Don't know/Not sure		6.1	2.5	7.1	5.1	6.1	10.3
Never		1.8	1.0	1.9	1.9	2.2	1.9
Refused		.4	.7	.6	.2	.2	.3
Male	First grade	12.0	11.1	13.8	9.9	11.9	14.2
	Second grade	2.6	1.6	1.7	4.2	3.0	1.2
	Third grade	5.3	4.9	5.5	5.5	6.0	4.0
	Fourth grade	12.7	8.4	11.1	15.9	13.2	12.5
	Fifth grade	12.9	14.4	14.9	10.4	11.3	16.0
	Sixth grade	21.2	31.6	19.6	19.9	18.8	19.1
	Seventh grade	10.8	11.6	12.6	8.1	13.4	7.9
	Eighth grade	4.6	5.4	3.4	6.2	3.5	4.2
	Ninth grade	1.9	2.8	2.3	2.0	1.3	1.2
	Tenth grade	1.4	.6	.8	2.4	.8	2.2
	Eleventh grade	.4	.6		.4	.3	.7
	Twelfth grade	.4	1.1		.3	.5	
	Kindergarten	4.9	2.0	4.9	6.4	5.1	4.7
	Don't know/Not sure	7.1	2.4	8.1	6.2	7.8	10.6
	Never	1.6	1.4	.8	1.7	2.6	1.5
Refused	.3	.1	.5	.5	.4		
	First grade	11.4	8.5	11.2	12.2	13.7	9.7
	Second grade	4.2	4.7	4.9	3.9	5.3	1.5
	Third grade	10.5	11.0	12.2	10.3	5.9	14.6
	Fourth grade	11.3	10.7	10.4	12.1	11.4	12.0

Female	Fifth grade	16.5	19.9	19.0	13.1	17.6	14.2
	Sixth grade	15.0	17.5	13.8	15.4	14.6	14.5
	Seventh grade	7.8	2.3	5.4	10.7	9.0	9.4
	Eighth grade	2.9	7.0	1.7	2.7	2.8	1.8
	Ninth grade	2.0	3.6	2.1	1.6	1.3	2.2
	Tenth grade	1.0	2.2	.9	.7	1.1	.4
	Eleventh grade	.1		.2		.1	
	Twelfth grade	.1		.1		.2	.3
	Kindergarten	9.5	7.9	8.4	11.4	11.0	6.8
	Don't know/Not sure	5.2	2.6	6.0	4.0	4.4	10.0
	Never	2.0	.7	3.0	2.0	1.8	2.2
	Refused	.4	1.3	.7			.5
Denominator is: All survey respondents less than 65 years old							

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

If you had a child in school, at what age do you think he or she should begin receiving education in school about HIV infection and AIDS?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		2632	292	607	750	592	391
First grade		303	23	66	90	80	44
Second grade		94	10	20	35	24	5
Third grade		224	27	58	63	41	35
Fourth grade		333	30	73	108	72	50
Fifth grade		389	51	101	93	82	62
Sixth grade		470	72	111	128	99	60
Seventh grade		234	27	48	66	61	32
Eighth grade		89	12	21	26	17	13
Ninth grade		54	9	14	14	10	7
Tenth grade		27	4	6	8	5	4
Eleventh grade		7	1	1	2	2	1
Twelfth grade		7	1	1	2	2	1
Kindergarten		191	13	43	60	49	26
Don't know/Not sure		150	7	28	39	34	42
Never		46	2	12	13	12	7
Refused		14	3	4	3	2	2
Male	Total	1164	153	273	327	241	170
	First grade	128	10	31	35	31	21
	Second grade	34	4	7	16	5	2
	Third grade	72	12	16	19	17	8
	Fourth grade	153	12	36	53	30	22
	Fifth grade	154	24	38	34	28	30
	Sixth grade	244	47	60	63	45	29
	Seventh grade	120	21	29	26	31	13
	Eighth grade	53	7	13	16	8	9
	Ninth grade	25	4 ⁸		7	4	2
	Tenth grade	14	1	3	5	2	3
	Eleventh grade	5	1		2	1	1
	Twelfth grade	4	1		2	1	
	Kindergarten	54	3	14	16	12	9
	Don't know/Not sure	78	4	13	24	18	19
	Never	18	1	3	6	6	2
	Refused	8	1	2	3	2	
Total		1468	139	334	423	351	221

Female	First grade	175	13	35	55	49	23
	Second grade	60	6	13	19	19	3
	Third grade	152	15	42	44	24	27
	Fourth grade	180	18	37	55	42	28
	Fifth grade	235	27	63	59	54	32
	Sixth grade	226	25	51	65	54	31
	Seventh grade	114	6	19	40	30	19
	Eighth grade	36	5	8	10	9	4
	Ninth grade	29	5	6	7	6	5
	Tenth grade	13	3	3	3	3	1
	Eleventh grade	2		1		1	
	Twelfth grade	3		1		1	1
	Kindergarten	137	10	29	44	37	17
	Don't know/Not sure	72	3	15	15	16	23
	Never	28	1	9	7	6	5
	Refused	6	2	2			2
Denominator is: All survey respondents less than 65 years old							

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

If you had a teenager who was sexually active, would you encourage him or her to use a condom?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		89.8	93.2	92.0	90.4	89.1	82.6
No		1.6	1.5	1.1	2.2	1.0	2.6
Give other advice		6.6	3.7	5.1	6.2	8.2	10.4
Don't know/Not sure		1.3	.4	1.1	1.1	1.2	3.3
Refused		.6	1.2	.8	.1	.6	1.1
Male	Yes	89.3	92.1	91.5	90.6	89.6	79.6
	No	1.6	.7	.4	2.9	.8	3.4
	Give other advice	6.9	4.0	6.3	5.4	8.2	12.4
	Don't know/Not sure	1.3	.9	1.4	1.1	.8	2.5
	Refused	.9	2.3	.4		.8	2.1
Female	Yes	90.2	94.3	92.5	90.2	88.6	85.3
	No	1.7	2.3	1.8	1.5	1.2	1.8
	Give other advice	6.3	3.4	3.9	7.1	8.1	8.6
	Don't know/Not sure	1.4		.7	1.1	1.7	4.0
	Refused	.4		1.1	.1	.4	.3

Denominator is: All survey respondents less than 65 years old

If you had a teenager who was sexually active, would you encourage him or her to use a condom?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		2632	292	607	750	592	391
Yes		2378	272	561	680	534	331
No		42	5	6	14	7	10
Give other advice		161	11	30	47	40	33
Don't know/Not sure		36	2	6	8	8	12
Refused		15	2	4	1	3	5
Male	Total	1164	153	273	327	241	170
	Yes	1049	141	251	298	218	141
	No	18	2	1	8	2	5
	Give other advice	73	6	16	17	18	16
	Don't know/Not sure	15	2	4	4	1	4
	Refused	9	2	1		2	4
	Total	1468	139	334	423	351	221
	Yes	1329	131	310	382	316	190

Female	No	24	3	5	6	5	5
	Give other advice	88	5	14	30	22	17
	Don't know/Not sure	21		2	4	7	8
	Refused	6		3	1	1	1

Denominator is: All survey respondents less than 65 years old

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

What are your chances of getting infected with HIV, the virus that causes AIDS?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
High		1.3	.9	.9	2.2	1.2	1.0
Medium		4.1	7.5	6.0	3.6	2.4	1.2
Low		29.8	40.8	36.2	29.1	27.3	13.7
None		64.1	50.3	55.4	64.5	68.6	84.0
Not applicable		.0			.1		
Don't know/Not sure		.6	.5	1.1	.4	.5	.2
Refused		.1		.4			
Male	High	1.2	.9	.4	2.9	.9	
	Medium	5.2	13.1	7.6	3.1	2.3	2.1
	Low	30.9	43.6	39.2	28.9	26.4	14.7
	None	61.9	42.4	50.2	65.0	69.9	83.1
	Don't know/Not sure	.6		2.0	.1	.4	
	Refused	.2		.7			
Female	High	1.5	1.0	1.3	1.6	1.5	1.9
	Medium	3.0	1.5	4.5	4.2	2.5	.3
	Low	28.7	37.8	33.2	29.3	28.1	12.7
	None	66.2	58.5	60.9	64.0	67.2	84.8
	Not applicable	.1			.2		
	Don't know/Not sure	.6	1.1	.2	.7	.7	.4

Denominator is: All survey respondents less than 65 years old

What are your chances of getting infected with HIV, the virus that causes AIDS?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		2632	292	607	750	592	391
High		36	3	6	15	7	5
Medium		107	21	36	29	16	5
Low		819	121	234	232	172	60
None		1652	145	324	470	393	320
Not applicable		1			1		
Don't know/Not sure		14	2	4	3	4	1
Refused		3		3			
	Total	1164	153	273	327	241	170
	High	14	2	2	8	2	

Male	Medium	55	17	17	11	6	4
	Low	382	67	112	107	66	30
	None	704	67	136	200	165	136
	Don't know/Not sure	6		3	1	2	
	Refused	3		3			
Female	Total	1468	139	334	423	351	221
	High	22	1	4	7	5	5
	Medium	52	4	19	18	10	1
	Low	437	54	122	125	106	30
	None	948	78	188	270	228	184
	Not applicable	1			1		
	Don't know/Not sure	8	2	1	2	2	1
Denominator is: All survey respondents less than 65 years old							

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

Have you ever had your blood tested for HIV?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		41.9	40.2	60.4	44.6	33.1	22.0
No		54.6	57.0	38.2	52.6	61.7	72.1
Don't know/Not sure		3.4	2.8	1.4	2.6	5.1	5.9
Refused		.1		.0	.3	.1	
Male	Yes	44.5	33.7	62.3	50.9	37.3	24.5
	No	52.2	65.2	37.0	47.8	56.0	66.8
	Don't know/Not sure	3.3	1.1	.6	1.3	6.8	8.7
	Refused	.0		.1			
Female	Yes	39.3	47.1	58.3	38.5	29.0	19.6
	No	57.1	48.4	39.4	57.2	67.4	77.1
	Don't know/Not sure	3.4	4.5	2.3	3.8	3.4	3.2
	Refused	.2			.5	.2	

Denominator is: All survey respondents less than 65 years old

Have you ever had your blood tested for HIV?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		2631	292	607	749	592	391
Yes		1129	127	368	342	202	90
No		1425	160	228	390	367	280
Don't know/Not sure		73	5	10	15	22	21
Refused		4		1	2	1	
Male	Total	1164	153	273	327	241	170
	Yes	527	57	162	168	94	46
	No	600	94	108	155	134	109
	Don't know/Not sure	36	2	2	4	13	15
	Refused	1		1			
Female	Total	1467	139	334	422	351	221
	Yes	602	70	206	174	108	44
	No	825	66	120	235	233	171
	Don't know/Not sure	37	3	8	11	9	6
	Refused	3			2	1	

Denominator is: All survey respondents less than 65 years old

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

Have you donated blood since March 1985?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		19.5	23.8	18.3	19.9	18.6	17.7
No		79.9	76.2	81.5	79.5	80.2	81.5
Don't know/Not sure		.6		.2	.6	1.2	.8
Male	Yes	22.3	24.7	19.8	24.0	21.1	21.5
	No	77.1	75.3	80.2	75.7	76.9	78.5
	Don't know/Not sure	.6			.3	2.0	
Female	Yes	16.9	22.7	16.9	16.7	16.4	14.3
	No	82.4	77.3	82.6	82.5	83.1	84.2
	Don't know/Not sure	.7		.5	.8	.5	1.4

Denominator is: All survey respondents less than 65 years old
who have not had HIV test or are unsure if they have had an HIV test

Have you donated blood since March 1985?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		1502	165	239	407	390	301
Yes		306	38	60	81	78	49
No		1186	127	178	323	308	250
Don't know/Not sure		10		1	3	4	2
Male	Total	637	96	111	159	147	124
	Yes	146	23	29	35	33	26
	No	487	73	82	123	111	98
	Don't know/Not sure	4			1	3	
Female	Total	865	69	128	248	243	177
	Yes	160	15	31	46	45	23
	No	699	54	96	200	197	152
	Don't know/Not sure	6		1	2	1	2

Denominator is: All survey respondents less than 65 years old
who have not had HIV test or are unsure if they have had an HIV test

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

What was the main reason you had your last blood test for HIV?
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	
Hospitalization	3.9	1.3	2.9	3.2	5.2	12.6	
Health In	1.7		.7	2.6	4.2		
Life Insurance	8.5	1.8	8.1	11.3	8.2	11.6	
Employment	2.4	1.1	1.5	3.5	4.0	1.3	
Marriage License	3.2	.7	3.0	6.0	1.8		
Military	4.4	5.0	6.8	2.8	2.9	2.7	
Immigration	.7	.4	1.3	.4		1.5	
Find out	26.2	31.8	31.2	21.2	23.4	21.3	
Doctor referred	1.1	.7	.6	1.5	1.2	1.6	
Pregnancy	11.9	26.9	17.6	7.5	1.8		
Sex partner	.4	.8	.7	.3			
Routine checkup	10.5	11.3	6.1	12.3	15.0	10.5	
Occupation	13.0	12.9	9.5	12.1	18.8	19.0	
Illness	5.4	.6	5.4	6.0	7.4	7.2	
At risk	2.1	.7	1.5	3.4	1.5	4.3	
16	1.0		.6	2.2	.8		
Don't know/Not sure	.7		.9	.2	.9	2.8	
Other	2.6	3.4	1.7	2.8	2.9	3.6	
Refused	.3	.6		.7			
Male	Hospitalization	3.6	1.3	2.1	2.4	4.6	16.8
	Health In	2.2		1.3	2.0	6.1	
	Life Insurance	9.7		8.8	15.2	8.8	7.2
	Employment	2.9	.7	1.6	4.4	4.8	
	Marriage License	4.4	1.7	4.1	7.8	2.7	
	Military	7.3	11.6	10.6	4.2	5.1	5.0
	Immigration	.9	.9	1.9	.4		1.3
	Find out	29.1	46.6	36.9	21.6	21.8	19.7
	Doctor referred	1.4		1.1	2.0	1.4	3.0
	Pregnancy	.1				.8	
	Sex partner	.4		1.2			
	Routine checkup	11.8	14.6	7.9	13.4	15.5	8.9
	Occupation	13.9	14.7	10.8	12.1	17.7	24.9
	Illness	4.4	.9	6.0	4.0	6.0	
	At risk	2.9	1.7	2.0	3.7	1.7	7.9
	16	.7		.2	2.0		

	Don't know/Not sure	.8		1.5	.4	1.0		
	Other	2.9	4.2	1.9	3.1	2.1	5.4	
	Refused	.5	1.3		1.3			
Female	Hospitalization	4.2	1.4	3.8	4.2	6.1	7.6	
	Health In	1.2			3.3	1.7		
	Life Insurance	7.0	3.2	7.3	6.2	7.4	16.8	
	Employment	2.0	1.4	1.3	2.2	3.1	2.9	
	Marriage License	1.7		1.8	3.7	.7		
	Military	1.1		2.6	1.0			
	Immigration	.5		.6	.5		1.8	
	Find out	23.0	20.5	24.9	20.8	25.4	23.1	
	Doctor referred	.6	1.2		.9	1.0		
	Pregnancy	25.1	47.2	36.9	17.2	3.2		
	Sex partner	.4	1.4		.7			
	Routine checkup	9.0	8.9	4.2	10.9	14.3	12.5	
	Occupation	12.0	11.5	8.1	12.1	20.2	12.0	
	Illness	6.6	.5	4.8	8.5	9.1	15.6	
	At risk	1.3		.8	2.9	1.3		
	16	1.3		1.0	2.4	1.9		
		Don't know/Not sure	.7		.3		.6	6.1
		Other	2.3	2.8	1.5	2.4	3.9	1.5

Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

What was the main reason you had your last blood test for HIV?
(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	
Total	1130	127	368	343	202	90	
Hospitalization	49	2	12	13	11	11	
Health In	17		3	9	5		
Life Insurance	88	2	29	34	15	8	
Employment	28	2	6	11	8	1	
Marriage License	29	1	8	17	3		
Military	42	6	21	10	4	1	
Immigration	12	1	6	3		2	
Find out	318	43	112	80	59	24	
Doctor referred	12	1	3	5	2	1	
Pregnancy	131	30	70	27	4		
Sex partner	6	1	3	2			
Routine checkup	118	15	27	39	29	8	
Occupation	147	15	35	43	36	18	
Illness	58	2	14	22	14	6	
At risk	25	1	6	11	3	4	
16	10		2	6	2		
Don't know/Not sure	9		4	1	2	2	
Other	28	4	7	8	5	4	
Refused	3	1		2			
Male	Total	527	57	162	168	94	46
	Hospitalization	21	1	4	5	5	6
	Health In	11		3	4	4	
	Life Insurance	47		13	23	7	4
	Employment	15	1	3	6	5	
	Marriage License	19	1	5	11	2	
	Military	36	6	17	8	4	1
	Immigration	8	1	5	1		1
	Find out	161	26	59	41	24	11
	Doctor referred	8		3	3	1	1
	Pregnancy	1				1	
	Sex partner	3		3			
	Routine checkup	64	10	16	21	14	3
	Occupation	68	5	14	21	16	12
	Illness	20	1	6	8	5	

	At risk	18	1	4	7	2	4
	16	3		1	2		
	Don't know/Not sure	5		3	1	1	
	Other	16	3	3	4	3	3
	Refused	3	1		2		
Female	Total	603	70	206	175	108	44
	Hospitalization	28	1	8	8	6	5
	Health In	6			5	1	
	Life Insurance	41	2	16	11	8	4
	Employment	13	1	3	5	3	1
	Marriage License	10		3	6	1	
	Military	6		4	2		
	Immigration	4		1	2		1
	Find out	157	17	53	39	35	13
	Doctor referred	4	1		2	1	
	Pregnancy	130	30	70	27	3	
	Sex partner	3	1		2		
	Routine checkup	54	5	11	18	15	5
	Occupation	79	10	21	22	20	6
	Illness	38	1	8	14	9	6
	At risk	7		2	4	1	
	16	7		1	4	2	
	Don't know/Not sure	4		1		1	2
	Other	12	1	4	4	2	1

Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

Where did you have your last blood test for HIV?
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	
Private MD	37.8	40.7	36.2	39.4	41.2	26.4	
Blood Bank	.4	2.0	.1	.3			
Health Dept.	10.3	11.6	10.6	10.0	9.4	9.9	
AIDS clinic	.8	1.1	1.0	1.0			
Hospital	19.2	20.2	17.1	18.8	19.2	28.5	
Family Planning	1.4	3.2	1.9	1.2			
Prenatal Clinic	1.3	1.8	2.2	.8		.9	
STD Clinic	.5		.6	.8	.3		
Community Clinic	4.7	2.2	6.9	2.9	5.2	6.0	
Employer	1.4	.9	2.0	1.0	1.9	.6	
Insurance Co.	1.5		.8	3.5	.9	.8	
Other public	2.6	3.1	2.3	3.1	1.6	3.6	
Drug Treatment	.1					1.2	
Military	6.3	6.4	9.2	4.0	4.4	6.0	
Home visit	7.1	2.1	5.9	9.2	8.8	10.0	
Self test kit	.1			.4			
19	.5		.2	.8	1.1		
Don't know/Not sure	1.7	.8	2.3	.5	3.2	1.7	
87	2.3	3.9	.8	2.5	2.8	4.5	
Male	Private MD	35.7	29.9	33.4	39.3	40.9	26.9
	Blood Bank	.6	4.8		.5		
	Health Dept.	10.8	19.7	13.8	6.0	8.3	10.6
	AIDS clinic	.8	.5	1.1	1.2		
	Hospital	16.6	19.5	13.3	15.9	18.2	26.0
	Family Planning	1.0	3.4	2.0			
	Prenatal Clinic	.4			1.2		
	STD Clinic	.4		.7	.6		
	Community Clinic	4.1		7.2	3.1	1.6	6.5
	Employer	1.0		.4	1.5	1.8	1.1
	Insurance Co.	1.8		1.4	3.4	.8	1.4
	Other public	3.4	3.2	2.3	4.1	2.9	6.5
	Drug Treatment	.2					2.2
	Military	10.0	15.5	13.7	5.8	6.6	10.9
	Home visit	8.3		5.9	12.8	12.1	3.2
19	.4		.4	.5	.8		

	Don't know/Not sure	2.6	2.0	4.4		5.1	
	87	1.9	1.5		4.1	.9	4.7
Female	Private MD	40.2	48.4	39.0	39.6	41.7	25.7
	Blood Bank	.1		.2			
	Health Dept.	9.8	5.9	7.2	15.0	10.9	9.1
	AIDS clinic	.8	1.5	1.0	.8		
	Hospital	22.0	20.8	21.1	22.4	20.4	31.6
	Family Planning	1.9	3.0	1.8	2.8		
	Prenatal Clinic	2.3	3.0	4.6	.4		2.0
	STD Clinic	.6		.5	1.0	.7	
	Community Clinic	5.4	3.7	6.5	2.6	9.7	5.4
	Employer	1.9	1.5	3.7	.3	2.0	
	Insurance Co.	1.2		.2	3.5	1.1	
	Other public	1.8	3.0	2.3	1.9		
	Military	2.2		4.4	1.8	1.6	
	Home visit	5.8	3.5	5.8	4.6	4.5	18.2
	Self test kit	.2			.8		
	19	.6			1.2	1.5	
	Don't know/Not sure	.6			1.0	.7	3.7
87	2.7	5.5	1.6	.4	5.2	4.3	

Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985 and the reason for their last blood test was not blood donation

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

Where did you have your last blood test for HIV?
(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	
Total	1012	112	341	304	173	82	
Private MD	383	43	121	120	75	24	
Blood Bank	5	3	1	1			
Health Dept.	98	12	31	28	18	9	
AIDS clinic	10	2	4	4			
Hospital	204	22	63	61	33	25	
Family Planning	17	4	7	6			
Prenatal Clinic	16	2	10	3		1	
STD Clinic	8		4	3	1		
Community Clinic	50	2	25	11	8	4	
Employer	15	1	7	3	3	1	
Insurance Co.	19		4	11	3	1	
Other public	27	5	8	10	2	2	
Drug Treatment	1					1	
Military	55	6	27	12	7	3	
Home visit	63	2	23	21	12	5	
Self test kit	1			1			
19	5		1	2	2		
Don't know/Not sure	10	1	1	2	4	2	
87	25	7	4	5	5	4	
Male	Total	463	47	146	147	80	43
	Private MD	162	11	44	59	35	13
	Blood Bank	4	3		1		
	Health Dept.	44	7	17	8	8	4
	AIDS clinic	7	1	3	3		
	Hospital	84	11	23	24	14	12
	Family Planning	7	3	4			
	Prenatal Clinic	2			2		
	STD Clinic	3		2	1		
	Community Clinic	19		11	5	1	2
	Employer	6		1	2	2	1
	Insurance Co.	11		3	6	1	1
	Other public	19	3	5	7	2	2
	Drug Treatment	1					1
	Military	43	6	20	9	5	3

	Home visit	35		11	15	7	2
	19	3		1	1	1	
	Don't know/Not sure	5	1	1		3	
	87	8	1		4	1	2
Female	Total	549	65	195	157	93	39
	Private MD	221	32	77	61	40	11
	Blood Bank	1		1			
	Health Dept.	54	5	14	20	10	5
	AIDS clinic	3	1	1	1		
	Hospital	120	11	40	37	19	13
	Family Planning	10	1	3	6		
	Prenatal Clinic	14	2	10	1		1
	STD Clinic	5		2	2	1	
	Community Clinic	31	2	14	6	7	2
	Employer	9	1	6	1	1	
	Insurance Co.	8		1	5	2	
	Other public	8	2	3	3		
	Military	12		7	3	2	
	Home visit	28	2	12	6	5	3
	Self test kit	1			1		
	19	2			1	1	
	Don't know/Not sure	5			2	1	2
	87	17	6	4	1	4	2

Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985 and the reason for their last blood test was not blood donation

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

Did you receive the results of your last test?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		88.4	98.5	86.7	87.2	87.0	85.7
No		11.1	1.5	13.0	11.4	13.0	14.3
Don't know/Not sure		.5		.3	1.5		
Male	Yes	86.6	98.5	85.2	87.9	81.7	83.0
	No	13.1	1.5	14.8	11.4	18.3	17.0
	Don't know/Not sure	.2			.8		
Female	Yes	90.3	98.5	88.2	86.3	93.9	89.0
	No	8.8	1.5	11.1	11.4	6.1	11.0
	Don't know/Not sure	.9		.7	2.3		

Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985 and who have had an HIV blood test and the reason for their last blood test was not blood donation

Did you receive the results of your last test?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		1012	112	341	304	173	82
Yes		896	109	294	267	154	72
No		111	3	45	34	19	10
Don't know/Not sure		5		2	3		
Male	Total	463	47	146	147	80	43
	Yes	402	46	124	129	66	37
	No	60	1	22	17	14	6
	Don't know/Not sure	1			1		
Female	Total	549	65	195	157	93	39
	Yes	494	63	170	138	88	35
	No	51	2	23	17	5	4
	Don't know/Not sure	4		2	2		

Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985 and who have had an HIV blood test and the reason for their last blood test was not blood donation

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

Did you receive counseling or talk with a health care professional about the results of your test?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		34.7	27.3	35.1	38.1	34.8	34.2
No		65.0	72.7	64.0	61.9	65.2	65.8
Don't know/Not sure		.3		.8			
Male	Yes	31.3	28.4	32.2	31.2	30.6	33.8
	No	68.2	71.6	66.2	68.8	69.4	66.2
	Don't know/Not sure	.5		1.7			
Female	Yes	38.3	26.6	38.2	46.9	39.6	34.6
	No	61.7	73.4	61.8	53.1	60.4	65.4

Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985 and who have had an HIV blood test and the reason for their last blood test was not blood donation

Did you receive counseling or talk with a health care professional about the results of your test?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		896	109	294	267	154	72
Yes		336	35	108	107	59	27
No		559	74	185	160	95	45
Don't know/Not sure		1		1			
Male	Total	402	46	124	129	66	37
	Yes	140	16	44	46	22	12
	No	261	30	79	83	44	25
	Don't know/Not sure	1		1			
Female	Total	494	63	170	138	88	35
	Yes	196	19	64	61	37	15
	No	298	44	106	77	51	20

Denominator is: All survey respondents less than 65 years old who have donated blood since March 1985 and who have had an HIV blood test and the reason for their last blood test was not blood donation

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

Due to what you know about HIV, have you changed your sexual behavior in the last 12 months?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		9.9	21.3	13.4	7.9	5.8	3.4
No		89.5	78.0	86.3	91.8	93.3	95.8
Don't know/Not sure		.0		.1			
Refused		.5	.8	.2	.3	.9	.7
Male	Yes	11.0	19.0	17.5	9.1	5.7	3.6
	No	88.5	80.2	82.4	90.4	93.3	95.8
	Refused	.6	.9	.1	.5	1.0	.6
Female	Yes	8.9	23.7	9.1	6.6	5.9	3.3
	No	90.6	75.6	90.4	93.1	93.3	95.9
	Don't know/Not sure	.0		.2			
	Refused	.5	.7	.3	.2	.7	.9

Denominator is: All survey respondents less than 65 years old

Due to what you know about HIV, have you changed your sexual behavior in the last 12 months?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		2632	292	607	750	592	391
Yes		283	68	90	67	40	18
No		2330	222	514	679	546	369
Don't know/Not sure		1		1			
Refused		18	2	2	4	6	4
Male	Total	1164	153	273	327	241	170
	Yes	137	33	48	29	17	10
	No	1017	119	224	295	221	158
	Refused	10	1	1	3	3	2
Female	Total	1468	139	334	423	351	221
	Yes	146	35	42	38	23	8
	No	1313	103	290	384	325	211
	Don't know/Not sure	1		1			
	Refused	8	1	1	1	3	2

Denominator is: All survey respondents less than 65 years old

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

Due to what you know about HIV, in the past 12 months, did you decrease the number of your sexual partners or become abstinent?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		78.6	74.1	80.3	81.9	84.9	63.9
No		20.4	25.9	17.4	16.9	15.1	36.1
Don't know/Not sure		.9		1.9	1.3		
Refused		.1		.4			
Male	Yes	80.7	79.2	81.2	78.7	93.1	63.0
	No	18.0	20.8	16.5	19.1	6.9	37.0
	Don't know/Not sure	1.3		2.3	2.2		
Female	Yes	76.0	69.8	78.5	86.1	77.0	64.8
	No	23.5	30.2	19.3	13.9	23.0	35.2
	Don't know/Not sure	.2		1.1			
	Refused	.2		1.1			

Denominator is: All survey respondents less than 65 years old and who have changed their behavior in the last 12 months

Due to what you know about HIV, in the past 12 months, did you decrease the number of your sexual partners or become abstinent?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		283	68	90	67	40	18
Yes		224	55	69	54	33	13
No		55	13	18	12	7	5
Don't know/Not sure		3		2	1		
Refused		1		1			
Male	Total	137	33	48	29	17	10
	Yes	108	26	38	22	15	7
	No	27	7	9	6	2	3
	Don't know/Not sure	2		1	1		
Female	Total	146	35	42	38	23	8
	Yes	116	29	31	32	18	6
	No	28	6	9	6	5	2
	Don't know/Not sure	1		1			
	Refused	1		1			

Denominator is: All survey respondents less than 65 years old and who have changed their behavior in the last 12 months

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1997

Due to what you know about HIV, do you now always use condoms for protection?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		39.8	53.0	48.8	20.7	28.1	19.5
No		38.3	34.5	36.8	43.2	39.0	46.8
Don't know/Not sure		18.5	6.6	12.5	31.2	32.9	33.7
Refused		3.4	5.9	1.9	4.9		
Male	Yes	44.2	65.2	52.5	24.4	21.5	16.9
	No	35.9	17.5	40.0	46.4	29.7	66.3
	Don't know/Not sure	16.0	6.8	5.1	27.0	48.7	16.9
	Refused	4.0	10.5	2.3	2.2		
Female	Yes	34.4	42.7	41.3	15.7	34.5	22.3
	No	41.3	48.9	30.4	38.9	48.0	26.4
	Don't know/Not sure	21.5	6.4	27.2	37.0	17.6	51.3
	Refused	2.8	2.1	1.1	8.4		

Denominator is: All survey respondents less than 65 years old and who have changed their behavior in the last 12 months

Due to what you know about HIV, do you now always use condoms for protection?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		283	68	90	67	40	18
Yes		100	35	35	16	10	4
No		113	25	38	28	14	8
Don't know/Not sure		61	5	15	19	16	6
Refused		9	3	2	4		
Male	Total	137	33	48	29	17	10
	Yes	59	23	22	8	4	2
	No	50	6	21	13	4	6
	Don't know/Not sure	24	2	4	7	9	2
	Refused	4	2	1	1		
Female	Total	146	35	42	38	23	8
	Yes	41	12	13	8	6	2
	No	63	19	17	15	10	2
	Don't know/Not sure	37	3	11	12	7	4
	Refused	5	1	1	3		

Denominator is: All survey respondents less than 65 years old and who have changed their behavior in the last 12 months

