

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Have you been pregnant in the last five years?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		32.7	42.0	46.3	18.4			
No		67.3	58.0	53.7	81.6			
Female	Yes	32.7	42.0	46.3	18.4			
	No	67.3	58.0	53.7	81.6			

Denominator is: All female respondents under the age of 45 who are not currently pregnant.

Have you been pregnant in the last five years?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,390	230	533	627			
Yes		439	94	233	112			
No		950	136	300	514			
Refused		1			1			
Female	Total	1,390	230	533	627			
	Yes	439	94	233	112			
	No	950	136	300	514			
	Refused	1			1			

Denominator is: All female respondents under the age of 45 who are not currently pregnant.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Thinking back to your last pregnancy, just before you got pregnant, how did you feel about becoming pregnant?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
You wanted to be pregnant sooner		9.5	3.0	9.5	16.9			
You wanted to be pregnant later		21.7	37.8	18.3	10.2			
You wanted to be pregnant then		50.9	35.3	56.2	58.2			
You didn't want to be pregnant then or in the future		17.9	23.9	16.0	14.7			
Female	You wanted to be pregnant sooner	9.5	3.0	9.5	16.9			
	You wanted to be pregnant later	21.7	37.8	18.3	10.2			
	You wanted to be pregnant then	50.9	35.3	56.2	58.2			
	You didn't want to be pregnant then or in the future	17.9	23.9	16.0	14.7			

Denominator is: All female respondents under the age of 45 who are not currently pregnant and who have been pregnant in the last five years.

Thinking back to your last pregnancy, just before you got pregnant, how did you feel about becoming pregnant?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		439	94	233	112			
You wanted to be pregnant sooner		37	3	19	15			
You wanted to be pregnant later		87	34	43	10			
You wanted to be pregnant then		206	31	117	58			
You didn't want to be pregnant then or in the future		66	19	31	16			
Don't know/Not sure		42	7	22	13			
Refused		1		1				
Female	Total	439	94	233	112			
	You wanted to be pregnant sooner	37	3	19	15			
	You wanted to be pregnant later	87	34	43	10			
	You wanted to be pregnant then	206	31	117	58			
	You didn't want to be pregnant then or in the future	66	19	31	16			
	Don't know/Not sure	42	7	22	13			
	Refused	1		1				

Denominator is: All female respondents under the age of 45 who are not currently pregnant and who have been pregnant in the last five years.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you or your husband or partner using any kind of birth control now?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		78.5	71.9	78.2	82.1			
No		19.4	23.5	19.8	17.0			
Not sexually active		2.1	4.6	2.0	1.0			
Female	Yes	78.5	71.9	78.2	82.1			
	No	19.4	23.5	19.8	17.0			
	Not sexually active	2.1	4.6	2.0	1.0			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, and are sexually active.

Are you or your husband or partner using any kind of birth control now?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,115	193	464	458			
Yes		868	141	360	367			
No		214	43	89	82			
Not sexually active		26	8	13	5			
Refused		7	1	2	4			
Female	Total	1,115	193	464	458			
	Yes	868	141	360	367			
	No	214	43	89	82			
	Not sexually active	26	8	13	5			
	Refused	7	1	2	4			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, and are sexually active.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What kinds of birth control are you or your husband or partner using now?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Tubes tied (sterilization)		22.1	1.9	18.3	34.1			
Vasectomy (sterilization)		20.1	3.1	14.6	32.0			
Pill		26.4	42.6	33.2	13.7			
Condoms		17.2	28.7	18.3	11.1			
Foam, jelly, cream		1.1	2.0	.9	.7			
Diaphragm		1.5	2.4	1.7	.9			
Norplant		.6	.7	.6	.6			
Shots (depo-provera)		4.2	11.5	4.5	.7			
Withdrawal		.3	.3	.6				
Other (specify)		6.6	6.8	7.2	6.1			
Female	Tubes tied (sterilization)	22.1	1.9	18.3	34.1			
	Vasectomy (sterilization)	20.1	3.1	14.6	32.0			
	Pill	26.4	42.6	33.2	13.7			
	Condoms	17.2	28.7	18.3	11.1			
	Foam, jelly, cream	1.1	2.0	.9	.7			
	Diaphragm	1.5	2.4	1.7	.9			
	Norplant	.6	.7	.6	.6			
	Shots (depo-provera)	4.2	11.5	4.5	.7			
	Withdrawal	.3	.3	.6				
	Other (specify)	6.6	6.8	7.2	6.1			

Denominator is: All female respondents under the age of 45 who have not had had hysterectomies, are not pregnant, are sexually active, and are using birth control now.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What kinds of birth control are you or your husband or partner using now?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		868	141	360	367			
Tubes tied (sterilization)		181	2	67	112			
Vasectomy (sterilization)		169	5	48	116			
Pill		242	65	124	53			
Condoms		143	35	66	42			
Foam, jelly, cream		8	2	3	3			
Diaphragm		13	3	6	4			
Norplant		7	1	2	4			
Shots (depo-provera)		34	15	16	3			
Withdrawal		3	1	2				
Don't know/Not sure		1			1			
Other (specify)		59	10	24	25			
Refused		8	2	2	4			
Female	Total	868	141	360	367			
	Tubes tied (sterilization)	181	2	67	112			
	Vasectomy (sterilization)	169	5	48	116			
	Pill	242	65	124	53			
	Condoms	143	35	66	42			
	Foam, jelly, cream	8	2	3	3			
	Diaphragm	13	3	6	4			
	Norplant	7	1	2	4			
	Shots (depo-provera)	34	15	16	3			
	Withdrawal	3	1	2				
	Don't know/Not sure	1			1			
	Other (specify)	59	10	24	25			
	Refused	8	2	2	4			

Denominator is: All female respondents under the age of 45 who have not had had hysterectomies, are not pregnant, are sexually active, and are using birth control now.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

When you have intercourse, how often do you use a method to prevent pregnancy?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Some of the time		5.4	6.3	5.8	3.6			
Most of the time		10.9	13.4	10.4	8.7			
Every time		83.7	80.3	83.8	87.7			
Female	Some of the time	5.4	6.3	5.8	3.6			
	Most of the time	10.9	13.4	10.4	8.7			
	Every time	83.7	80.3	83.8	87.7			

Denominator is: All female respondents under the age of 45 who have not had had hysterectomies, are not pregnant, are sexually active, are using birth control now, but not sterilization or tubal ligation.

When you have intercourse, how often do you use a method to prevent pregnancy?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		509	132	243	134			
Some of the time		25	8	13	4			
Most of the time		47	15	20	12			
Every time		430	107	207	116			
Don't know/Not sure		4		2	2			
Refused		3	2	1				
Female	Total	509	132	243	134			
	Some of the time	25	8	13	4			
	Most of the time	47	15	20	12			
	Every time	430	107	207	116			
	Don't know/Not sure	4		2	2			
	Refused	3	2	1				

Denominator is: All female respondents under the age of 45 who have not had had hysterectomies, are not pregnant, are sexually active, are using birth control now, but not sterilization or tubal ligation.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

How long have you been using a method to prevent pregnancy every time you have intercourse?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
More than 6 months		90.0	90.5	86.6	94.6			
Six months or less		10.0	9.5	13.4	5.4			
Female	More than 6 months	90.0	90.5	86.6	94.6			
	Six months or less	10.0	9.5	13.4	5.4			

Denominator is: All female respondents under the age of 45 who are sexually active, are using birth control now, but not sterilization or tubal ligation, and who use this method every time.

How long have you been using a method to prevent pregnancy every time you have intercourse?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		430	107	207	116			
More than 6 months		381	97	178	106			
Six months or less		47	10	29	8			
Don't know/Not sure		1			1			
Refused		1			1			
Female	Total	430	107	207	116			
	More than 6 months	381	97	178	106			
	Six months or less	47	10	29	8			
	Don't know/Not sure	1			1			
	Refused	1			1			

Denominator is: All female respondents under the age of 45 who are sexually active, are using birth control now, but not sterilization or tubal ligation, and who use this method every time.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the next six months, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		72.8	82.7	70.5	65.7			
No		27.2	17.3	29.5	34.3			
Female	Yes	72.8	82.7	70.5	65.7			
	No	27.2	17.3	29.5	34.3			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are sexually active, are not using birth control or are using birth control other than sterilization or tubal ligation.

In the next six months, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		732	177	334	221			
Yes		528	147	234	147			
No		191	29	91	71			
Don't know/Not sure		12	1	9	2			
Refused		1			1			
Female	Total	732	177	334	221			
	Yes	528	147	234	147			
	No	191	29	91	71			
	Don't know/Not sure	12	1	9	2			
	Refused	1			1			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are sexually active, are not using birth control or are using birth control other than sterilization or tubal ligation.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the next 30 days, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		97.6	97.1	98.1	97.5			
No		2.4	2.9	1.9	2.5			
Female	Yes	97.6	97.1	98.1	97.5			
	No	2.4	2.9	1.9	2.5			

Denominator is: All female respondents under the age of 45 with no hysterectomies, are not pregnant, are sexually active, are not using birth control or using birth control other than sterilization or tubal ligation, and planning to use birth control every time within six months.

In the next 30 days, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		528	147	234	147			
Yes		515	143	230	142			
No		12	4	4	4			
Don't know/Not sure		1			1			
Female	Total	528	147	234	147			
	Yes	515	143	230	142			
	No	12	4	4	4			
	Don't know/Not sure	1			1			

Denominator is: All female respondents under the age of 45 with no hysterectomies, are not pregnant, are sexually active, are not using birth control or using birth control other than sterilization or tubal ligation, and planning to use birth control every time within six months.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

From your understanding, would you say the emergency birth control can be used . . . ?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
To prevent a pregnancy up to 3 days after unprotected sex		56.1	49.8	55.7	60.3			
To end a pregnancy several weeks after it has begun		1.8	.7	1.8	2.4			
Both of the above		13.6	9.8	16.6	12.9			
Neither of the above		28.6	39.7	25.9	24.4			
Female	To prevent a pregnancy up to 3 days after unprotected sex	56.1	49.8	55.7	60.3			
	To end a pregnancy several weeks after it has begun	1.8	.7	1.8	2.4			
	Both of the above	13.6	9.8	16.6	12.9			
	Neither of the above	28.6	39.7	25.9	24.4			

Denominator is: All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization.

From your understanding, would you say the emergency birth control can be used . . . ?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		902	182	382	338			
To prevent a pregnancy up to 3 days after unprotected sex		400	74	166	160			
To end a pregnancy several weeks after it has begun		11	1	5	5			
Both of the above		97	16	48	33			
Neither of the above		188	52	75	61			
Don't know/Not sure		197	38	84	75			
Refused		9	1	4	4			
Female	Total	902	182	382	338			
	To prevent a pregnancy up to 3 days after unprotected sex	400	74	166	160			
	To end a pregnancy several weeks after it has begun	11	1	5	5			
	Both of the above	97	16	48	33			
	Neither of the above	188	52	75	61			
	Don't know/Not sure	197	38	84	75			
	Refused	9	1	4	4			

Denominator is: All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the past 5 years, have you used emergency birth control pills?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		2.3	4.4	2.8	.5		
No		97.7	95.6	97.2	99.5		
Female	Yes	2.3	4.4	2.8	.5		
	No	97.7	95.6	97.2	99.5		

Denominator is: All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization.

In the past 5 years, have you used emergency birth control pills?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		902	182	382	338		
Yes		20	8	10	2		
No		877	172	370	335		
Don't know/Not sure		3	1	1	1		
Refused		2	1	1			
Female	Total	902	182	382	338		
	Yes	20	8	10	2		
	No	877	172	370	335		
	Don't know/Not sure	3	1	1	1		
	Refused	2	1	1			

Denominator is: All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

In the last year, have you used emergency birth control pills?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		59.5	47.1	65.0	100.0			
No		40.5	52.9	35.0				
Female	Yes	59.5	47.1	65.0	100.0			
	No	40.5	52.9	35.0				

Denominator is: All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization, and have used emergency birth control pills in the last 5 years.

In the last year, have you used emergency birth control pills?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		20	8	10	2			
Yes		10	3	5	2			
No		10	5	5				
Female	Total	20	8	10	2			
	Yes	10	3	5	2			
	No	10	5	5				

Denominator is: All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization, and have used emergency birth control pills in the last 5 years.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What are your reasons for not using any birth control now?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
I am not having sex		4.9	7.7	5.5	2.3			
I want to get pregnant		29.9	25.8	40.9	21.1			
I don't want to use birth control		7.2	2.2	12.8	4.7			
My husband or partner doesn't want to use birth control		1.8	2.2	1.8	1.6			
I don't think I can get pregnant		15.7	19.8	8.5	20.3			
I can't pay for birth control		2.2	6.6	1.2				
7		1.3		1.2	2.3			
21		1.4	5.5					
Other (specify)		35.7	30.2	28.0	47.7			
Female	I am not having sex	4.9	7.7	5.5	2.3			
	I want to get pregnant	29.9	25.8	40.9	21.1			
	I don't want to use birth control	7.2	2.2	12.8	4.7			
	My husband or partner doesn't want to use birth control	1.8	2.2	1.8	1.6			
	I don't think I can get pregnant	15.7	19.8	8.5	20.3			
	I can't pay for birth control	2.2	6.6	1.2				
	7	1.3		1.2	2.3			
	21	1.4	5.5					
	Other (specify)	35.7	30.2	28.0	47.7			
Denominator is: All female respondents under the age of 45 who are sexually active and are not using birth control.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What are your reasons for not using any birth control now?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		214	43	89	82			
I am not having sex		13	3	7	3			
I want to get pregnant		57	11	33	13			
I don't want to use birth control		15	1	10	4			
My husband or partner doesn't want to use birth control		4	1	2	1			
I don't think I can get pregnant		28	5	6	17			
I can't pay for birth control		4	3	1				
7		2		1	1			
21		1	1					
Don't know/Not sure		11	4	3	4			
Other (specify)		76	14	26	36			
Refused		3			3			
Female	Total	214	43	89	82			
	I am not having sex	13	3	7	3			
	I want to get pregnant	57	11	33	13			
	I don't want to use birth control	15	1	10	4			
	My husband or partner doesn't want to use birth control	4	1	2	1			
	I don't think I can get pregnant	28	5	6	17			
	I can't pay for birth control	4	3	1				
	7	2		1	1			
	21	1	1					
	Don't know/Not sure	11	4	3	4			
	Other (specify)	76	14	26	36			
	Refused	3			3			

Denominator is: All female respondents under the age of 45 who are sexually active and are not using birth control.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

What is your usual source of services for female health concerns, such as family planning, annual exams, breast exams, tests for sexually transmitted diseases, and other female health concerns?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
A family planning clinic		6.9	14.4	8.2	2.1			
A health department clinic		7.1	14.8	6.5	3.8			
A community health center		3.3	4.3	5.1	1.4			
A private gynecologist		38.1	29.5	36.8	43.4			
A general or family physician		41.0	34.2	37.9	46.7			
Some other kind of place		3.6	2.9	5.4	2.5			
Female	A family planning clinic	6.9	14.4	8.2	2.1			
	A health department clinic	7.1	14.8	6.5	3.8			
	A community health center	3.3	4.3	5.1	1.4			
	A private gynecologist	38.1	29.5	36.8	43.4			
	A general or family physician	41.0	34.2	37.9	46.7			
	Some other kind of place	3.6	2.9	5.4	2.5			

Denominator is: All female respondents under the age of 45.

What is your usual source of services for female health concerns, such as family planning, annual exams, breast exams, tests for sexually transmitted diseases, and other female health concerns?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,456	251	568	637			
A family planning clinic		87	29	43	15			
A health department clinic		93	34	36	23			
A community health center		41	10	22	9			
A private gynecologist		555	75	208	272			
A general or family physician		602	86	225	291			
Don't know/Not sure		20	7	4	9			
Some other kind of place		51	9	27	15			
Refused		7	1	3	3			
Female	Total	1,456	251	568	637			
	A family planning clinic	87	29	43	15			
	A health department clinic	93	34	36	23			
	A community health center	41	10	22	9			
	A private gynecologist	555	75	208	272			
	A general or family physician	602	86	225	291			
	Don't know/Not sure	20	7	4	9			
	Some other kind of place	51	9	27	15			

Refused									
----------------	--	--	--	--	--	--	--	--	--

	7								
--	---	--	--	--	--	--	--	--	--

		1							
--	--	---	--	--	--	--	--	--	--

			3						
--	--	--	---	--	--	--	--	--	--

				3					
--	--	--	--	---	--	--	--	--	--

Denominator is: All female respondents under the age of 45.									
-------------------------------------------------------------	--	--	--	--	--	--	--	--	--

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Have you ever used the services at a family planning clinic?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		35.0	24.9	41.5	34.6			
No		65.0	75.1	58.5	65.4			
Female	Yes	35.0	24.9	41.5	34.6			
	No	65.0	75.1	58.5	65.4			

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a family planning clinic.

Have you ever used the services at a family planning clinic?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,369	222	525	622			
Yes		495	60	216	219			
No		869	160	307	402			
Don't know/Not sure		5	2	2	1			
Female	Total	1,369	222	525	622			
	Yes	495	60	216	219			
	No	869	160	307	402			
	Don't know/Not sure	5	2	2	1			

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a family planning clinic.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

How long has it been since you used the services at a family planning clinic?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past year (1 to 12 months ago)		15.8	37.0	16.3	4.9			
Within the past 2 years (1 to 2 years ago)		8.5	20.4	9.3	1.8			
Within the past 3 years (2 to 3 years ago)		5.7	14.8	5.2	1.8			
Within the past 5 years (3 to 5 years ago)		8.7	10.5	11.4	5.0			
5 or more years ago		61.4	17.3	57.8	86.5			
Female	Within the past year (1 to 12 months ago)	15.8	37.0	16.3	4.9			
	Within the past 2 years (1 to 2 years ago)	8.5	20.4	9.3	1.8			
	Within the past 3 years (2 to 3 years ago)	5.7	14.8	5.2	1.8			
	Within the past 5 years (3 to 5 years ago)	8.7	10.5	11.4	5.0			
	5 or more years ago	61.4	17.3	57.8	86.5			

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a family planning clinic and who have used a family planning clinic.

How long has it been since you used the services at a family planning clinic?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		582	89	259	234			
Within the past year (1 to 12 months ago)		89	34	41	14			
Within the past 2 years (1 to 2 years ago)		46	18	23	5			
Within the past 3 years (2 to 3 years ago)		27	8	14	5			
Within the past 5 years (3 to 5 years ago)		54	14	32	8			
5 or more years ago		358	15	143	200			
Don't know/Not sure		6		4	2			
Refused		2		2				
Female	Total	582	89	259	234			
	Within the past year (1 to 12 months ago)	89	34	41	14			
	Within the past 2 years (1 to 2 years ago)	46	18	23	5			
	Within the past 3 years (2 to 3 years ago)	27	8	14	5			
	Within the past 5 years (3 to 5 years ago)	54	14	32	8			
	5 or more years ago	358	15	143	200			
	Don't know/Not sure	6		4	2			
	Refused	2		2				

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a family planning clinic and who have used a family planning clinic.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Have you ever used a health department clinic for female health concerns?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		20.9	20.5	24.6	18.3			
No		79.1	79.5	75.4	81.7			
Female	Yes	20.9	20.5	24.6	18.3			
	No	79.1	79.5	75.4	81.7			

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic.

Have you ever used a health department clinic for female health concerns?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,363	217	532	614			
Yes		291	43	130	118			
No		1,057	168	399	490			
Don't know/Not sure		15	6	3	6			
Female	Total	1,363	217	532	614			
	Yes	291	43	130	118			
	No	1,057	168	399	490			
	Don't know/Not sure	15	6	3	6			

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

How long has it been since you used a health department clinic for female health concerns?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past year		14.1	37.2	11.4	6.1			
Within the past two years		8.8	24.0	10.0	.5			
Within the past three years		6.5	10.9	7.9	3.1			
Within the past five years		12.6	17.5	13.4	9.5			
5 or more years ago		57.9	10.4	57.2	80.8			
Female	Within the past year	14.1	37.2	11.4	6.1			
	Within the past two years	8.8	24.0	10.0	.5			
	Within the past three years	6.5	10.9	7.9	3.1			
	Within the past five years	12.6	17.5	13.4	9.5			
	5 or more years ago	57.9	10.4	57.2	80.8			

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic and who have been to a health department clinic for female health concerns.

How long has it been since you used a health department clinic for female health concerns?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		291	43	130	118			
Within the past year		32	13	12	7			
Within the past two years		23	9	13	1			
Within the past three years		18	3	10	5			
Within the past five years		41	10	18	13			
5 or more years ago		174	6	76	92			
Don't know/Not sure		3	2	1				
Female	Total	291	43	130	118			
	Within the past year	32	13	12	7			
	Within the past two years	23	9	13	1			
	Within the past three years	18	3	10	5			
	Within the past five years	41	10	18	13			
	5 or more years ago	174	6	76	92			
	Don't know/Not sure	3	2	1				

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic and who have been to a health department clinic for female health concerns.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

How long has it been since you used a health department clinic for those services?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past year		68.4	77.8	74.6	42.5			
Within the past two years		13.0	13.1	9.5	17.5			
Within the past three years		2.4	3.9		2.5			
Within the past five years		3.2	2.6	6.3				
5 or more years ago		13.0	2.6	9.5	37.5			
Female	Within the past year	68.4	77.8	74.6	42.5			
	Within the past two years	13.0	13.1	9.5	17.5			
	Within the past three years	2.4	3.9		2.5			
	Within the past five years	3.2	2.6	6.3				
	5 or more years ago	13.0	2.6	9.5	37.5			

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic and who have been to a health department clinic for female health concerns.

How long has it been since you used a health department clinic for those services?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		93	34	36	23			
Within the past year		57	23	25	9			
Within the past two years		13	5	3	5			
Within the past three years		3	2		1			
Within the past five years		3	1	2				
5 or more years ago		11	1	3	7			
Don't know/Not sure		6	2	3	1			
Female	Total	93	34	36	23			
	Within the past year	57	23	25	9			
	Within the past two years	13	5	3	5			
	Within the past three years	3	2		1			
	Within the past five years	3	1	2				
	5 or more years ago	11	1	3	7			
	Don't know/Not sure	6	2	3	1			

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic and who have been to a health department clinic for female health concerns.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Does your health insurance cover at least some birth control methods?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		72.9	77.2	73.6	69.7			
No		27.1	22.8	26.4	30.3			
Female	Yes	72.9	77.2	73.6	69.7			
	No	27.1	22.8	26.4	30.3			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are sexually active, and have medical coverage.

Does your health insurance cover at least some birth control methods?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,240	196	473	571			
Yes		654	126	278	250			
No		242	35	103	104			
Don't know/not sure		340	35	91	214			
Refused		4		1	3			
Female	Total	1,240	196	473	571			
	Yes	654	126	278	250			
	No	242	35	103	104			
	Don't know/not sure	340	35	91	214			
	Refused	4		1	3			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are sexually active, and have medical coverage.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Does your health insurance pay for the birth control method you use?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		57.1	54.9	58.8	56.7			
No		42.9	45.1	41.2	43.3			
Female	Yes	57.1	54.9	58.8	56.7			
	No	42.9	45.1	41.2	43.3			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are sexually active, and using birth control.

Does your health insurance pay for the birth control method you use?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		747	115	303	329			
Yes		387	66	163	158			
No		290	46	119	125			
Don't know/not sure		69	3	20	46			
Refused		1		1				
Female	Total	747	115	303	329			
	Yes	387	66	163	158			
	No	290	46	119	125			
	Don't know/not sure	69	3	20	46			
	Refused	1		1				

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are sexually active, and using birth control.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Does your health insurance pay for the birth control method you want to use?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		55.7	64.4	53.2	52.4			
No		39.3	35.6	41.0	40.0			
I don't want to use a method		5.1		5.8	7.7			
Female	Yes	55.7	64.4	53.2	52.4			
	No	39.3	35.6	41.0	40.0			
	I don't want to use a method	5.1		5.8	7.7			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are not sexually active, are using birth control other than tubal ligation or not using birth control, because partner doesn't want to use or is unable to pay for birth control.

Does your health insurance pay for the birth control method you want to use?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		608	117	251	240			
Yes		292	72	120	100			
No		201	33	89	79			
I don't want to use a method		28		12	16			
Don't know/Not sure		78	10	27	41			
Refused		9	2	3	4			
Female	Total	608	117	251	240			
	Yes	292	72	120	100			
	No	201	33	89	79			
	I don't want to use a method	28		12	16			
	Don't know/Not sure	78	10	27	41			
	Refused	9	2	3	4			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are not sexually active, are using birth control other than tubal ligation or not using birth control, because partner doesn't want to use or is unable to pay for birth control.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Did you know there is free or low cost birth control at health departments and clinics?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		80.7	83.8	80.1	79.4			
No		19.3	16.2	19.9	20.6			
Female	Yes	80.7	83.8	80.1	79.4			
	No	19.3	16.2	19.9	20.6			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, not pregnant, are sexually active, not using birth control or using birth control other than tubal ligation.

Did you know there is free or low cost birth control at health departments and clinics?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		902	182	382	338			
Yes		728	151	308	269			
No		168	29	73	66			
Don't know/not sure		5	1	1	3			
Refused		1	1					
Female	Total	902	182	382	338			
	Yes	728	151	308	269			
	No	168	29	73	66			
	Don't know/not sure	5	1	1	3			
	Refused	1	1					

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, not pregnant, are sexually active, not using birth control or using birth control other than tubal ligation.