

True or false: A pregnant woman with HIV can get treatment to help reduce the chances that she will pass the virus on to her baby?

(Weighted Column Percents)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
True		51.7	58.3	55.8	50.3	47.7	48.8	
False		14.0	16.7	13.9	12.0	17.7	8.9	
Don't know/Not sure		34.3	24.9	30.3	37.7	34.6	42.3	
Male	True	47.8	55.6	49.0	48.0	45.4	41.4	
	False	17.4	20.8	16.6	15.4	21.6	11.8	
	Don't know/Not sure	34.9	23.6	34.5	36.6	33.0	46.8	
Female	True	55.7	61.2	62.8	52.4	49.9	55.7	
	False	10.6	12.5	11.2	8.8	13.8	6.2	
	Don't know/Not sure	33.7	26.3	26.0	38.8	36.3	38.1	

Denominator is:
All survey respondents less than 65 years old.

True or false: A pregnant woman with HIV can get treatment to help reduce the chances that she will pass the virus on to her baby?

(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		2,047	242	476	482	511	336	
True		1,055	141	267	240	244	163	
False		283	40	68	58	87	30	
Don't know/Not sure		694	58	138	182	177	139	
Refused		15	3	3	2	3	4	
Male	Total	873	106	193	214	214	146	
	True	401	56	90	102	93	60	
	False	152	21	34	33	47	17	
	Don't know/Not sure	312	28	66	78	73	67	
	Refused	8	1	3	1	1	2	
Female	Total	1,174	136	283	268	297	190	
	True	654	85	177	138	151	103	
	False	131	19	34	25	40	13	
	Don't know/Not sure	382	30	72	104	104	72	
	Refused	7	2		1	2	2	

Denominator is:
All survey respondents less than 65 years old.

True or false: There are medical treatments available that are intended to help a person who is infected with HIV to live longer?

(Weighted Column Percents)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
True		91.2	88.0	92.6	91.4	93.1	89.1	
False		2.0	3.6	1.4	1.7	1.5	2.4	
Don't know		6.8	8.4	6.1	6.9	5.4	8.5	
Male	True	89.9	85.3	93.8	88.8	90.6	89.8	
	False	2.7	5.2	1.9	2.6	2.4	2.0	
	Don't know	7.3	9.5	4.3	8.6	7.0	8.1	
Female	True	92.4	90.8	91.3	93.9	95.6	88.4	
	False	1.2	2.0	.8	.9	.6	2.8	
	Don't know	6.3	7.2	8.0	5.2	3.9	8.8	

Denominator is:

All survey respondents less than 65 years old.

True or false: There are medical treatments available that are intended to help a person who is infected with HIV to live longer?

(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		2,047	242	476	482	511	336	
True		1,863	208	440	445	476	294	
False		39	9	6	7	8	9	
Don't know		129	21	27	28	24	29	
Refused		16	4	3	2	3	4	
Male	Total	873	106	193	214	214	146	
	True	778	88	178	192	192	128	
	False	23	5	4	5	6	3	
	Don't know	63	11	8	16	15	13	
	Refused	9	2	3	1	1	2	
Female	Total	1,174	136	283	268	297	190	
	True	1,085	120	262	253	284	166	
	False	16	4	2	2	2	6	
	Don't know	66	10	19	12	9	16	
	Refused	7	2		1	2	2	

Denominator is:

All survey respondents less than 65 years old.

How effective do think these treatments are in helping persons with HIV to live longer?

(Weighted Column Percents)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Very effective		21.2	15.5	19.6	25.4	21.3	21.6	
Somewhat effective		63.9	73.3	65.0	59.4	64.6	60.0	
Not at all effective		1.2	1.1	3.0	.7	.5	1.0	
Don't know/Not sure		13.6	10.1	12.4	14.5	13.6	17.3	
Male	Very effective	19.5	15.4	15.0	27.0	19.3	17.5	
	Somewhat effective	67.1	74.9	68.8	62.3	70.6	60.0	
	Not at all effective	1.6		3.8	1.2	1.0	1.4	
	Don't know/Not sure	11.8	9.7	12.4	9.5	9.1	21.1	
Female	Very effective	23.0	15.6	24.4	24.0	23.2	25.5	
	Somewhat effective	60.7	71.7	61.0	56.6	59.1	60.1	
	Not at all effective	.9	2.2	2.1	.2		.7	
	Don't know/Not sure	15.4	10.5	12.5	19.1	17.7	13.7	

Denominator is:
All survey respondents less than 65 years old.

How effective do think these treatments are in helping persons with HIV to live longer?

(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		1,863	208	440	445	476	294
Very effective		406	33	88	114	105	66
Somewhat effective		1,184	147	286	266	302	183
Not at all effective		25	3	11	4	3	4
Don't know/Not sure		246	24	55	61	65	41
Refused		2	1			1	
Male	Total	778	88	178	192	192	128
	Very effective	156	13	27	54	38	24
	Somewhat effective	511	64	121	118	130	78
	Not at all effective	16		7	3	3	3
	Don't know/Not sure	93	10	23	17	20	23
Refused		2	1			1	
Female	Total	1,085	120	262	253	284	166
	Very effective	250	20	61	60	67	42
	Somewhat effective	673	83	165	148	172	105
	Not at all effective	9	3	4	1		1
	Don't know/Not sure	153	14	32	44	45	18

Denominator is:
All survey respondents less than 65 years old.

How important do you think it is for people to know their HIV status by getting tested?

(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Very important		89.3	91.9	93.3	91.0	85.5	84.7
Somewhat important		8.5	5.4	5.9	6.8	12.3	11.9
Not at all important		.8	1.8	.6	.8	.3	.9
Don't know/Not sure		1.4	1.0	.2	1.5	1.9	2.5
Male	Very important	86.7	90.1	93.0	88.5	79.5	82.2
	Somewhat important	10.5	6.5	5.9	7.8	18.3	13.2
	Not at all important	1.3	3.4	.8	1.6	.3	1.2
	Don't know/Not sure	1.5		.3	2.1	1.9	3.3
Female	Very important	92.0	93.8	93.5	93.4	91.3	87.1
	Somewhat important	6.5	4.3	5.9	5.8	6.4	10.6
	Not at all important	.3		.4		.4	.7
	Don't know/Not sure	1.3	2.0	.2	.9	1.9	1.7

Denominator is:

All survey respondents less than 65 years old.

How important do you think it is for people to know their HIV status by getting tested?

(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		2,047	242	476	482	511	336	
Very important		1,822	223	439	440	440	280	
Somewhat important		163	12	27	32	53	39	
Not at all important		12	2	3	2	2	3	
Don't know/Not sure		25	1	2	6	10	6	
Refused		25	4	5	2	6	8	
Male	Total	873	106	193	214	214	146	
	Very important	749	95	174	191	170	119	
	Somewhat important	88	7	11	16	36	18	
	Not at all important	9	2	2	2	1	2	
	Don't know/Not sure	12	1	1	4	4	3	
Female	Total	1,174	136	283	268	297	190	
	Very important	1,073	128	265	249	270	161	
	Somewhat important	75	5	16	16	17	21	
	Not at all important	3		1		1	1	
	Don't know/Not sure	13	1	1	2	6	3	
	Refused	10	2		1	3	4	

Denominator is:
All survey respondents less than 65 years old.

Have you ever been tested for HIV?

(Weighted Column Percents)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Yes		45.3	50.8	63.9	50.7	31.7	24.5	
No		54.7	49.2	36.1	49.3	68.3	75.5	
Male	Yes	45.4	46.3	61.8	48.9	34.0	31.6	
	No	54.6	53.7	38.2	51.1	66.0	68.4	
Female	Yes	45.1	55.6	66.1	52.4	29.5	17.8	
	No	54.9	44.4	33.9	47.6	70.5	82.2	

Denominator is:
All survey respondents less than 65 years old.

Have you ever been tested for HIV?

(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		2,047	242	476	482	511	336	
Yes		924	124	304	251	167	78	
No		1,020	109	156	218	309	228	
Don't know/Not sure		82	4	12	10	30	26	
Refused		21	5	4	3	5	4	
Male	Total	873	106	193	214	214	146	
	Yes	392	48	118	106	75	45	
	No	434	55	66	103	122	88	
	Don't know/Not sure	36	1	6	4	14	11	
Female	Total	1,174	136	283	268	297	190	
	Yes	532	76	186	145	92	33	
	No	586	54	90	115	187	140	
	Don't know/Not sure	46	3	6	6	16	15	
Refused		10	3	1	2	2	2	

Denominator is:
All survey respondents less than 65 years old.

What was the main reason you had your last test for HIV?

(Weighted Column Percents)

	Total	Age Groups					65+
		18-24	25-34	35-44	45-54	55-64	
For hospitalization or surgical procedure	4.0	3.7	2.6	1.9	7.9	9.8	
To apply for health insurance	1.4	.4		2.3	3.3	1.8	
To apply for life insurance	9.6	.9	7.0	14.2	13.4	13.3	
For employment	2.1	1.0	2.7	2.3	.7	3.8	
To apply for a marriage license	1.7		1.5	3.1	2.0	.9	
For military induction or military service	5.4	1.8	8.8	4.2	5.5	3.5	
For immigration	1.7		1.0	4.0	.9	.8	
Just to find out if you were infected	32.3	45.9	28.1	29.5	30.6	33.6	
Because of referral by a doctor	1.2	2.3	.5	1.3	1.7	.8	
Because of pregnancy	14.7	19.8	23.8	13.7	.8	1.5	

Denominator is:
All survey respondents less than 65 years old who have been tested for HIV in the last 12 months.

What was the main reason you had your last test for HIV?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Referred by your sex partner	1.8	.9	1.6	2.7	1.1	2.3	
For routine check-up	11.2	14.3	13.6	7.4	11.1	9.6	
Because of occupational exposure	4.1	.7	1.8	3.5	10.9	8.3	
Because of illness	2.1	3.2	.9	2.1	3.3	1.8	
Because I am at risk for HIV	.7	.4	.2	.7	2.1		
Other	6.0	4.6	5.8	7.1	4.6	8.4	
Male							
For hospitalization or surgical procedure	4.4	5.8	1.9	1.1	10.1	8.5	
To apply for health insurance	1.7	1.0		3.4	1.7	2.8	
To apply for life insurance	11.2	1.9	10.7	14.5	13.0	14.2	
For employment	2.2		4.4	3.4			
To apply for a marriage license	2.0		1.9	4.5		1.4	
For military induction or military service	9.8	3.8	17.5	6.4	10.4	5.7	
For immigration	2.0		.5	5.6	1.7		
Just to find out if you were infected	37.8	58.7	35.8	34.1	31.7	32.1	
Because of referral by a doctor	1.4		1.0	2.2	2.6		
Because of pregnancy	.5	2.9					
Referred by your sex partner	1.8	1.9	1.5	3.4	.9		
For routine check-up	12.9	18.3	15.1	7.8	12.2	14.2	
Because of occupational exposure	3.3		.5	1.1	11.3	8.5	
Because of illness	1.5	1.9	1.0	1.1	1.7	2.8	
Because I am at risk for HIV	.7	1.0		1.4	.9		
Other	7.0	2.9	8.3	10.1	1.7	9.9	

Denominator is:

All survey respondents less than 65 years old who have been tested for HIV in the last 12 months.

What was the main reason you had your last test for HIV?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Female	For hospitalization or surgical procedure	3.7	1.9	3.3	2.6	5.4	12.0	
	To apply for health insurance	1.1			1.3	5.0		
	To apply for life insurance	8.1		3.6	13.9	13.9	12.0	
	For employment	1.9	1.9	1.2	1.3	1.4	10.0	
	To apply for a marriage license	1.5		1.2	1.7	4.3		
	For military induction or military service	.9		.9	2.2			
	For immigration	1.4		1.5	2.6		2.0	
	Just to find out if you were infected	26.9	34.7	21.2	25.3	29.3	36.0	
	Because of referral by a doctor	1.1	4.3		.4	.7	2.0	
	Because of pregnancy	28.8	34.7	45.6	26.3	1.8	4.0	
	Referred by your sex partner	1.8		1.8	2.2	1.4	6.0	
	For routine check-up	9.5	10.9	12.3	7.0	10.0	2.0	
	Because of occupational exposure	4.9	1.2	3.0	5.7	10.4	8.0	
	Because of illness	2.7	4.3	.9	3.0	5.0		
	Because I am at risk for HIV	.6		.3		3.6		
Other	5.1	6.2	3.6	4.4	7.9	6.0		

Denominator is:

All survey respondents less than 65 years old who have been tested for HIV in the last 12 months.

What was the main reason you had your last test for HIV?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		924	124	304	251	167	78	
For hospitalization or surgical procedure		38	4	6	5	15	8	
To apply for health insurance		11	1		5	4	1	
To apply for life insurance		78	1	18	32	19	8	
For employment		15	1	7	4	1	2	
To apply for a marriage license		14		4	6	3	1	
For military induction or military service		42	3	21	10	6	2	
For immigration		14		4	8	1	1	
Just to find out if you were infected		295	54	84	75	55	27	

Denominator is:

All survey respondents less than 65 years old who have been tested for HIV in the last 12 months.

What was the main reason you had your last test for HIV?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Because of referral by a doctor		13	4	1	3	4	1	
Because of pregnancy		143	24	83	33	2	1	
Referred by your sex partner		17	1	5	7	2	2	
For routine check-up		104	16	35	26	19	8	
Because of occupational exposure		40	1	8	8	16	7	
Because of illness		16	4	3	4	4	1	
Because I am at risk for HIV		8	1	1	2	4		
Don't know/Not sure		14	2	3	5	3	1	
Other		54	7	17	14	9	7	
Refused		8		4	4			
Male	Total	392	48	118	106	75	45	
	For hospitalization or surgical procedure	19	3	2	2	8	4	
	To apply for health insurance	6	1		3	1	1	
	To apply for life insurance	41	1	11	15	9	5	
	For employment	6		4	2			
	To apply for a marriage license	7		2	4		1	
	For military induction or military service	37	3	19	7	6	2	
	For immigration	8		1	6	1		
	Just to find out if you were infected	143	27	43	35	23	15	
	Because of referral by a doctor	6		1	2	3		
	Because of pregnancy	1	1					
	Referred by your sex partner	8	1	2	4	1		
	For routine check-up	52	7	16	11	11	7	
	Because of occupational exposure	13		1	1	7	4	
	Because of illness	5	1	1	1	1	1	
	Because I am at risk for HIV	4	1		2	1		
	Don't know/Not sure	6	1	2	1	1	1	
	Other	25	1	9	9	2	4	
	Refused	5		4	1			

Denominator is:

All survey respondents less than 65 years old who have been tested for HIV in the last 12 months.

What was the main reason you had your last test for HIV?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Female	Total	532	76	186	145	92	33	
	For hospitalization or surgical procedure	19	1	4	3	7	4	
	To apply for health insurance	5			2	3		
	To apply for life insurance	37		7	17	10	3	
	For employment	9	1	3	2	1	2	
	To apply for a marriage license	7		2	2	3		
	For military induction or military service	5		2	3			
	For immigration	6		3	2		1	
	Just to find out if you were infected	152	27	41	40	32	12	
	Because of referral by a doctor	7	4		1	1	1	
	Because of pregnancy	142	23	83	33	2	1	
	Referred by your sex partner	9		3	3	1	2	
	For routine check-up	52	9	19	15	8	1	
	Because of occupational exposure	27	1	7	7	9	3	
	Because of illness	11	3	2	3	3		
	Because I am at risk for HIV	4		1		3		
	Don't know/Not sure	8	1	1	4	2		
	Other	29	6	8	5	7	3	
	Refused	3			3			

Denominator is:

All survey respondents less than 65 years old who have been tested for HIV in the last 12 months.

Where did you have your last blood test for HIV?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
	Private doctor, HMO	35.7	36.4	37.1	37.8	30.7	32.0	
	Blood bank, plasma center, Red Cross	.1		.2	.2			
	Health department	8.2	11.0	7.2	6.1	9.8	10.9	
	AIDS clinic, counseling, testing site	1.0	1.4	1.2	.5	1.7		
	Hospital, emergency room, outpatient clinic	19.5	17.5	15.5	20.1	25.0	25.4	
	Family planning clinic	2.2	1.7	5.0	.6	.8	1.6	

Denominator is:

All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.

Where did you have your last blood test for HIV?

(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Prenatal clinic, obstetrician's office		1.9	4.3	3.4	.2		1.6
STD clinic		1.3		.8	2.4	.3	3.4
Community health clinic		8.7	17.0	6.8	6.6	9.6	4.9
Clinic run by employer		.7	.5	1.1	1.0		
Insurance company clinic		1.4		1.2	1.3	2.6	3.4
Other public clinic		1.9	3.6	2.0	1.9	1.1	
Drug treatment facility		.2		.3	.5		
Military induction or military service site		6.0	2.6	9.9	4.2	5.9	5.5
Immigration site		.4		.5	.8		
At home, home visit by nurse or health worker		6.8	1.2	5.8	10.6	8.6	4.6
At home using self-sampling kit		.9		.3	.5	2.8	3.4
In jail or prison		.5		.2	1.6		
Other		2.3	2.9	1.6	3.2	1.0	3.5
Male	Private doctor, HMO	30.1	24.8	29.9	35.0	29.4	26.2
	Health department	9.5	16.8	4.8	7.9	12.9	11.2
	AIDS clinic, counseling, testing site	1.3	3.0	1.0	.6	2.6	
	Hospital, emergency room, outpatient clinic	18.8	23.8	14.0	14.7	22.4	30.6
	Family planning clinic	1.5		4.8	.3		
	STD clinic	1.6		1.0	3.7		2.9
	Community health clinic	8.1	16.8	6.2	8.5	6.0	2.9
	Clinic run by employer	1.0	1.0	1.9	1.1		
	Insurance company clinic	.7			.6	1.7	2.9
	Other public clinic	2.0	2.0	2.9	2.5	.9	
	Military induction or military service site	10.8	5.0	19.5	5.4	11.2	8.7
	Immigration site	.8		1.0	1.7		
	At home, home visit by nurse or health worker	8.9	2.0	10.5	11.3	9.5	7.3
	At home using self-sampling kit	.9				3.4	2.9
	In jail or prison	1.1		.5	3.4		
	Other	2.8	5.0	2.4	3.4		4.4

Denominator is:

All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.

Where did you have your last blood test for HIV?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Female	Private doctor, HMO	41.3	46.2	43.8	40.3	32.2	41.7	
	Blood bank, plasma center, Red Cross	.2		.3	.4			
	Health department	6.9	6.1	9.5	4.4	6.3	10.4	
	AIDS clinic, counseling, testing site	.7		1.5	.4	.7		
	Hospital, emergency room, outpatient clinic	20.2	12.2	16.9	25.0	28.0	16.7	
	Family planning clinic	3.0	3.1	5.3	.9	1.7	4.2	
	Prenatal clinic, obstetrician's office	3.8	7.9	6.5	.4		4.2	
	STD clinic	.9		.6	1.3	.7	4.2	
	Community health clinic	9.4	17.1	7.4	4.8	13.6	8.3	
	Clinic run by employer	.4		.3	.9			
	Insurance company clinic	2.1		2.4	2.0	3.5	4.2	
	Other public clinic	1.8	4.9	1.2	1.3	1.4		
	Drug treatment facility	.4		.6	.9			
	Military induction or military service site	1.3	.6	.9	3.0			
	At home, home visit by nurse or health worker	4.7	.6	1.5	10.0	7.7		
	At home using self-sampling kit	1.0		.6	.9	2.1	4.2	
	Other	1.8	1.2	.9	3.0	2.1	2.1	

Denominator is:

All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.

Where did you have your last blood test for HIV?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		924	124	304	251	167	78	
Private doctor, HMO		329	47	113	91	55	23	
Blood bank, plasma center, Red Cross		2		1	1			
Health department		82	13	27	18	14	10	
AIDS clinic, counseling, testing site		10	1	4	2	3		
Hospital, emergency room, outpatient clinic		183	22	53	46	42	20	
Family planning clinic		21	3	12	2	2	2	

Denominator is:

All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.

Where did you have your last blood test for HIV?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Prenatal clinic, obstetrician's office		19	6	11	1		1	
STD clinic		10		3	4	1	2	
Community health clinic		68	14	18	15	17	4	
Clinic run by employer		7	1	3	3			
Insurance company clinic		14		4	4	4	2	
Other public clinic		19	5	5	6	3		
Drug treatment facility		2		1	1			
Military induction or military service site		49	4	23	11	7	4	
Immigration site		3		1	2			
At home, home visit by nurse or health worker		52	2	14	23	11	2	
At home using self-sampling kit		7		1	1	3	2	
In jail or prison		4		1	3			
Don't know/Not sure		15	2	2	7	1	3	
Other		22	4	5	8	2	3	
Refused		6		2	2	2		
Male	Total	392	48	118	106	75	45	
	Private doctor, HMO	114	10	33	35	25	11	
	Health department	37	7	7	9	8	6	
	AIDS clinic, counseling, testing site	6	1	2	1	2		
	Hospital, emergency room, outpatient clinic	78	12	19	16	17	14	
	Family planning clinic	5		4	1			
	STD clinic	5		2	2		1	
	Community health clinic	27	7	6	9	4	1	
	Clinic run by employer	4	1	2	1			
	Insurance company clinic	3			1	1	1	
	Other public clinic	8	1	3	3	1		
	Military induction or military service site	41	3	21	6	7	4	
	Immigration site	3		1	2			
	At home, home visit by nurse or health worker	31	1	11	11	6	2	
	At home using self-sampling kit	3				2	1	
	In jail or prison	4		1	3			
	Don't know/Not sure	8	2	1	3		2	
	Other	11	3	3	3		2	
	Refused	4		2		2		

Denominator is:

All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.

Where did you have your last blood test for HIV?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Female	Total	532	76	186	145	92	33	
	Private doctor, HMO	215	37	80	56	30	12	
	Blood bank, plasma center, Red Cross	2		1	1			
	Health department	45	6	20	9	6	4	
	AIDS clinic, counseling, testing site	4		2	1	1		
	Hospital, emergency room, outpatient clinic	105	10	34	30	25	6	
	Family planning clinic	16	3	8	1	2	2	
	Prenatal clinic, obstetrician's office	19	6	11	1		1	
	STD clinic	5		1	2	1	1	
	Community health clinic	41	7	12	6	13	3	
	Clinic run by employer	3		1	2			
	Insurance company clinic	11		4	3	3	1	
	Other public clinic	11	4	2	3	2		
	Drug treatment facility	2		1	1			
	Military induction or military service site	8	1	2	5			
	At home, home visit by nurse or health worker	21	1	3	12	5		
	At home using self-sampling kit	4		1	1	1	1	
	Don't know/Not sure	7		1	4	1	1	
Other	11	1	2	5	2	1		
Refused	2			2				

Denominator is:

All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.

In the past 12 months, has a doctor, nurse, or other health professional talked to you about preventing sexually transmitted diseases through condom use?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	12.8	35.9	19.2	9.1	3.9	2.2	
No	87.2	64.1	80.8	90.9	96.1	97.8	
Male							
Yes	9.0	23.3	13.2	7.6	1.6	2.8	
No	91.0	76.7	86.8	92.4	98.4	97.2	
Female							
Yes	16.5	49.0	25.2	10.5	6.1	1.6	
No	83.5	51.0	74.8	89.5	93.9	98.4	

Denominator is:

All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.

In the past 12 months, has a doctor, nurse, or other health professional talked to you about preventing sexually transmitted diseases through condom use?

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	2,047	242	476	482	511	336	
Yes	266	95	93	46	23	9	
No	1,759	143	378	433	484	321	
Don't know/Not sure	3		2	1			
Refused	19	4	3	2	4	6	
Male							
Total	873	106	193	214	214	146	
Yes	77	27	26	14	4	6	
No	783	77	162	198	208	138	
Don't know/Not sure	3		2	1			
Refused	10	2	3	1	2	2	
Female							
Total	1,174	136	283	268	297	190	
Yes	189	68	67	32	19	3	
No	976	66	216	235	276	183	
Refused	9	2		1	2	4	

Denominator is:

All survey respondents less than 65 years old who have been tested for HIV in the last 12 months where the test was not part of the blood donation process.