

Oregon BRFSS 2003

Have you been pregnant in the last five years?

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Females	100.0	100.0	100.0	100.0
Yes	31.2	25.1	47.8	20.2
No	68.8	74.9	52.2	79.8

Denominator is:
All female respondents who are younger than 45 and not currently pregnant.

Have you been pregnant in the last five years?

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Females	1,173	204	432	537
Yes	359	58	194	107
No	808	144	237	427
Don't know/Not sure	1	1		
Refused	5	1	1	3

Denominator is:
All female respondents who are younger than 45 and not currently pregnant.

Thinking back to just before you got pregnant with your current pregnancy, how did you feel about becoming pregnant?

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Females	100.0	100.0	100.0	100.0
You wanted (her) to be pregnant sooner	5.5			37.5
You wanted (her) to be pregnant later	36.7	76.3	19.6	
You wanted (her) to be pregnant then	50.5	23.7	65.7	62.5
You didn't want (her) to be pregnant then/in the future	1.5		2.9	
Don't know/Not sure	5.9		11.8	

Denominator is:
All female respondents younger than 45 who are not currently pregnant.

Oregon BRFSS 2003

Thinking back to just before you got pregnant with your current pregnancy, how did you feel about becoming pregnant?

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Females	37	9	21	7
You wanted (her) to be pregnant sooner	3			3
You wanted (her) to be pregnant later	10	6	4	
You wanted (her) to be pregnant then	21	3	14	4
You didn't want (her) to be pregnant then/in the future	1		1	
Don't know/Not sure	2		2	

Denominator is:

All female respondents younger than 45 who are not currently pregnant.

Thinking back to just the most recent pregnancy, just before you got pregnant, how did you feel about becoming pregnant?

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Females	100.0	100.0	100.0	100.0
You wanted (her) to be pregnant sooner	14.6	12.7	13.8	17.9
You wanted (her) to be pregnant later	17.0	40.7	14.3	4.0
You wanted (her) to be pregnant then	55.3	36.1	62.1	55.9
You didn't want (her) to be pregnant then/in the future	10.2	9.7	5.5	20.6
Don't know/Not sure	2.5		4.4	.7
Refused	.4	.7		.9

Denominator is:

All female respondents younger than 45 who are not currently pregnant.

Oregon BRFSS 2003

Thinking back to just the most recent pregnancy, just before you got pregnant, how did you feel about becoming pregnant?

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Females	359	58	194	107
You wanted (her) to be pregnant sooner	49	5	26	18
You wanted (her) to be pregnant later	55	25	26	4
You wanted (her) to be pregnant then	204	21	122	61
You didn't want (her) to be pregnant then/in the future	43	6	15	22
Don't know/Not sure	6		5	1
Refused	2	1		1

Denominator is:

All female respondents younger than 45 who are not currently pregnant.

Are you and your husband or partner doing anything now to keep from getting pregnant?

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Females	100.0	100.0	100.0	100.0
Yes	69.3	61.7	74.7	69.2
No	16.2	9.7	15.8	20.7
No partner/not sexually active	14.1	28.1	9.3	9.5
Same sex partner	.5	.6	.2	.6

Denominator is:

All female respondents who are younger than 45 and not currently pregnant.

Oregon BRFSS 2003

Are you and your husband or partner doing anything now to keep from getting pregnant?

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Females	1,175	204	432	539
Yes	808	131	318	359
No	181	20	57	104
No partner/not sexually active	163	49	53	61
Same sex partner	7	1	1	5
Don't know/Not sure	3			3
Refused	13	3	3	7

Denominator is:

All female respondents who are younger than 45 and not currently pregnant.

What are you or your husband or partner doing now to keep from getting pregnant?

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Females	100.0	100.0	100.0	100.0
Tubes tied (sterilization)	18.7	1.8	15.1	31.2
Vasectomy (sterilization)	18.4	1.0	14.3	31.7
Pill	27.9	45.6	31.8	14.7
Condoms	15.7	25.4	16.7	9.6
Foam, jelly, cream	.3		.7	
Diaphragm	1.3	1.3	1.7	.9
Norplant	.4	1.9		
IUD	2.7	1.3	5.2	1.2
Shots (Depo-Provera)	5.0	12.4	3.9	1.9
Withdrawal	.5	.6	.7	.2
Not having sex at certain times (rhythm)	3.7	1.9	3.1	5.1
No partner/Not sexually active	1.6	2.9	1.6	1.0
Other methods	3.8	3.9	5.2	2.5

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, and use birth control.

Oregon BRFSS 2003

What are you or your husband or partner doing now to keep from getting pregnant?

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Females	808	131	318	359
Tubes tied (sterilization)	154	3	47	104
Vasectomy (sterilization)	152	1	43	108
Pill	218	61	100	57
Condoms	115	30	49	36
Foam, jelly, cream	2		2	
Diaphragm	10	2	4	4
Norplant	1	1		
IUD	23	2	16	5
Shots (Depo-Provera)	33	13	13	7
Withdrawal	4	1	2	1
Not having sex at certain times (rhythm)	29	2	10	17
No partner/Not sexually active	13	4	6	3
Other methods	31	4	18	9
Don't know/Not sure	1		1	
Refused	22	7	7	8

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, and use birth control.

What other method are you also using to prevent pregnancy?

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Females	100.0	100.0	100.0	100.0
Vasectomy (sterilization)	.7		1.3	.7
Pill	3.6	8.2	1.3	1.1
Condoms	14.4	26.4	7.7	9.6
Foam, jelly, cream	.8	1.7	.2	.6
Diaphragm	.3			1.3
IUD	.2	.5		
Shots (Depo-Provera)	.1		.2	
Withdrawal	.6		1.4	
Not having sex at certain times (rhythm)	3.9	1.2	5.3	5.2
No partner/Not sexually active	1.0	1.0	.4	1.9
Other methods	1.6	3.1	.8	.7
No other methods	72.8	57.8	81.2	78.9

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

Oregon BRFSS 2003

What other method are you also using to prevent pregnancy?

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Females	466	116	214	136
Vasectomy (sterilization)	4		3	1
Pill	11	6	4	1
Condoms	63	32	17	14
Foam, jelly, cream	4	2	1	1
Diaphragm	2			2
IUD	1	1		
Shots (Depo-Provera)	1		1	
Withdrawal	3		3	
Not having sex at certain times (rhythm)	21	2	12	7
No partner/Not sexually active	7	1	2	4
Other methods	8	4	3	1
Don't know/Not sure	1		1	
No other methods	340	68	167	105

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

When you have intercourse, how often do you and your husband or partner use a method to prevent pregnancy?

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Females	100.0	100.0	100.0	100.0
Some of the time	5.3	5.3	5.6	4.7
Most of the time	14.7	17.0	13.4	14.0
Every time	80.0	77.6	81.0	81.3

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, are not sterile, and who use reversible method of birth control.

Oregon BRFSS 2003

When you have intercourse, how often do you and your husband or partner use a method to prevent pregnancy?

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Females	454	115	209	130
Some of the time	20	4	10	6
Most of the time	51	17	19	15
Every time	314	74	146	94
Don't know/Not sure	1		1	
Refused	68	20	33	15

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, are not sterile, and who use reversible method of birth control.

What is your main reason for not doing anything to keep you from getting pregnant?

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Females	100.0	100.0	100.0	100.0
Not sexually active/No partner	10.9	34.0	9.0	5.3
You want a pregnancy	22.4	41.2	36.6	6.4
You or your partner don't want to use birth control	.7			1.4
You/your partner don't like birth control/Fear side effects	1.1			2.1
You can't pay for birth control	.7			1.4
Don't think you or your partner can get pregnant	6.9		7.5	8.6
You or your partner had tubes tied (sterilization)	5.8		3.6	9.1
You or your partner had a vasectomy (sterilization)	5.8			11.7
You or your partner had a hysterectomy (sterilization)	22.9		15.4	35.3
You or your partner are too old	.4			.7
You or your partner just had a baby/postpartum	.4			.7
Other reason	16.0	15.5	18.6	14.3
Don't care if get pregnant	4.3		9.3	1.9
Same sex partner	1.9	9.3		1.0

Denominator is:

All female respondents who are younger than 45, not currently pregnant and do not use birth control.

Oregon BRFSS 2003

What is your main reason for not doing anything to keep you from getting pregnant?

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Females	180	20	57	103
Not sexually active/No partner	15	5	5	5
You want a pregnancy	34	8	19	7
You or your partner don't want to use birth control	1			1
You/your partner don't like birth control/Fear side effects	2			2
You can't pay for birth control	1			1
Don't think you or your partner can get pregnant	13		5	8
You or your partner had tubes tied (sterilization)	12		2	10
You or your partner had a vasectomy (sterilization)	10			10
You or your partner had a hysterectomy (sterilization)	45		9	36
You or your partner are too old	1			1
You or your partner just had a baby/postpartum	1			1
Other reason	25	4	10	11
Don't care if get pregnant	7		5	2
Same sex partner	2	1		1
Don't know/Not sure	6	1	2	3
Refused	5	1		4

Denominator is:

All female respondents who are younger than 45, not currently pregnant and do not use birth control.

Does your health insurance cover the cost of birth control?

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Females	100.0	100.0	100.0	100.0
Yes (covers all/part of cost of some birth control methods)	69.2	69.2	74.3	60.7
No (does not cover any birth control methods)	30.8	30.8	25.7	39.3

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, are not sterile, and have medical coverage.

Oregon BRFSS 2003

Does your health insurance cover the cost of birth control?

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Females	455	97	203	155
Yes (covers all/part of cost of some birth control methods)	203	43	102	58
No (does not cover any birth control methods)	94	20	38	36
Don't know/Not sure	92	12	34	46
Refused	66	22	29	15

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, are not sterile, and have medical coverage.

Would you use a different birth control method if you had insurance that paid for it?

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Females	100.0	100.0	100.0	100.0
Yes	33.7	44.2	25.9	33.5
No	66.3	55.8	74.1	66.5

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, use birth control, and are not sterile.

Would you use a different birth control method if you had insurance that paid for it?

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Females	448	114	208	126
Yes	114	34	46	34
No	248	54	120	74
Don't know/Not sure	28	8	11	9
Refused	58	18	31	9

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, use birth control, and are not sterile.

Oregon BRFSS 2003

Did you know there is free or low cost birth control at health departments and Planned Parenthood clinics?

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Females	100.0	100.0	100.0	100.0
Yes	84.0	87.0	85.3	78.3
No	16.0	13.0	14.7	21.7

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, use birth control, and are not sterile.

Did you know there is free or low cost birth control at health departments and Planned Parenthood clinics?

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Females	561	134	253	174
Yes	413	97	192	124
No	76	13	27	36
Don't know/Not sure	2		1	1
Refused	70	24	33	13

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, use birth control, and are not sterile.

Where are you or your husband or partner getting your birth control methods?

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Females	100.0	100.0	100.0	100.0
A family planning clinic	13.2	17.3	13.4	5.7
A health department clinic	11.6	17.9	8.8	6.6
A community health center	5.8	10.5	3.9	1.7
A private gynecologist	23.4	16.4	26.3	29.4
A general or family physician	12.4	10.5	11.1	18.4
A drug store or other store	29.0	22.7	31.5	34.7
Some other place	4.5	4.6	5.0	3.4

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, and use reversible birth control which has to be purchased.

Oregon BRFSS 2003

Where are you or your husband or partner getting your birth control methods?

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Females	391	109	181	101
A family planning clinic	44	17	21	6
A health department clinic	29	13	11	5
A community health center	14	7	6	1
A private gynecologist	84	14	43	27
A general or family physician	45	12	17	16
A drug store or other store	99	21	47	31
Some other place	16	5	8	3
Don't know/Not sure	5		3	2
Refused	55	20	25	10

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, and use reversible birth control which has to be purchased.

From your understanding, how would you say the emergency birth control can be used?

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Females	100.0	100.0	100.0	100.0
To prevent a pregnancy up to 3 days after unprotected sex	51.7	54.4	53.6	45.4
To end a pregnancy several weeks after it has begun	1.2		2.0	1.6
Both of the above	9.9	11.3	7.9	11.5
Neither of the above	21.2	22.1	19.2	23.3
Don't know/Not sure	15.6	11.6	17.3	17.7
Refused	.3	.6	.1	.5

Denominator is:

All female respondents younger than 45, who are not using birth control or using birth control other than sterilization.

Oregon BRFSS 2003

From your understanding, how would you say the emergency birth control can be used?

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Females	572	135	255	182
To prevent a pregnancy up to 3 days after unprotected sex	303	77	142	84
To end a pregnancy several weeks after it has begun	7		4	3
Both of the above	60	13	23	24
Neither of the above	118	32	47	39
Don't know/Not sure	81	12	38	31
Refused	3	1	1	1

Denominator is:

All female respondents younger than 45, who are not using birth control or using birth control other than sterilization.

During the past 5 years, have you used emergency birth control pills?

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Females	100.0	100.0	100.0	100.0
Yes	11.5	22.7	8.2	3.5
No	88.5	77.3	91.8	96.5

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, and are not sterile.

During the past 5 years, have you used emergency birth control pills?

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Females	572	135	255	182
Yes	61	32	21	8
No	506	103	231	172
Don't know/Not sure	4		3	1
Refused	1			1

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, and are not sterile.

Oregon BRFSS 2003

During the last year, have you used emergency birth control pills?

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Females	100.0	100.0	100.0	100.0
Yes	51.0	54.4	53.3	15.4
No	49.0	45.6	46.7	84.6

Denominator is:

All female respondents who are younger than 45, not currently pregnant, and used emergency birth control pills during the last 5 years.

During the last year, have you used emergency birth control pills?

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Females	61	32	21	8
Yes	26	15	10	1
No	35	17	11	7

Denominator is:

All female respondents who are younger than 45, not currently pregnant, and used emergency birth control pills during the last 5 years.