

Oregon BRFSS 2003

Has a sex partner of yours been pregnant in the last five years?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	100.0	100.0	100.0	100.0	100.0	100.0
Yes	19.2	19.3	36.3	25.8	4.2	1.5
No	80.8	80.7	63.7	74.2	95.8	98.5

Denominator is:

All male respondents younger than 60, whose wives or partners are not currently pregnant.

Has a sex partner of yours been pregnant in the last five years?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	1,443	152	319	334	442	196
Yes	244	32	112	80	17	3
No	1,186	120	205	249	421	191
Don't know/Not sure	2		1		1	
Refused	11		1	5	3	2

Denominator is:

All male respondents younger than 60, whose wives or partners are not currently pregnant.

Thinking back to just before your wife or partner got pregnant with her current pregnancy, how did you feel her about becoming pregnant?

(Weighted Column Percents)

	Total	Age Groups			
		18-24	25-34	35-44	45-54
Males	100.0	100.0	100.0	100.0	100.0
You wanted (her) to be pregnant sooner	29.0	36.4	25.7	40.0	
You wanted (her) to be pregnant later	11.3		8.6	60.0	
You wanted (her) to be pregnant then	51.1	63.6	57.1		
Don't know/Not sure	8.6		8.6		100.0

Denominator is:

All males younger than 60 whose wives/partners are not currently pregnant.

Oregon BRFSS 2003

Thinking back to just before your wife or partner got pregnant with her current pregnancy, how did you feel her about becoming pregnant?

(Unweighted Frequencies)

	Total	Age Groups			
		18-24	25-34	35-44	45-54
Males	18	3	12	2	1
You wanted (her) to be pregnant sooner	5	1	3	1	
You wanted (her) to be pregnant later	2		1	1	
You wanted (her) to be pregnant then	9	2	7		
Don't know/Not sure	2		1		1

Denominator is:

All males younger than 60 whose wives/partners are not currently pregnant.

Thinking back to just the most recent pregnancy, just before she became pregnant, how did you feel about her becoming pregnant?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	100.0	100.0	100.0	100.0	100.0	100.0
You wanted (her) to be pregnant sooner	15.0	16.0	10.1	21.8	11.1	9.1
You wanted (her) to be pregnant later	9.2	19.0	10.5	4.0		
You wanted (her) to be pregnant then	55.2	30.7	63.4	55.5	72.2	
You didn't want (her) to be pregnant then/in the future	12.8	28.2	8.3	11.3	11.1	
Don't know/Not sure	5.0	2.5	6.3	5.7		
Refused	2.8	3.7	1.5	1.7	5.6	90.9

Denominator is:

All males younger than 60 whose wives/partners are not currently pregnant.

Oregon BRFSS 2003

Thinking back to just the most recent pregnancy, just before she got pregnant, how did you feel about her becoming pregnant?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	245	32	113	80	17	3
You wanted (her) to be pregnant sooner	35	5	12	15	2	1
You wanted (her) to be pregnant later	21	5	13	3		
You wanted (her) to be pregnant then	138	9	72	46	11	
You didn't want (her) to be pregnant then/in the future	30	10	9	9	2	
Don't know/Not sure	11	1	5	5		
Refused	10	2	2	2	2	2

Denominator is:

All males younger than 60 whose wives/partners are not currently pregnant.

Are you and your wife or partner doing anything now to keep from getting pregnant?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	100.0	100.0	100.0	100.0	100.0	100.0
Yes	58.8	53.3	65.6	68.5	54.7	37.9
No	24.1	7.7	20.5	21.4	31.6	50.9
No partner/not sexually active	16.0	36.9	12.7	9.3	13.0	11.1
Same sex partner	1.0	2.1	1.2	.8	.7	.1

Denominator is:

All male respondents younger than 60.

Are you and your wife or partner doing anything now to keep from getting pregnant?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	1,464	155	332	336	444	197
Yes	820	83	214	217	233	73
No	349	11	64	67	115	92
No partner/not sexually active	246	53	46	39	80	28
Same sex partner	17	4	5	4	3	1
Don't know/Not sure	6			3	3	
Refused	26	4	3	6	10	3

Denominator is:

All male respondents younger than 60.

Oregon BRFSS 2003

What are you or your wife or partner doing now to keep from getting pregnant?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	100.0	100.0	100.0	100.0	100.0	100.0
Tubes tied (sterilization)	16.5	2.3	11.2	20.9	26.0	19.7
Vasectomy (sterilization)	28.6		18.3	30.2	48.8	62.9
Pill	19.6	33.9	31.0	17.0	4.5	4.3
Condoms	19.9	41.9	22.1	16.7	10.6	3.9
Foam, jelly, cream	.6			1.8	.5	
Diaphragm	.8		.4	1.3	.9	1.4
Norplant	.2		.6	.2		
IUD	3.3	3.8	6.2	3.8		
Shots (Depo-Provera)	2.6	7.5	5.2		.5	
Withdrawal	.5		.4	1.1	.5	
Not having sex at certain times (rhythm)	3.5	1.4	1.9	4.7	4.7	5.4
No partner/Not sexually active	1.6	7.5	.2		.9	2.3
Other methods	2.1	1.8	2.4	2.3	2.3	

Denominator is:

All male respondents younger than 60 who use birth control.

What are you or your wife or partner doing now to keep from getting pregnant?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	819	83	214	217	233	72
Tubes tied (sterilization)	126	2	21	40	50	13
Vasectomy (sterilization)	252		35	64	108	45
Pill	147	29	66	36	13	3
Condoms	151	32	46	39	30	4
Foam, jelly, cream	4			3	1	
Diaphragm	7		1	3	2	1
Norplant	2		1	1		
IUD	23	4	11	8		
Shots (Depo-Provera)	15	6	8		1	
Withdrawal	6		1	3	2	
Not having sex at certain times (rhythm)	27	1	5	9	10	2
No partner/Not sexually active	11	5	1		3	2
Other methods	16	2	5	4	5	
Don't know/Not sure	7		4	2		1
Refused	25	2	9	5	8	1

Denominator is:

All male respondents younger than 60 who use birth control.

Oregon BRFSS 2003

What other method are you also using to prevent pregnancy?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	100.0	100.0	100.0	100.0	100.0	100.0
Tubes tied (sterilization)	.1			.5		
Vasectomy (sterilization)	.6		.6	.9		7.1
Pill	7.7	16.4	5.0	3.5	4.4	4.8
Condoms	11.5	16.9	9.6	9.3	5.9	31.0
Shots (Depo-Provera)	1.4	3.3	1.4			
Withdrawal	.4		.9		1.0	
Not having sex at certain times (rhythm)	6.5	4.3	7.4	6.3	11.3	
No partner/Not sexually active	.8		2.4			
Other methods	2.6	3.5	2.7	1.4	2.9	
No other methods	68.4	55.6	69.9	78.2	74.5	57.1

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

What other method are you also using to prevent pregnancy?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	398	74	144	106	64	10
Tubes tied (sterilization)	1			1		
Vasectomy (sterilization)	3		1	1		1
Pill	27	11	7	4	4	1
Condoms	44	14	15	9	4	2
Shots (Depo-Provera)	3	2	1			
Withdrawal	2		1		1	
Not having sex at certain times (rhythm)	27	3	11	6	7	
No partner/Not sexually active	3		3			
Other methods	8	2	3	1	2	
Don't know/Not sure	8	1	2	3	2	
No other methods	270	41	99	81	43	6
Refused	2		1		1	

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

Oregon BRFSS 2003

When you have intercourse, how often do you use a method to prevent pregnancy?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	100.0	100.0	100.0	100.0	100.0	100.0
Some of the time	8.4	8.5	5.6	10.0	11.8	13.9
Most of the time	11.4	9.4	13.1	10.6	10.0	30.6
Every time	80.2	82.1	81.3	79.4	78.2	55.5

Denominator is:

All male respondents younger than 60, are sexually active, are not sterile, and who have medical coverage.

When you have intercourse, how often do you use a method to prevent pregnancy?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	383	69	140	103	62	9
Some of the time	27	5	7	8	5	2
Most of the time	37	5	15	10	5	2
Every time	259	44	94	75	42	4
Don't know/Not sure	2		1		1	
Refused	58	15	23	10	9	1

Denominator is:

All male respondents younger than 60, are sexually active, are not sterile, and who have medical coverage.

Oregon BRFSS 2003

What is your main reason for not doing anything to keep your wife or partner from getting pregnant?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	100.0	100.0	100.0	100.0	100.0	100.0
Not sexually active/No partner	7.3	22.6	9.3	6.7	6.9	3.3
You want a pregnancy	10.6	15.1	22.8	22.6	1.2	
You/your partner don't like birth control/Fear side effects	.3		1.4			
Don't think you or your partner can get pregnant	6.5		4.2	3.7	9.5	8.2
You or your partner had tubes tied (sterilization)	3.1		1.4	3.7	2.4	6.0
You or your partner had a vasectomy (sterilization)	13.2		5.2	11.8	20.0	14.4
You or your partner had a hysterectomy (sterilization)	20.0		8.3	20.8	25.4	26.5
You or your partner are too old	17.7			7.0	24.3	39.3
You or your partner just had a baby/postpartum	.3		1.4			
Other reason	9.9	20.8	13.2	14.8	7.9	2.2
Don't care if get pregnant	2.7		6.6	3.7	1.6	.3
Same sex partner	.7		2.1	1.5		
Partner is pregnant now	7.9	41.5	24.2	3.7	.8	

Denominator is:

All male respondents younger than 60, who do not use birth control.

Oregon BRFSS 2003

What is your main reason for not doing anything to keep your wife or partner from getting pregnant?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	349	11	64	67	115	92
Not sexually active/No partner	29	2	9	8	9	1
You want a pregnancy	29	2	13	12	2	
You/your partner don't like birth control/Fear side effects	1		1			
Don't think you or your partner can get pregnant	23		2	2	11	8
You or your partner had tubes tied (sterilization)	10		1	2	3	4
You or your partner had a vasectomy (sterilization)	40		2	7	18	13
You or your partner had a hysterectomy (sterilization)	65		4	13	26	22
You or your partner are too old	70			5	28	37
You or your partner just had a baby/postpartum	1		1			
Other reason	29	2	6	8	10	3
Don't care if get pregnant	10		5	2	2	1
Same sex partner	2		1	1		
Partner is pregnant now	18	3	12	2	1	
Don't know/Not sure	12	2	6	3	1	
Refused	10		1	2	4	3

Denominator is:

All male respondents younger than 60, who do not use birth control.

Does your health insurance cover the cost of birth control?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	100.0	100.0	100.0	100.0	100.0	100.0
Yes (covers all/part of cost of some birth control methods)	51.3	42.5	54.7	55.8	44.7	46.6
No (does not cover any birth control methods)	48.7	57.5	45.3	44.2	55.3	53.4

Denominator is:

All male respondents younger than 60, are sexually active, are not sterile, and have medical coverage.

Oregon BRFSS 2003

Does your health insurance cover the cost of birth control?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	526	51	163	132	118	62
Yes (covers all/part of cost of some birth control methods)	135	11	51	37	25	11
No (does not cover any birth control methods)	126	11	40	34	28	13
Don't know/Not sure	178	18	43	42	47	28
Refused	87	11	29	19	18	10

Denominator is:

All male respondents younger than 60, are sexually active, are not sterile, and have medical coverage.

Would you use a different birth control method if you had insurance that paid for it?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	100.0	100.0	100.0	100.0	100.0	100.0
Yes	40.7	47.4	47.6	32.8	26.6	26.5
No	59.3	52.6	52.4	67.2	73.4	73.5

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

Would you use a different birth control method if you had insurance that paid for it?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	384	71	138	103	63	9
Yes	110	22	47	25	15	1
No	181	28	57	55	35	6
Don't know/Not sure	38	6	10	13	8	1
Refused	55	15	24	10	5	1

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

Oregon BRFSS 2003

Did you know there is free or low-cost birth control at health departments and Planned Parenthood clinics?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	100.0	100.0	100.0	100.0	100.0	100.0
Yes	74.5	82.8	82.5	63.1	64.3	83.4
No	25.5	17.2	17.5	36.9	35.7	16.6

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

Did you know there is free or low-cost birth control at health departments and Planned Parenthood clinics?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	624	81	195	153	131	64
Yes	395	51	135	87	74	48
No	132	11	28	47	38	8
Don't know/Not sure	14	1	2	5	3	3
Refused	83	18	30	14	16	5

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

Where are you or your wife or partner getting your birth control methods?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	100.0	100.0	100.0	100.0	100.0	100.0
A family planning clinic	8.9	17.4	6.4	6.1	1.5	
A health department clinic	6.6	15.7	6.4			
A community health center	3.6	6.4	.9	4.5	3.1	
A private gynecologist	20.2	17.4	19.5	24.4	13.8	57.2
A general or family physician	14.1	8.2	24.5	9.0	12.3	
A drug store or other store	41.1	31.0	38.6	51.0	53.1	28.6
Some other place	5.5	3.9	3.6	5.1	16.2	14.3

Denominator is:

All male respondents who are younger than 60, whose partners are not currently pregnant, are sexually active, and use reversible birth control methods which has to be purchased.

Oregon BRFSS 2003

Where are you or your wife or partner getting your birth control methods?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	321	66	119	85	44	7
A family planning clinic	20	9	5	5	1	
A health department clinic	13	7	6			
A community health center	9	4	1	3	1	
A private gynecologist	50	6	19	16	6	3
A general or family physician	40	4	24	7	5	
A drug store or other store	118	18	37	40	21	2
Some other place	15	2	3	3	6	1
Don't know/Not sure	8	2	4	2		
Refused	48	14	20	9	4	1

Denominator is:

All male respondents who are younger than 60, whose partners are not currently pregnant, are sexually active, and use reversible birth control methods which has to be purchased.

From your understanding, how would you say the emergency birth control can be used?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	100.0	100.0	100.0	100.0	100.0	100.0
To prevent a pregnancy up to 3 days after unprotected sex	36.3	35.3	38.4	36.3	37.7	26.8
To end a pregnancy several weeks after it has begun	.5	1.3	.6		.4	
Both of the above	11.6	13.6	10.8	11.9	10.2	12.0
Neither of the above	24.9	34.6	27.5	24.7	12.8	16.3
Don't know/Not sure	24.3	12.1	19.2	27.0	36.9	40.6
Refused	2.3	3.1	3.5		2.1	4.3

Denominator is:

All males younger than 60, who are not using birth control or using birth control other than sterilization.

Oregon BRFSS 2003

From your understanding, how would you say the emergency birth control can be used?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	639	83	197	158	137	64
To prevent a pregnancy up to 3 days after unprotected sex	240	29	81	57	54	19
To end a pregnancy several weeks after it has begun	3	1	1		1	
Both of the above	75	13	20	19	15	8
Neither of the above	143	27	52	36	18	10
Don't know/Not sure	164	11	37	46	46	24
Refused	14	2	6		3	3

Denominator is:

All males younger than 60, who are not using birth control or using birth control other than sterilization.

During the past 5 years, has a wife or partner of yours used emergency birth control pills?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	100.0	100.0	100.0	100.0	100.0	100.0
Yes	5.5	14.1	7.2	.6	1.9	.9
No	94.5	85.9	92.8	99.4	98.1	99.1

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

During the past 5 years, has a wife or partner of yours used emergency birth control pills?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	636	83	196	158	135	64
Yes	29	11	13	1	3	1
No	574	67	168	152	130	57
Don't know/Not sure	21	3	10	5	1	2
Refused	12	2	5		1	4

Denominator is:

All male respondents younger than 60, are sexually active, use birth control, and are not sterile.

Oregon BRFSS 2003

During the last year, has your wife or partner used emergency birth control pills?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	100.0	100.0	100.0	100.0	100.0	100.0
Yes	50.1	62.2	41.7		60.0	
No	49.9	37.8	58.3	100.0	40.0	100.0

Denominator is:

All male respondents younger than 60, whose wives or partners used emergency birth control pills during the last 5 years.

During the last year, has your wife or partner used emergency birth control pills?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-59
Males	29	11	13	1	3	1
Yes	13	5	6		2	
No	15	5	7	1	1	1
Don't know/Not sure	1	1				

Denominator is:

All male respondents younger than 60, whose wives or partners used emergency birth control pills during the last 5 years.