

Oregon BRFSS 2004

Have you/your spouse/partner been pregnant in the last five years?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Yes	26.7	26.8	49.0	24.0	3.4	
No	73.3	73.2	51.0	76.0	96.6	100.0

Denominator is:

All female respondents less than 45 who are not currently pregnant and male respondents less than 60 whose spouses/partners are not currently pregnant.

Have you/your spouse/partner been pregnant in the last five years?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Total	2,424	289	695	833	410	197
Yes	609	85	327	182	15	
No	1,806	202	366	651	391	196
Don't know/Not sure	3	1			1	1
Refused	6	1	2		3	

Denominator is:

All female respondents less than 45 who are not currently pregnant and male respondents less than 60 whose spouses/partners are not currently pregnant.

Oregon BRFSS 2004

**Thinking back to just before you/your spouse/partner got pregnant with your current pregnancy,
how did you/your spouse/partner feel about becoming pregnant?**

(Weighted Column Percents)

	Total	Age Groups			
		18-24	25-34	35-44	45-54
You wanted yourself/her to be pregnant sooner	28.4	8.0	29.0	43.6	77.8
You wanted yourself/her to be pregnant later	14.2	23.8	15.0		
You wanted yourself/her to be pregnant then	42.0	48.8	49.5	21.8	
You didn't want yourself/her to be pregnant then/future	10.5	19.5		23.9	22.2
Don't know/Not sure	4.9		6.5	10.7	

Denominator is:

All female respondents less than 45 who are not currently pregnant and all male respondents whose spouses/partners are not currently pregnant.

**Thinking back to just before you/your spouse/partner got pregnant with your current pregnancy,
how did you/your spouse/partner feel about becoming pregnant?**

(Unweighted Frequencies)

	Total	Age Groups			
		18-24	25-34	35-44	45-54
Total	67	16	36	13	2
You wanted yourself/her to be pregnant sooner	20	1	12	6	1
You wanted yourself/her to be pregnant later	10	4	6		
You wanted yourself/her to be pregnant then	28	9	16	3	
You didn't want yourself/her to be pregnant then/future	6	2		3	1
Don't know/Not sure	3		2	1	

Denominator is:

All female respondents less than 45 who are not currently pregnant and all male respondents whose spouses/partners are not currently pregnant.

Oregon BRFSS 2004

Thinking back to just the most recent pregnancy, how did you/your spouse/partner feel about becoming pregnant?

(Weighted Column Percents)

	Total	Age Groups			
		18-24	25-34	35-44	45-54
You wanted yourself/her to be pregnant sooner	11.6	10.4	11.4	13.3	6.4
You wanted yourself/her to be pregnant later	18.1	31.4	20.5	5.9	
You wanted yourself/her to be pregnant then	53.6	26.4	55.9	65.8	87.1
You didn't want yourself/her to be pregnant then/future	14.3	27.0	9.9	14.1	6.4
Don't know/Not sure	2.4	4.8	2.3	.9	

Denominator is:

All female respondents less than 45 who are not currently pregnant and all male respondents less than 60 whose spouses or partners are not currently pregnant.

Thinking back to just the most recent pregnancy, how did you/your spouse/partner feel about becoming pregnant?

(Unweighted Frequencies)

	Total	Age Groups			
		18-24	25-34	35-44	45-54
Total	616	86	329	185	16
You wanted yourself/her to be pregnant sooner	66	5	37	23	1
You wanted yourself/her to be pregnant later	100	31	58	11	
You wanted yourself/her to be pregnant then	339	21	189	116	13
You didn't want yourself/her to be pregnant then/future	90	24	34	30	2
Don't know/Not sure	14	4	8	2	
Refused	7	1	3	3	

Denominator is:

All female respondents less than 45 who are not currently pregnant and all male respondents less than 60 whose spouses or partners are not currently pregnant.

Oregon BRFSS 2004

Are you/your spouse/partner doing anything now to keep from getting pregnant?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Yes	64.5	56.7	68.2	70.8	62.2	48.3
No	18.4	11.7	17.8	16.9	23.4	36.6
No partner/not sexually active	16.4	31.1	12.8	11.8	13.6	14.6
Same sex partner	.7	.4	1.1	.5	.8	.5

Denominator is:

All female respondents less than 45 who are not currently pregnant and all male respondents less than 60 whose spouses/partners are not currently pregnant.

Are you/your spouse/partner doing anything now to keep from getting pregnant?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Total	2,446	299	712	811	421	203
Yes	1,525	172	482	547	232	92
No	425	34	115	116	90	70
No partner/not sexually active	438	89	100	126	86	37
Same sex partner	20	1	8	6	4	1
Refused	38	3	7	16	9	3

Denominator is:

All female respondents less than 45 who are not currently pregnant and all male respondents less than 60 whose spouses/partners are not currently pregnant.

Oregon BRFSS 2004

What are you/your spouse/partner doing now to keep from getting pregnant?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Tubes tied (female sterilization)	17.6	3.8	14.1	25.4	23.2	18.8
Hysterectomy (female sterilization)	3.9		1.3	3.5	9.6	19.5
Vasectomy (male sterilization)	23.9		14.5	29.0	49.5	53.1
Pill, all kinds (Seasonale, etc.)	23.4	40.9	32.5	17.0	5.5	2.6
Condoms (male or female)	16.2	27.7	20.2	11.9	8.7	3.4
Contraceptive implants (Jadelle or Implants)	.3		.5	.4		
Shots (Depo-Provera)	3.5	12.0	3.7	.7	.2	
Shots (Lunelle)	.2		.6	.2		
Contraceptive Patch	1.2	3.6	.9	.8		
Diaphragm, cervical ring, or cap (Nuvaring or others)	1.3	1.4	1.5	1.6	.6	
IUD (including Mirena)	3.7	5.2	5.9	2.7	.4	2.6
Withdrawal	.6	.8	.3	.8	1.0	
Not having sex at certain times (rhythm)	3.2	1.6	3.7	4.8	1.4	
Other method (foam, jelly, cream, etc.)	1.1	2.9	.6	1.1		

Denominator is:

All female respondents less than 45 who are not currently pregnant, are sexually active, and use birth control and all male respondents less than 60 who are not currently pregnant, are sexually active, and use birth control.

Oregon BRFSS 2004

What are you/your spouse/partner doing now to keep from getting pregnant?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Total	1,524	172	482	547	231	92
Tubes tied (female sterilization)	281	7	69	140	48	17
Hysterectomy (female sterilization)	59		5	14	21	19
Vasectomy (male sterilization)	379		69	152	111	47
Pill, all kinds (Seasonale, etc.)	334	72	154	91	14	3
Condoms (male or female)	226	48	90	62	23	3
Contraceptive implants (Jadelle or Implants)	5		3	2		
Shots (Depo-Provera)	44	20	19	4	1	
Shots (Lunelle)	4		3	1		
Contraceptive Patch	15	5	5	5		
Diaphragm, cervical ring, or cap (Nuvaring or others)	21	3	7	10	1	
IUD (including Mirena)	52	9	25	15	1	2
Withdrawal	8	1	1	4	2	
Not having sex at certain times (rhythm)	52	3	19	26	4	
Other method (foam, jelly, cream, etc.)	9	1	2	6		
Don't know/Not sure	9	1	1	7		
Refused	26	2	10	8	5	1

Denominator is:

All female respondents less than 45 who are not currently pregnant, are sexually active, and use birth control and all male respondents less than 60 who are not currently pregnant, are sexually active, and use birth control.

When you have intercourse, how often do you/your spouse/partner use a method to prevent pregnancy?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Some of the time	6.2	9.0	4.6	5.6	5.7	
Most of the time	10.9	8.4	10.0	15.6	12.0	
Every time	82.9	82.6	85.3	78.8	82.3	100.0

Denominator is:

All female respondents less than 45 who are not currently pregnant and all male respondents less than 60 who are sexually active, are not sterile, and who use reversible method(s) of birth control.

Oregon BRFSS 2004

**When you have intercourse, how often do you/your spouse/partner
use a method to prevent pregnancy?**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Total	757	158	324	221	46	8
Some of the time	38	10	13	11	4	
Most of the time	76	10	31	29	6	
Every time	627	134	276	176	33	8
Don't know/Not sure	13	3	4	3	3	
Refused	3	1		2		

Denominator is:

All female respondents less than 45 who are not currently pregnant and all male respondents less than 60 who are sexually active, are not sterile, and who use reversible method(s) of birth control.

Oregon BRFSS 2004

What is your/your spouse's/partner's main reason for not doing anything to keep you/your spouse/partner from getting pregnant?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Not sexually active/No partner	11.8	55.0	7.0	10.0	3.5	6.5
Didn't think was going to have sex/No regular partner	20.3	13.8	38.4	25.6	4.9	1.1
You want a pregnancy	4.8	3.6	6.3	5.8	4.9	
You or your partner don't want to use birth control	.8		2.7			
You/your partner don't like birth control/Fear side effects	2.0		5.4	1.7		
You can't pay for birth control	.1		.3			
Lapse in use of a method	12.9	7.1	8.7	18.2	16.1	10.8
Don't think you or your partner can get pregnant	5.2		1.4	6.9	9.3	7.2
You or your partner had tubes tied (sterilization)	5.1		3.8	4.7	8.5	6.8
You or your partner had a vasectomy (sterilization)	5.8			4.5	15.3	9.3
You or your partner had a hysterectomy (sterilization)	15.2	3.6	1.4	3.5	26.2	58.4
You or your partner are too old	.4	2.4		.7		
You or your partner are currently breast-feeding	1.7		2.0	3.4	1.1	
You or your partner just had a baby/postpartum	3.5	7.2	2.6	7.3	.5	
Other reason	4.1	3.6	5.8	3.9	4.9	
Don't care if get pregnant	6.6	3.9	14.2	3.9	4.9	

Denominator is:

All female respondents less than 45 who are not currently pregnant and do not use birth control and all male respondents less than 60 whose spouses/partners are not currently pregnant and who do not use birth control.

Oregon BRFSS 2004

What is your/your spouse's/partner's main reason for not doing anything to keep you/your spouse/partner from getting pregnant?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Total	422	34	115	115	89	69
Not sexually active/No partner	39	12	9	7	5	6
Didn't think was going to have sex/No regular partner	77	5	41	26	4	1
You want a pregnancy	15	2	7	3	3	
You or your partner don't want to use birth control	3		3			
You/your partner don't like birth control/Fear side effects	5		4	1		
You can't pay for birth control	1		1			
Lapse in use of a method	57	3	11	20	16	7
Don't think you or your partner can get pregnant	21		1	7	8	5
You or your partner had tubes tied (sterilization)	20		3	5	7	5
You or your partner had a vasectomy (sterilization)	22			4	13	5
You or your partner had a hysterectomy (sterilization)	62	1	1	3	19	38
You or your partner are too old	2	1		1		
You or your partner are currently breast-feeding	5		2	2	1	
You or your partner just had a baby/postpartum	13	1	3	8	1	
Other reason	15	1	5	5	4	
Don't care if get pregnant	20	1	13	4	2	
Don't know/Not sure	25	4	10	8	2	1
Refused	20	3	1	11	4	1

Denominator is:

All female respondents less than 45 who are not currently pregnant and do not use birth control and all male respondents less than 60 whose spouses/partners are not currently pregnant and who do not use birth control.

Oregon BRFSS 2004

How do you feel about having a child now or sometime in the future?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
You don't want to have one	38.7	24.2	28.0	51.1	69.9	85.8
You do want to have one	37.5	54.4	43.8	24.6	12.9	4.1
You're not sure if you do or don't	23.8	21.5	28.2	24.3	17.2	10.2

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who are not or spouses/partners pregnant/not had a hysterectomy, think they/spouses/partners can get pregnant, neither are sterile, nor care if they/spouses/partners get pregnant.

How do you feel about having a child now or sometime in the future?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Total	1,141	196	437	336	109	63
You don't want to have one	445	45	115	163	72	50
You do want to have one	383	100	188	80	12	3
You're not sure if you do or don't	278	47	126	81	18	6
Don't know/Not sure	26	3	6	9	5	3
Refused	9	1	2	3	2	1

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who are not or spouses/partners pregnant/not had a hysterectomy, think they/spouses/partners can get pregnant, neither are sterile, nor care if they/spouses/partners get pregnant.

Oregon BRFSS 2004

How soon would you want to have a child?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Less than 12 months from now	26.4	13.5	25.0	53.2	73.9	66.7
Between 12 months to a less than two years from now	25.7	16.6	34.3	27.3	13.1	
Between two years to less than 5 years from now	33.4	39.9	34.9	17.5	13.0	
Five or more years from now	14.5	30.0	5.8	2.0		33.3

Denominator is:

All female respondents less than 45 who are not currently pregnant, said that they wanted to have a child, have not had a hysterectomy, think they can get pregnant, are not sterile, and don't care if they get pregnant.

How soon would you want to have a child?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Total	383	100	188	80	12	3
Less than 12 months from now	107	12	49	38	7	1
Between 12 months to a less than two years from now	94	15	58	20	1	
Between two years to less than 5 years from now	129	44	68	15	2	
Five or more years from now	42	29	10	2		1
Don't know/Not sure	11		3	5	2	1

Denominator is:

All female respondents less than 45 who are not currently pregnant, said that they wanted to have a child, have not had a hysterectomy, think they can get pregnant, are not sterile, and don't care if they get pregnant.

Oregon BRFSS 2004

Does your health insurance cover the cost of birth control?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Yes (covers all/part of cost of some birth control methods)	64.4	62.7	71.1	60.6	55.7	51.9
No (does not cover any birth control methods)	35.6	37.3	28.9	39.4	44.3	48.1

Denominator is:

All female respondents less than 45 who are not currently pregnant and male respondents less than 60 whoses spouses/partners are not currently pregnant, sexually active, not sterile, and have medical coverage.

Does your health insurance cover the cost of birth control?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Total	881	129	318	281	97	56
Yes (covers all/part of cost of some birth control methods)	404	70	176	120	29	9
No (does not cover any birth control methods)	204	29	72	72	21	10
Don't know/Not sure	268	30	70	88	44	36
Refused	5			1	3	1

Denominator is:

All female respondents less than 45 who are not currently pregnant and male respondents less than 60 whoses spouses/partners are not currently pregnant, sexually active, not sterile, and have medical coverage.

Oregon BRFSS 2004

Would you use a different birth control method if you had insurance that paid for it?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Yes	30.6	32.1	31.9	28.7	23.8	12.1
No	69.4	67.9	68.1	71.3	76.2	87.9

Denominator is:

All female respondents less than 45 or male respondents less than 60 whose spouses/partners are not currently pregnant, are sexually active, use birth control, and are not sterile.

Would you use a different birth control method if you had insurance that paid for it?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Total	786	161	329	234	53	9
Yes	203	46	83	61	12	1
No	498	97	212	151	31	7
Don't know/Not sure	71	15	32	19	5	
Refused	14	3	2	3	5	1

Denominator is:

All female respondents less than 45 or male respondents less than 60 whose spouses/partners are not currently pregnant, are sexually active, use birth control, and are not sterile.

Oregon BRFSS 2004

Did you know there is free or low cost birth control at health departments and Planned Parenthood clinics?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Yes	75.8	79.0	77.0	75.0	69.1	65.0
No	24.2	21.0	23.0	25.0	30.9	35.0

Denominator is:

All female respondents less than 45 or male respondents less than 60 whose spouses/partners are not currently pregnant, are sexually active, use birth control, and are not sterile.

Did you know there is free or low cost birth control at health departments and Planned Parenthood clinics?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Total	1,153	194	436	343	117	63
Yes	872	155	342	263	73	39
No	262	39	91	75	36	21
Don't know/Not sure	16		3	5	5	3
Refused	3				3	

Denominator is:

All female respondents less than 45 or male respondents less than 60 whose spouses/partners are not currently pregnant, are sexually active, use birth control, and are not sterile.

Oregon BRFSS 2004

Where are you/your spouse/partner getting your birth control methods?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
A family planning clinic	15.0	22.3	13.0	11.4		12.9
A health department clinic	7.1	10.6	5.4	6.0	3.9	
A community health center	3.4	5.5	3.7	.8		
A private gynecologist	15.1	9.7	18.2	16.8	15.6	19.4
A general or family physician	15.8	16.5	13.7	17.8	18.2	12.9
A drug store or other store	36.5	26.3	39.9	41.2	53.2	42.0
Some other place	7.2	9.1	6.1	6.0	9.1	12.9

Denominator is:

All female respondents less than 45 or male respondents less than 60 whose spouses/partners are not currently pregnant, sexually active, and use reversible birth control that must be purchased.

Where are you/your spouse/partner getting your birth control methods?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Total	698	154	304	192	40	8
A family planning clinic	96	35	39	21		1
A health department clinic	44	17	18	7	2	
A community health center	19	7	10	2		
A private gynecologist	112	16	55	35	5	1
A general or family physician	116	25	47	36	7	1
A drug store or other store	250	39	111	77	20	3
Some other place	44	10	17	12	4	1
Don't know/Not sure	15	4	6	2	2	1
Refused	2	1	1			

Denominator is:

All female respondents less than 45 or male respondents less than 60 whose spouses/partners are not currently pregnant, sexually active, and use reversible birth control that must be purchased.

Oregon BRFSS 2004

**From your understanding, how would you say the emergency birth control
can be used?**

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
To prevent a pregnancy up to 3 days after unprotected sex	51.9	58.0	56.6	47.2	38.1	35.3
To end a pregnancy several weeks after it has begun	.9	.4	.9	1.2	.8	2.4
Both of the above	10.8	8.4	9.8	12.4	16.9	10.2
Neither of the above	18.4	18.7	18.4	17.2	22.3	15.7
Don't know/Not sure	17.9	14.5	14.4	22.0	21.9	36.5

Denominator is:

All female respondents less than 45 who are not using birth control or using birth control other than sterilization and all male respondents less than 60 who are not using birth control or using birth control other than sterilization.

**From your understanding, how would you say the emergency birth control
can be used?**

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Total	1,153	194	435	343	117	64
To prevent a pregnancy up to 3 days after unprotected sex	619	118	259	175	45	22
To end a pregnancy several weeks after it has begun	11	2	4	3	1	1
Both of the above	119	13	40	40	20	6
Neither of the above	189	32	70	53	24	10
Don't know/Not sure	203	27	61	68	24	23
Refused	12	2	1	4	3	2

Denominator is:

All female respondents less than 45 who are not using birth control or using birth control other than sterilization and all male respondents less than 60 who are not using birth control or using birth control other than sterilization.

Oregon BRFSS 2004

During the past 5 years, have you/your spouse/partner used emergency birth control pills?

(Weighted Column Percents)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Yes	11.3	24.1	10.1	4.8	4.1	
No	88.7	75.9	89.9	95.2	95.9	100.0

Denominator is:

All female respondents less than 45 who not currently pregnant, sexually active, and not sterile and all male respondents less than 60 whose spouses/partners are not currently pregnant, who are sexually active, and not sterile.

During the past 5 years, have you/your spouse/partner used emergency birth control pills?

(Unweighted Frequencies)

	Total	Age Groups				
		18-24	25-34	35-44	45-54	55-64
Total	1,151	194	434	342	117	64
Yes	109	46	43	16	4	
No	1,011	143	387	318	103	60
Don't know/Not sure	21	3	4	6	6	2
Refused	10	2		2	4	2

Denominator is:

All female respondents less than 45 who not currently pregnant, sexually active, and not sterile and all male respondents less than 60 whose spouses/partners are not currently pregnant, who are sexually active, and not sterile.

Oregon BRFSS 2004

In the last year, have you/your spouse/partner used emergency birth control pills?

(Weighted Column Percents)

	Total	Age Groups			
		18-24	25-34	35-44	45-54
Yes	45.0	54.4	36.1	34.5	10.5
No	55.0	45.6	63.9	65.5	89.5

Denominator is:

All female respondents less than 45 and all male respondents who are not/spouses/partners are not currently pregnant, who themselves/spouses/partners used emergency birth control pills during the last 5 years.

In the last year, have you/your spouse/partner used emergency birth control pills?

(Unweighted Frequencies)

	Total	Age Groups			
		18-24	25-34	35-44	45-54
Total	109	46	43	16	4
Yes	44	22	17	4	1
No	64	24	26	11	3
Don't know/Not sure	1			1	

Denominator is:

All female respondents less than 45 and all male respondents who are not/spouses/partners are not currently pregnant, who themselves/spouses/partners used emergency birth control pills during the last 5 years.