

**In the past six months, where did you get information on West Nile Virus?**  
**NOTE: Sum is greater than 100% since up to three responses can be recorded.**

(Weighted Column Percents)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
	TV news	58.8	46.7	58.9	61.1	56.1	60.1	62.4
	Newspaper	37.8	17.8	20.4	31.3	38.2	45.5	54.0
	Commercial radio	5.1	2.2	4.6	4.0	6.8	3.3	6.8
	National public radio	4.1	1.5	4.6	6.1	5.2	3.0	2.7
	West Nile web page: Oregon Department of Human Services	.5		1.1	.6	.7	.6	
	Other/Unknown website	8.7	12.6	14.7	10.6	9.0	8.0	2.3
	"Fight the Bite" posters and pamphlets	.9	.7	1.1	.9	1.4	.9	.2
	West Nile Virus hotline	.2	.7	.4	.3	.2		
	Word of mouth	3.8	5.2	4.2	4.0	4.2	3.0	3.2
	At work	2.3	3.7	3.9	3.0	1.9	2.4	.5
	Other	3.9	6.7	3.5	4.0	5.9	3.6	1.8
	Didn't get any information	9.6	23.0	15.8	7.9	7.5	6.5	7.0
	Magazines	2.9	1.5	1.1	1.8	4.5	3.9	2.9
	Don't know/Not sure	1.7	2.2	.7	1.8	1.9	1.8	2.0
Male	TV news	59.1	50.8	61.1	61.0	56.9	56.7	64.3
	Newspaper	39.7	20.6	23.1	33.3	40.8	40.2	62.3
	Commercial radio	6.1	1.6	6.5	7.3	8.0	2.4	7.8
	National public radio	4.9	3.2	6.5	5.7	6.3	2.4	4.5
	West Nile web page: Oregon Department of Human Services	.4				.6	1.6	
	Other/Unknown website	9.3	12.7	12.0	12.2	9.2	11.8	1.9
	"Fight the Bite" posters and pamphlets	.8	1.6			1.7	1.6	
	West Nile Virus hotline							
	Word of mouth	3.2	3.2	3.7	1.6	5.2	1.6	3.2
	At work	1.1	1.6	.9	2.4		2.4	
	Other	3.3	9.5	.9	2.4	4.0	3.9	1.9
	Didn't get any information	9.7	19.0	16.7	6.5	8.6	8.7	5.8
	Magazines	2.4	1.6		2.4	2.9	2.4	3.9
	Don't know/Not sure	1.7	1.6	.9	.8	2.9	1.6	1.9

Denominator is:  
All survey respondents.

**In the past six months, where did you get information on West Nile Virus?**  
**NOTE: Sum is greater than 100% since up to three responses can be recorded.**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Female	TV news	58.6	43.1	57.6	61.2	55.6	62.2	61.3
	Newspaper	36.7	15.3	18.6	30.1	36.4	48.8	49.5
	Commercial radio	4.4	2.8	3.4	1.9	6.0	3.8	6.3
	National public radio	3.5		3.4	6.3	4.4	3.3	1.7
	West Nile web page: Oregon Department of Human Services	.6		1.7	1.0	.8		
	Other/Unknown website	8.2	12.5	16.4	9.7	8.8	5.7	2.4
	"Fight the Bite" posters and pamphlets	.9		1.7	1.5	1.2	.5	.3
	West Nile Virus hotline	.3	1.4	.6	.5	.4		
	Word of mouth	4.2	6.9	4.5	5.3	3.6	3.8	3.1
	At work	3.0	5.6	5.6	3.4	3.2	2.4	.7
	Other	4.3	4.2	5.1	4.9	7.2	3.3	1.7
	Didn't get any information	9.5	26.4	15.3	8.7	6.8	5.3	7.7
	Magazines	3.2	1.4	1.7	1.5	5.6	4.8	2.4
	Don't know/Not sure	1.7	2.8	.6	2.4	1.2	1.9	2.1

Denominator is:  
All survey respondents.

**In the past six months, where did you get information on West Nile Virus?  
NOTE: Sum is greater than 100% since up to three responses can be recorded.**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	1,953	135	285	329	425	337	442
TV news	1,147	63	168	201	238	202	275
Newspaper	738	24	58	103	162	153	238
Commercial radio	99	3	13	13	29	11	30
National public radio	79	2	13	20	22	10	12
West Nile web page: Oregon Department of Human Services	10		3	2	3	2	
Other/Unknown website	169	17	42	35	38	27	10
"Fight the Bite" posters and pamphlets	17	1	3	3	6	3	1
West Nile Virus hotline	4	1	1	1	1		
Word of mouth	74	7	12	13	18	10	14
At work	44	5	11	10	8	8	2
Other	77	9	10	13	25	12	8
Didn't get any information	187	31	45	26	32	22	31
Magazines	56	2	3	6	19	13	13
Don't know/Not sure	34	3	2	6	8	6	9
Refused	3				1	1	1
Male							
TV news	443	32	66	75	99	72	99
Newspaper	297	13	25	41	71	51	96
Commercial radio	46	1	7	9	14	3	12
National public radio	37	2	7	7	11	3	7
West Nile web page: Oregon Department of Human Services	3				1	2	
Other/Unknown website	70	8	13	15	16	15	3
"Fight the Bite" posters and pamphlets	6	1			3	2	
West Nile Virus hotline							
Word of mouth	24	2	4	2	9	2	5
At work	8	1	1	3		3	
Other	25	6	1	3	7	5	3
Didn't get any information	73	12	18	8	15	11	9
Magazines	18	1		3	5	3	6
Don't know/Not sure	13	1	1	1	5	2	3
Refused	2				1	1	

Denominator is:  
All survey respondents.

**In the past six months, where did you get information on West Nile Virus?**  
**NOTE: Sum is greater than 100% since up to three responses can be recorded.**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Female	TV news	704	31	102	126	139	130	176
	Newspaper	441	11	33	62	91	102	142
	Commercial radio	53	2	6	4	15	8	18
	National public radio	42		6	13	11	7	5
	West Nile web page: Oregon Department of Human Services	7		3	2	2		
	Other/Unknown website	99	9	29	20	22	12	7
	"Fight the Bite" posters and pamphlets	11		3	3	3	1	1
	West Nile Virus hotline	4	1	1	1	1		
	Word of mouth	50	5	8	11	9	8	9
	At work	36	4	10	7	8	5	2
	Other	52	3	9	10	18	7	5
	Didn't get any information	114	19	27	18	17	11	22
	Magazines	38	1	3	3	14	10	7
	Don't know/Not sure	21	2	1	5	3	4	6
	Refused	1						1

Denominator is:  
All survey respondents.

**In the past 6 months, have you heard about or seen any materials on Fight the Bite Oregon, a West Nile Virus prevention education campaign?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	13.7	14.2	8.8	12.3	13.0	20.4	15.7
No	86.3	85.8	91.2	87.7	87.0	79.6	84.3
Male							
Yes	13.8	13.5	10.2	13.3	11.7	18.6	17.8
No	86.2	86.5	89.8	86.7	88.3	81.4	82.2
Female							
Yes	13.6	14.9	7.3	11.2	14.2	22.0	14.1
No	86.4	85.1	92.7	88.8	85.8	78.0	85.9

Denominator is:  
All survey respondents.

**In the past 6 months, have you heard about or seen any materials on Fight the Bite Oregon, a West Nile Virus prevention education campaign?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	1,952	135	285	329	424	337	442
Yes	267	18	25	42	54	61	67
No	1,674	116	260	287	368	273	370
Refused	11	1			2	3	5
Male							
Total	750	63	108	123	174	128	154
Yes	105	8	10	18	20	22	27
No	641	55	98	105	153	104	126
Refused	4				1	2	1
Female							
Total	1,202	72	177	206	250	209	288
Yes	162	10	15	24	34	39	40
No	1,033	61	162	182	215	169	244
Refused	7	1			1	1	4

Denominator is:  
All survey respondents.

**In the past 6 months, have you visited a website for West Nile Virus information?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		2.8	4.8	1.9	3.9	2.2	2.7	1.8
No		97.2	95.2	98.1	96.1	97.8	97.3	98.2
Male	Yes	2.4	5.1		4.8		4.2	1.2
	No	97.6	94.9	100.0	95.2	100.0	95.8	98.8
Female	Yes	3.2	4.4	3.8	3.0	4.3	1.3	2.3
	No	96.8	95.6	96.2	97.0	95.7	98.7	97.7

Denominator is:  
All survey respondents.

**In the past 6 months, have you visited a website for West Nile Virus information?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,951	135	285	329	424	336	442
Yes		56	8	7	15	11	9	6
No		1,891	127	277	314	412	326	435
Refused		4		1		1	1	1
Male	Total	749	63	108	123	174	127	154
	Yes	16	3		7		5	1
	No	729	60	107	116	173	121	152
	Refused	4		1		1	1	1
Female	Total	1,202	72	177	206	250	209	288
	Yes	40	5	7	8	11	4	5
	No	1,162	67	170	198	239	205	283

Denominator is:  
All survey respondents.

**How useful was the information on the website?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Very useful	50.0	64.2	42.5	49.2	48.8	49.5	36.3
Somewhat useful	49.3	35.8	57.5	50.8	51.2	45.4	63.7
Didn't find information looking for	.7					5.1	
Male	56.6	82.1		50.0		52.7	
Very useful	43.4	17.9		50.0		47.3	100.0
Female	45.2	37.5	42.5	47.5	48.8	40.0	49.8
Very useful	53.6	62.5	57.5	52.5	51.2	40.0	50.2
Somewhat useful	1.2					20.0	
Didn't find information looking for							

Denominator is:

All survey respondents who reported visiting a website.

**How useful was the information on the website?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	58	8	7	15	13	9	6
Very useful	27	4	4	8	5	4	2
Somewhat useful	26	3	3	6	6	4	4
Didn't find information looking for	1					1	
Don't know/Not sure	3	1			2		
Refused	1			1			
Male	17	3		7	1	5	1
Total	9	2		4		3	
Very useful	7	1		3		2	1
Somewhat useful	1				1		
Don't know/Not sure	41	5	7	8	12	4	5
Female	18	2	4	4	5	1	2
Total	19	2	3	3	6	2	3
Very useful	1					1	
Somewhat useful	2	1			1		
Didn't find information looking for	1						
Don't know/Not sure	2						
Refused	1			1			

Denominator is:

All survey respondents who reported visiting a website.

**Were you aware of the toll-free Oregon West Nile Virus hotline?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		5.7	5.7	1.8	5.6	4.9	7.5	9.4
No		94.3	94.3	98.2	94.4	95.1	92.5	90.6
Male	Yes	6.5	8.5	1.6	7.2	6.7	5.0	11.0
	No	93.5	91.5	98.4	92.8	93.3	95.0	89.0
Female	Yes	4.9	2.4	2.0	4.0	3.2	9.7	8.2
	No	95.1	97.6	98.0	96.0	96.8	90.3	91.8

Denominator is:  
All survey respondents.

**Were you aware of the toll-free Oregon West Nile Virus hotline?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,951	135	285	329	424	336	442
Yes		113	8	7	15	17	26	40
No		1,835	127	278	313	406	309	402
Refused		3			1	1	1	
Male	Total	749	63	108	123	174	127	154
	Yes	48	6	2	7	11	7	15
	No	698	57	106	115	162	119	139
	Refused	3			1	1	1	
Female	Total	1,202	72	177	206	250	209	288
	Yes	65	2	5	8	6	19	25
	No	1,137	70	172	198	244	190	263

Denominator is:  
All survey respondents.

**During the past summer, how often did you use mosquito repellents containing DEET when outdoors?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Always	4.2	7.2	4.2	3.7	4.2	4.2	2.8
Nearly always	6.1	7.0	7.4	9.5	4.7	3.8	3.5
Sometimes	13.9	17.0	16.2	16.6	12.7	9.7	11.2
Seldom	17.6	20.9	17.0	17.5	18.5	17.8	14.7
Never	57.9	47.3	55.3	52.6	59.9	64.3	67.4
I do not go outdoors	.2	.6		.1		.2	.5
Male							
Always	3.6	10.8	3.3	1.6	1.3	4.3	2.5
Nearly always	5.1	6.9	6.2	6.5	3.6	3.5	3.4
Sometimes	15.2	19.2	18.0	16.2	13.1	9.4	14.7
Seldom	17.7	18.4	16.4	19.4	20.5	16.4	13.8
Never	58.2	43.5	56.1	56.3	61.4	66.1	65.7
I do not go outdoors	.2	1.2				.4	
Female							
Always	4.8	3.0	5.0	5.8	7.0	4.2	3.0
Nearly always	7.0	7.2	8.6	12.5	5.8	4.1	3.6
Sometimes	12.7	14.4	14.3	16.9	12.2	10.0	8.6
Seldom	17.5	23.8	17.7	15.6	16.6	19.0	15.4
Never	57.7	51.6	54.4	48.9	58.4	62.6	68.6
I do not go outdoors	.2			.2			.8

Denominator is:

All survey respondents.

**During the past summer, how often did you use mosquito repellents containing DEET when outdoors?**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,950	135	285	329	423	336	442
Always		78	9	12	15	15	15	12
Nearly always		114	10	22	34	21	12	15
Sometimes		250	20	43	59	51	34	43
Seldom		335	28	51	59	78	54	65
Never		1,155	66	156	161	253	217	302
I do not go outdoors		5	1		1		1	2
Don't know/Not sure		11	1	1		4	2	3
Refused		2				1	1	
Male	Total	748	63	108	123	173	127	154
	Always	24	7	3	2	3	5	4
	Nearly always	35	4	7	9	6	4	5
	Sometimes	105	10	19	21	22	12	21
	Seldom	135	12	18	26	37	21	21
	Never	439	29	60	65	103	81	101
	I do not go outdoors	2	1				1	
	Don't know/Not sure	6		1		1	2	2
	Refused	2				1	1	
Female	Total	1,202	72	177	206	250	209	288
	Always	54	2	9	13	12	10	8
	Nearly always	79	6	15	25	15	8	10
	Sometimes	145	10	24	38	29	22	22
	Seldom	200	16	33	33	41	33	44
	Never	716	37	96	96	150	136	201
	I do not go outdoors	3			1			2
	Don't know/Not sure	5	1			3		1

Denominator is:

All survey respondents.

## What was the main reason you did not use repellent containing DEET?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Didn't feel you were at risk of exposure to WNV		17.6	15.1	22.6	15.2	18.2	13.9	18.5
Didn't have time		1.0	.7		2.2	1.0	.5	1.4
Worried about the health effects of using DEET		10.0	10.5	11.6	13.3	13.4	6.4	4.0
Didn't have repellent available when needed		4.5	15.0	6.8	4.1	2.7	1.6	1.1
Couldn't afford repellent		.5	.4	.8	.9	.2	.6	.3
Mosquitoes never bite you		12.7	18.5	11.6	9.8	16.0	14.0	8.7
Use other methods of preventing mostquito bites		4.1	1.0	6.5	2.2	4.0	4.5	4.9
Didn't see any mosquitos		32.4	22.3	23.6	31.2	30.7	41.6	43.0
I do not go outdoors		10.8	8.2	11.1	9.8	8.2	11.9	15.4
Other (specify)		6.3	8.3	5.5	11.3	5.5	5.0	2.8
Male	Didn't feel you were at risk of exposure to WNV	17.0	12.5	26.0	13.4	17.2	12.7	16.8
	Didn't have time	1.3	1.4		3.3	.3		3.2
	Worried about the health effects of using DEET	7.3	9.8	8.1	12.0	6.6	3.3	3.5
	Didn't have repellent available when needed	3.8	7.4	6.8	2.7	3.4	1.4	1.3
	Couldn't afford repellent	.3	.7		.8		.9	
	Mosquitoes never bite you	15.6	17.2	16.6	13.1	19.3	17.1	9.9
	Use other methods of preventing mostquito bites	3.6	1.8	5.4	1.0	4.7	4.4	3.4
	Didn't see any mosquitos	35.3	27.0	27.0	32.7	33.8	41.8	51.0
	I do not go outdoors	8.4	12.5	7.3	6.5	7.2	11.3	8.3
	Other (specify)	7.3	9.7	2.8	14.5	7.5	7.0	2.6
Female	Didn't feel you were at risk of exposure to WNV	18.2	18.0	18.9	17.1	19.1	15.0	19.7
	Didn't have time	.7			1.1	1.8	.9	
	Worried about the health effects of using DEET	12.8	11.3	15.5	14.7	20.7	9.3	4.4
	Didn't have repellent available when needed	5.3	23.1	6.7	5.6	2.0	1.9	.9
	Couldn't afford repellent	.7		1.7	1.0	.3	.3	.6
	Mosquitoes never bite you	9.9	19.9	6.0	6.1	12.5	11.2	7.8
	Use other methods of preventing mostquito bites	4.5		7.7	3.5	3.3	4.5	6.0
	Didn't see any mosquitos	29.6	17.3	19.9	29.6	27.5	41.4	37.1
	I do not go outdoors	13.3	3.6	15.2	13.5	9.2	12.4	20.6
	Other (specify)	5.2	6.7	8.4	7.8	3.5	3.1	3.0

Denominator is:

All survey respondents who sometimes, seldom, or never used a mosquito repellents containing DEET when outdoors.

## What was the main reason you did not use repellent containing DEET?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,740	114	250	279	382	305	410
Didn't feel you were at risk of exposure to WNV		294	15	50	41	69	49	70
Didn't have time		17	1		5	4	2	5
Worried about the health effects of using DEET		156	9	29	33	47	20	18
Didn't have repellent available when needed		64	15	16	12	11	5	5
Couldn't afford repellent		10	1	2	3	1	2	1
Mosquitoes never bite you		190	16	26	23	52	35	38
Use other methods of preventing mosquito bites		62	1	15	5	12	14	15
Didn't see any mosquitos		541	21	55	77	108	117	163
I do not go outdoors		191	8	27	29	34	32	61
Other (specify)		96	8	15	29	21	12	11
Don't know/Not sure		119	19	15	22	23	17	23
Male	Total	679	51	97	112	162	114	143
	Didn't feel you were at risk of exposure to WNV	113	6	23	16	27	17	24
	Didn't have time	10	1		3	1		5
	Worried about the health effects of using DEET	39	4	6	12	8	4	5
	Didn't have repellent available when needed	26	4	8	3	7	2	2
	Couldn't afford repellent	3	1		1		1	
	Mosquitoes never bite you	92	6	15	13	25	18	15
	Use other methods of preventing mosquito bites	23	1	5	1	6	6	4
	Didn't see any mosquitos	228	10	25	32	51	44	66
	I do not go outdoors	52	5	8	7	12	10	10
	Other (specify)	46	5	3	14	14	7	3
	Don't know/Not sure	47	8	4	10	11	5	9
Female	Total	1,061	63	153	167	220	191	267
	Didn't feel you were at risk of exposure to WNV	181	9	27	25	42	32	46
	Didn't have time	7			2	3	2	
	Worried about the health effects of using DEET	117	5	23	21	39	16	13
	Didn't have repellent available when needed	38	11	8	9	4	3	3
	Couldn't afford repellent	7		2	2	1	1	1
	Mosquitoes never bite you	98	10	11	10	27	17	23
	Use other methods of preventing mosquito bites	39		10	4	6	8	11
	Didn't see any mosquitos	313	11	30	45	57	73	97
	I do not go outdoors	139	3	19	22	22	22	51
	Other (specify)	50	3	12	15	7	5	8
	Don't know/Not sure	72	11	11	12	12	12	14

Denominator is:

All survey respondents who sometimes, seldom, or never used a mosquito repellents containing DEET when outdoors.

**To protect against West Nile Virus, when is it recommended that you use mosquito repellent containing DEET?**

**NOTE: Sum is greater than 100% since up to six responses can be recorded.**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
	Dawn	3.4	1.7	3.8	4.1	4.7	4.2	1.2
	Dusk	9.9	5.2	13.3	11.7	11.2	9.6	6.8
	Whenever outdoors	28.2	27.8	28.2	29.9	30.5	28.7	23.7
	When mosquitoes are biting	13.5	8.0	7.2	12.0	15.3	21.8	16.9
	Mid-day	.7	1.7	1.2	.1	.5	.5	.3
	Never	8.2	13.6	5.4	11.5	6.9	7.4	5.5
	Other	1.8	3.0	3.0	2.9	1.1	.2	.5
	Don't know/Not sure	42.7	44.3	47.1	38.1	39.6	37.4	49.9
Male	Dawn	3.3	1.8	2.7	4.7	6.3	2.8	.3
	Dusk	8.6	5.7	10.6	12.0	9.8	7.3	4.0
	Whenever outdoors	25.3	25.0	25.5	23.5	28.8	21.8	26.0
	When mosquitoes are biting	14.8	10.8	6.4	14.5	15.6	23.4	20.9
	Mid-day	.5	.8	.8	.9	.8	.8	.3
	Never	7.3	15.4	3.5	8.1	4.6	8.2	6.7
	Other	1.6	3.5	3.5	4.1	.3	.6	.6
	Don't know/Not sure	45.5	45.3	51.9	44.5	43.2	41.4	46.0
Female	Dawn	3.4	1.5	5.0	3.4	3.2	5.4	1.8
	Dusk	11.2	4.7	16.0	11.3	12.5	11.8	8.9
	Whenever outdoors	31.0	30.9	30.9	36.2	32.2	35.0	22.0
	When mosquitoes are biting	12.2	4.9	8.1	9.5	15.1	20.4	14.0
	Mid-day	.9	3.7	1.6	.2	.2	.3	.3
	Never	8.9	11.6	7.3	14.8	9.0	6.6	4.6
	Other	2.0	6.4	2.5	1.7	2.0	.4	.4
	Don't know/Not sure	40.0	43.2	42.1	31.7	36.0	33.8	52.8

Denominator is:  
All survey respondents.

**To protect against West Nile Virus, when is it recommended that you use mosquito repellent containing DEET?****NOTE: Sum is greater than 100% since up to six responses can be recorded.**

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,950	135	285	329	423	336	442
	Dawn	69	2	12	16	20	13	6
	Dusk	206	7	40	43	48	34	34
	Whenever outdoors	561	35	86	105	126	101	108
	When mosquitoes are biting	281	9	23	35	68	78	68
	Mid-day	13	2	4	1	2	2	2
	Never	151	16	18	41	29	23	24
	Other	25	3	5	9	5	1	2
	Don't know/Not sure	804	67	126	114	165	118	214
	Refused	8			1	2	2	3
Male	Dawn	27	1	3	8	11	3	1
	Dusk	64	4	10	17	17	9	7
	Whenever outdoors	186	12	29	31	45	29	40
	When mosquitoes are biting	124	6	8	17	29	32	32
	Mid-day	4		1		1	1	1
	Never	56	9	5	11	10	11	10
	Other	10		3	5	1		1
	Don't know/Not sure	323	33	54	49	73	47	67
	Refused	6			1	2	2	1
Female	Dawn	42	1	9	8	9	10	5
	Dusk	142	3	30	26	31	25	27
	Whenever outdoors	375	23	57	74	81	72	68
	When mosquitoes are biting	157	3	15	18	39	46	36
	Mid-day	9	2	3	1	1	1	1
	Never	95	7	13	30	19	12	14
	Other	15	3	2	4	4	1	1
	Don't know/Not sure	481	34	72	65	92	71	147
	Refused	2						2

Denominator is:

All survey respondents.

**In the past 6 months, were there any animals or humans infected with West Nile Virus in your area?**

(Weighted Column Percents)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Yes		3.9	6.2	2.4	4.6	5.0	3.4	2.0
No		86.2	83.5	84.4	86.1	86.6	84.2	91.6
Don't know/Not sure		9.9	10.4	13.2	9.4	8.4	12.3	6.4
Male	Yes	3.9	6.4	2.9	4.1	4.9	3.0	2.3
	No	84.8	81.6	80.1	87.7	84.8	80.7	93.6
	Don't know/Not sure	11.2	12.0	17.1	8.3	10.3	16.3	4.1
Female	Yes	3.8	5.9	1.9	5.1	5.1	3.8	1.7
	No	87.6	85.5	88.8	84.5	88.4	87.5	90.1
	Don't know/Not sure	8.6	8.5	9.3	10.4	6.5	8.7	8.2

Denominator is:  
All survey respondents.

**In the past 6 months, were there any animals or humans infected with West Nile Virus in your area?**

(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		1,949	135	285	329	423	336	441
Yes		77	6	6	17	26	13	9
No		1,690	114	245	278	362	288	403
Don't know/Not sure		180	15	34	34	34	34	29
Refused		2				1	1	
Male	Total	748	63	108	123	173	127	154
	Yes	29	3	2	5	10	5	4
	No	641	52	88	107	145	104	145
	Don't know/Not sure	76	8	18	11	17	17	5
	Refused	2				1	1	
Female	Total	1,201	72	177	206	250	209	287
	Yes	48	3	4	12	16	8	5
	No	1,049	62	157	171	217	184	258
	Don't know/Not sure	104	7	16	23	17	17	24

Denominator is:  
All survey respondents.

**Would you support a mosquito control program in your community if it required a \$1 to \$5 monthly fee per household?**

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	61.8	60.8	61.9	65.4	63.6	64.7	54.1
No	22.0	28.3	22.4	18.6	19.7	21.4	23.9
Community already has a mosquito control program	1.3		.3	1.0	1.8	1.3	3.0
Need more information	6.4	2.5	8.3	7.4	6.5	6.9	5.6
Don't know/Not sure	8.6	8.4	7.1	7.6	8.4	5.8	13.5
Male							
Yes	60.2	56.2	62.3	62.7	63.9	61.2	52.2
No	24.8	34.8	22.1	19.9	23.9	24.9	26.3
Community already has a mosquito control program	1.5			1.6	2.5	1.8	3.1
Need more information	6.1	3.0	8.8	8.5	4.9	6.1	4.5
Don't know/Not sure	7.3	6.0	6.8	7.3	4.7	6.0	13.9
Female							
Yes	63.3	66.1	61.5	68.1	63.3	67.8	55.5
No	19.3	20.9	22.6	17.2	15.6	18.2	22.0
Community already has a mosquito control program	1.1		.5	.5	1.1	.8	2.9
Need more information	6.6	2.0	7.8	6.4	8.0	7.6	6.4
Don't know/Not sure	9.7	11.0	7.5	7.9	12.0	5.5	13.2

Denominator is:

All survey respondents.

**Would you support a mosquito control program in your community if it required a \$1 to \$5 monthly fee per household?**

(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		1,947	135	285	328	423	336	440
Yes		1,187	79	175	219	263	215	236
No		426	40	66	59	84	71	106
Community already has a mosquito control program		31		1	3	7	5	15
Need more information		130	5	23	22	31	23	26
Don't know/Not sure		168	11	19	25	37	21	55
Refused		5		1		1	1	2
Male	Total	748	63	108	123	173	127	154
	Yes	447	36	67	76	107	76	85
	No	186	22	25	25	42	33	39
	Community already has a mosquito control program	13			2	3	3	5
	Need more information	46	2	9	10	10	7	8
	Don't know/Not sure	54	3	7	10	10	7	17
	Refused	2				1	1	
Female	Total	1,199	72	177	205	250	209	286
	Yes	740	43	108	143	156	139	151
	No	240	18	41	34	42	38	67
	Community already has a mosquito control program	18		1	1	4	2	10
	Need more information	84	3	14	12	21	16	18
	Don't know/Not sure	114	8	12	15	27	14	38
	Refused	3		1				2

Denominator is:

All survey respondents.

**If testing showed there were lots of West Nile Virus infected mosquitoes in your community, would you support spraying to reduce the number of mosquitoes?**

(Weighted Column Percents)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Yes		78.3	77.5	72.6	76.7	80.2	81.2	82.3
No		9.5	10.9	13.0	8.6	9.2	7.9	7.6
Don't know/Not sure		12.2	11.6	14.4	14.7	10.6	10.9	10.1
Male	Yes	82.3	78.6	76.7	84.5	84.6	85.8	83.8
	No	9.4	9.6	14.1	7.3	9.5	6.2	8.7
	Don't know/Not sure	8.3	11.7	9.2	8.2	5.9	8.0	7.5
Female	Yes	74.5	76.2	68.4	68.8	75.9	77.0	81.2
	No	9.6	12.3	11.8	10.0	8.9	9.4	6.7
	Don't know/Not sure	15.9	11.5	19.8	21.3	15.2	13.6	12.1

Denominator is:  
All survey respondents.

**If testing showed there were lots of West Nile Virus infected mosquitoes in your community, would you support spraying to reduce the number of mosquitoes?**

(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		1,947	135	285	328	423	336	440
Yes		1,506	104	202	249	327	266	358
No		185	16	35	30	41	29	34
Don't know/Not sure		248	15	47	49	52	40	45
Refused		8		1		3	1	3
Male	Total	748	63	108	123	173	127	154
	Yes	608	50	80	104	140	105	129
	No	71	7	15	9	17	10	13
	Don't know/Not sure	65	6	13	10	14	11	11
	Refused	4				2	1	1
Female	Total	1,199	72	177	205	250	209	286
	Yes	898	54	122	145	187	161	229
	No	114	9	20	21	24	19	21
	Don't know/Not sure	183	9	34	39	38	29	34
	Refused	4		1		1		2

Denominator is:  
All survey respondents.

**What is the main reason you would not support mosquito spraying in your community?**

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
	Believe the health effects from spraying are worse than West	26.1	25.1	24.9	29.7	34.0	16.0	21.7
	Concerned about environmental effects of spraying	39.6	36.5	45.3	41.4	37.0	54.3	21.8
	Money should be spent on something else	7.1		9.4	13.9	3.2	4.8	9.5
	Not necessary since people can use personal protection	8.0	13.4	6.4	4.2	7.1	5.3	13.4
	Other (SPECIFY:)	13.3	12.0	6.9	9.5	14.1	19.7	24.6
	Don't know/Not sure	6.0	13.0	7.1	1.4	4.5		8.9
Male	Believe the health effects from spraying are worse than West	17.0	21.9	8.8	38.8	14.6	19.3	6.8
	Concerned about environmental effects of spraying	35.6	12.4	63.8	11.0	46.9	38.6	10.4
	Money should be spent on something else	7.0			27.8		12.9	12.4
	Not necessary since people can use personal protection	10.0	28.4	11.5		5.8		11.3
	Other (SPECIFY:)	21.4	18.6	8.6	22.3	23.7	29.1	41.0
	Don't know/Not sure	9.0	18.6	7.3		8.9		18.2
Female	Believe the health effects from spraying are worse than West	34.6	28.0	45.2	22.9	54.1	14.0	36.0
	Concerned about environmental effects of spraying	43.2	58.0	22.1	63.8	26.7	63.6	32.9
	Money should be spent on something else	7.2		21.1	3.6	6.5		6.8
	Not necessary since people can use personal protection	6.1			7.3	8.5	8.4	15.5
	Other (SPECIFY:)	5.7	6.1	4.6		4.2	14.0	8.8
	Don't know/Not sure	3.1	7.9	6.9	2.4			

Denominator is:

All survey respondents who reported they would not support spraying to reduce the number of mosquitoes in their communities.

**What is the main reason you would not support mosquito spraying in your community?**

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	185	16	35	30	41	29	34
Believe the health effects from spraying are worse than West	59	5	11	10	18	6	9
Concerned about environmental effects of spraying	67	5	14	13	15	13	7
Money should be spent on something else	11		2	3	1	1	4
Not necessary since people can use personal protection	13	1	1	1	3	2	5
Other (SPECIFY:)	26	3	4	2	3	7	7
Don't know/Not sure	9	2	3	1	1		2
Male Total	71	7	15	9	17	10	13
Believe the health effects from spraying are worse than West	14	2	1	4	4	2	1
Concerned about environmental effects of spraying	24	1	9	1	9	3	1
Money should be spent on something else	5			2		1	2
Not necessary since people can use personal protection	5	1	1		1		2
Other (SPECIFY:)	17	2	2	2	2	4	5
Don't know/Not sure	6	1	2		1		2
Female Total	114	9	20	21	24	19	21
Believe the health effects from spraying are worse than West	45	3	10	6	14	4	8
Concerned about environmental effects of spraying	43	4	5	12	6	10	6
Money should be spent on something else	6		2	1	1		2
Not necessary since people can use personal protection	8			1	2	2	3
Other (SPECIFY:)	9	1	2		1	3	2
Don't know/Not sure	3	1	1	1			

Denominator is:

All survey respondents who reported they would not support spraying to reduce the number of mosquitoes in their communities.