

In the past six months, where did you get information on West Nile Virus?
NOTE: Sum is greater than 100% since up to three responses can be recorded.

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
	TV news	54.3	48.1	47.4	53.4	54.2	62.2	60.4
	Newspaper	40.8	23.6	22.5	36.7	46.4	52.4	61.5
	Radio	13.4	7.3	11.9	15.4	16.7	15.3	12.2
	Website/Internet (any)	9.6	10.6	13.2	13.8	9.6	7.5	2.1
	Fight the Bite posters/pamphlets	1.6	2.3	2.6	.4	2.0	1.5	1.1
	West Nile Virus hotline							
	Word of mouth	6.3	11.1	7.3	4.4	6.5	5.6	4.2
	At work	2.7	1.5	4.2	3.1	3.1	2.3	1.3
	Other	6.4	4.2	5.1	5.8	6.7	9.2	7.4
	Didnt get any information	18.0	31.0	28.7	18.9	12.7	9.3	9.7
	Dont know/Not sure	1.6	2.4	1.9	1.6	.5	1.0	2.4
Male	TV news	54.1	57.2	45.5	49.3	54.1	62.9	60.0
	Newspaper	37.9	24.0	16.2	37.7	43.9	48.9	60.5
	Radio	16.9	10.9	14.3	18.7	22.4	18.5	14.9
	Website/Internet (any)	10.5	9.8	16.4	14.4	10.1	6.9	2.5
	Fight the Bite posters/pamphlets	1.5	3.3	1.9	.3	2.0	.8	.8
	West Nile Virus hotline							
	Word of mouth	4.9	5.2	7.7	3.3	4.2	4.6	4.4
	At work	2.0	2.2	2.3	2.4	1.6	1.5	1.8
	Other	6.0	6.3	4.1	4.7	6.2	7.9	7.4
	Didnt get any information	19.0	27.6	30.9	19.8	13.9	10.7	9.1
	Dont know/Not sure	1.1		1.4	1.1	.2	1.3	2.8
Female	TV news	54.4	38.2	49.5	57.5	54.3	61.5	60.8
	Newspaper	43.6	23.1	29.5	35.6	48.8	55.8	62.2
	Radio	10.0	3.3	9.2	12.0	11.3	12.3	10.2
	Website/Internet (any)	8.7	11.4	9.8	13.1	9.1	8.1	1.8
	Fight the Bite posters/pamphlets	1.8	1.2	3.3	.6	2.0	2.2	1.3
	West Nile Virus hotline							
	Word of mouth	7.6	17.6	6.8	5.5	8.8	6.6	4.0
	At work	3.4	.8	6.4	3.9	4.6	3.0	1.0
	Other	6.8	1.9	6.3	6.8	7.2	10.5	7.3
	Didnt get any information	17.1	34.7	26.2	18.0	11.5	7.8	10.1
	Dont know/Not sure	2.0	5.0	2.4	2.1	.8	.6	2.1

Denominator is:

All survey respondents.

In the past six months, where did you get information on West Nile Virus?
NOTE: Sum is greater than 100% since up to three responses can be recorded.

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,992	146	411	476	614	602	743
	TV news	1,685	69	196	253	336	370	461
	Newspaper	1,355	33	102	177	287	317	439
	Radio	417	10	53	71	99	92	92
	Website/Internet (any)	251	14	53	65	58	45	16
	Fight the Bite posters/pamphlets	48	2	13	4	12	9	8
	West Nile Virus hotline							
	Word of mouth	177	17	33	25	40	33	29
	At work	84	2	22	18	19	15	8
	Other	212	6	24	31	40	57	54
	Didnt get any information	438	45	107	85	81	53	67
	Dont know/Not sure	46	3	6	9	4	7	17
	Refused	6	1	1	1		2	1
Male	TV news	656	36	81	89	139	161	150
	Newspaper	499	13	33	68	116	130	139
	Radio	212	6	30	31	56	51	38
	Website/Internet (any)	114	6	30	28	27	18	5
	Fight the Bite posters/pamphlets	15	1	5	1	4	2	2
	West Nile Virus hotline							
	Word of mouth	57	3	16	7	10	11	10
	At work	23	1	5	4	4	5	4
	Other	76	4	9	8	17	20	18
	Didnt get any information	187	16	49	32	38	28	24
	Dont know/Not sure	15		1	2	1	5	6
	Refused	1					1	
Female	TV news	1,029	33	115	164	197	209	311
	Newspaper	856	20	69	109	171	187	300
	Radio	205	4	23	40	43	41	54
	Website/Internet (any)	137	8	23	37	31	27	11
	Fight the Bite posters/pamphlets	33	1	8	3	8	7	6
	West Nile Virus hotline							
	Word of mouth	120	14	17	18	30	22	19
	At work	61	1	17	14	15	10	4
	Other	136	2	15	23	23	37	36
	Didnt get any information	251	29	58	53	43	25	43
	Dont know/Not sure	31	3	5	7	3	2	11
	Refused	5	1	1	1		1	1

Denominator is:
All survey respondents.

In the past 6 months, have you heard about or seen any materials on Fight the Bite Oregon, a West Nile Virus prevention education campaign?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	14.8	10.8	9.2	9.2	16.0	17.4	23.8
No	85.2	89.2	90.8	90.8	84.0	82.6	76.2
Male Yes	13.9	10.6	9.5	10.1	14.8	17.1	21.1
Male No	86.1	89.4	90.5	89.9	85.2	82.9	78.9
Female Yes	15.6	11.0	8.8	8.4	17.3	17.6	25.8
Female No	84.4	89.0	91.2	91.6	82.7	82.4	74.2

Denominator is:

All survey respondents who obtained information on West Nile Virus in the past 6 months (other than from Fight the Bite posters or pamphlets).

In the past 6 months, have you heard about or seen any materials on Fight the Bite Oregon, a West Nile Virus prevention education campaign?

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	2,508	99	291	387	521	540	670
Yes	385	9	27	34	76	87	152
No	2,032	88	259	342	430	428	485
Don't know/Not sure	88	2	4	11	15	23	33
Refused	3		1			2	
Male Total	982	43	123	144	214	238	220
Male Yes	142	4	13	13	31	37	44
Male No	815	39	110	126	180	192	168
Male Don't know/Not sure	25			5	3	9	8
Female Total	1,526	56	168	243	307	302	450
Female Yes	243	5	14	21	45	50	108
Female No	1,217	49	149	216	250	236	317
Female Don't know/Not sure	63	2	4	6	12	14	25
Female Refused	3		1			2	

Denominator is:

All survey respondents who obtained information on West Nile Virus in the past 6 months (other than from Fight the Bite posters or pamphlets).

In the past 6 months, have you visited a website for West Nile Virus information?

(Weighted Column Percents)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Yes		2.2	4.2	2.6	1.9	3.0	.8	1.1
No		97.8	95.8	97.4	98.1	97.0	99.2	98.9
Male	Yes	2.2	2.3	4.1	1.9	2.4	.6	1.9
	No	97.8	97.7	95.9	98.1	97.6	99.4	98.1
Female	Yes	2.1	6.6	1.1	1.9	3.6	.9	.5
	No	97.9	93.4	98.9	98.1	96.4	99.1	99.5

Denominator is:

All survey respondents who obtained information on West Nile Virus in the past 6 months.

In the past 6 months, have you visited a website for West Nile Virus information?

(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		2,554	101	304	391	533	549	676
Yes		41	3	6	7	13	5	7
No		2,500	98	294	382	519	541	666
Don't know/Not sure		11		3	2	1	2	3
Refused		2		1			1	
Male	Total	997	44	128	145	218	240	222
	Yes	19	1	4	3	5	2	4
	No	975	43	124	142	212	238	216
	Don't know/Not sure	3				1		2
Female	Total	1,557	57	176	246	315	309	454
	Yes	22	2	2	4	8	3	3
	No	1,525	55	170	240	307	303	450
	Don't know/Not sure	8		3	2		2	1
	Refused	2		1			1	

Denominator is:

All survey respondents who obtained information on West Nile Virus in the past 6 months.

How useful was the information on the website?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Very useful	35.8	49.3	52.8	43.2	26.1		6.4
Somewhat useful	59.5	50.7	47.2	56.8	68.1	87.9	67.9
Not at all useful	3.2					12.1	25.7
Didn't find information looking for	1.6				5.8		
Male							
Very useful	43.9	100.0	60.0	36.4	33.3		
Somewhat useful	52.5		40.0	63.6	66.7	100.0	74.1
Not at all useful	3.6						25.9
Female							
Very useful	27.2	28.6	25.0	50.0	20.5		25.0
Somewhat useful	66.9	71.4	75.0	50.0	69.2	80.0	50.0
Not at all useful	2.7					20.0	25.0
Didn't find information looking for	3.2				10.3		

Denominator is:

All survey respondents who reported visiting a website for West Nile Virus information in the past 6 months.

How useful was the information on the website?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		41	3	6	7	13	5	7
Very useful		13	2	3	3	4		1
Somewhat useful		23	1	3	4	7	4	4
Not at all useful		3					1	2
Didn't find information looking for		1				1		
Don't know/Not sure		1				1		
Male	Total	19	1	4	3	5	2	4
	Very useful	6	1	2	1	2		
	Somewhat useful	12		2	2	3	2	3
Not at all useful		1						1
Female	Total	22	2	2	4	8	3	3
	Very useful	7	1	1	2	2		1
	Somewhat useful	11	1	1	2	4	2	1
	Not at all useful	2					1	1
	Didn't find information looking for	1				1		
Don't know/Not sure		1				1		

Denominator is:

All survey respondents who reported visiting a website for West Nile Virus information in the past 6 months.

During the past 6 months, were you aware of the toll-free Oregon West Nile Virus hotline?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		6.5	7.2	4.7	5.0	6.5	5.6	10.2
No		93.5	92.8	95.3	95.0	93.5	94.4	89.8
Male	Yes	7.0	8.5	7.4	5.0	7.2	6.5	8.3
	No	93.0	91.5	92.6	95.0	92.8	93.5	91.7
Female	Yes	5.9	5.7	1.8	5.1	5.8	4.8	11.6
	No	94.1	94.3	98.2	94.9	94.2	95.2	88.4

Denominator is:

All survey respondents.

During the past 6 months, were you aware of the toll-free Oregon West Nile Virus hotline?

(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		2,992	146	411	476	614	602	743
Yes		196	9	19	23	36	32	77
No		2,778	137	391	453	572	565	660
Don't know/Not sure		15				6	4	5
Refused		3		1			1	1
Male	Total	1,184	60	177	177	256	268	246
	Yes	80	4	14	10	16	15	21
	No	1,099	56	163	167	237	252	224
	Don't know/Not sure	5				3	1	1
Female	Total	1,808	86	234	299	358	334	497
	Yes	116	5	5	13	20	17	56
	No	1,679	81	228	286	335	313	436
	Don't know/Not sure	10				3	3	4
Refused		3		1			1	1

Denominator is:

All survey respondents.

During the past summer, how often did you use mosquito repellents when you were outdoors?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Always	4.2	2.9	5.2	4.5	3.4	4.4	4.6
Nearly always	7.0	7.7	7.3	9.6	5.5	5.7	5.8
Sometimes	18.1	18.8	17.1	21.3	19.8	17.9	13.3
Seldom	21.4	19.6	22.9	22.8	20.9	23.1	18.8
Never	49.0	50.1	47.4	41.7	50.5	48.2	56.6
I do not go outdoors	.4	.8				.8	1.0
Male							
Always	2.6		4.3	2.0	1.8	4.5	2.9
Nearly always	5.1	6.6	4.7	6.3	4.4	4.4	4.2
Sometimes	17.4	20.5	11.6	24.4	19.9	17.9	9.6
Seldom	23.2	20.7	24.7	23.8	23.0	26.6	19.8
Never	51.2	50.6	54.7	43.5	50.9	46.0	62.7
I do not go outdoors	.4	1.6				.6	.8
Female							
Always	5.8	5.9	6.2	7.2	5.0	4.2	5.9
Nearly always	8.8	9.0	10.2	13.0	6.6	7.0	7.0
Sometimes	18.7	17.0	23.0	18.1	19.6	17.9	16.1
Seldom	19.6	18.4	21.0	21.8	18.9	19.6	18.0
Never	46.7	49.6	39.5	39.9	50.0	50.3	51.9
I do not go outdoors	.4					.9	1.2

Denominator is:

All survey respondents.

During the past summer, how often did you use mosquito repellents when you were outdoors?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,992	146	411	476	614	602	743
Always		129	5	22	24	21	24	33
Nearly always		200	12	32	48	34	33	41
Sometimes		520	26	74	98	125	100	97
Seldom		620	29	93	104	123	136	135
Never		1,494	73	188	199	310	302	422
I do not go outdoors		14	1				4	9
Don't know/Not sure		9		1	3		1	4
Refused		6		1		1	2	2
Male	Total	1,184	60	177	177	256	268	246
	Always	33		8	3	4	11	7
	Nearly always	56	4	9	11	10	13	9
	Sometimes	192	10	23	40	53	43	23
	Seldom	273	14	43	43	58	70	45
	Never	622	31	94	79	130	129	159
	I do not go outdoors	4	1				1	2
	Don't know/Not sure	2			1			1
	Refused	2				1	1	
Female	Total	1,808	86	234	299	358	334	497
	Always	96	5	14	21	17	13	26
	Nearly always	144	8	23	37	24	20	32
	Sometimes	328	16	51	58	72	57	74
	Seldom	347	15	50	61	65	66	90
	Never	872	42	94	120	180	173	263
	I do not go outdoors	10					3	7
	Don't know/Not sure	7		1	2		1	3
	Refused	4		1			1	2

Denominator is:

All survey respondents.

What was the MAIN reason you did not use repellents/use repellents more often?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Didn't feel you were at risk of exposure to WNV/not worried	23.1	27.4	23.9	24.1	23.4	21.1	19.2
Didn't have time	2.2	3.8	2.2	3.1	2.0	1.7	.8
Worried about the health effects of using repellents	8.2	9.9	9.7	8.3	10.9	6.6	3.2
Didn't have repellent available when needed	4.3	6.7	6.5	6.2	2.7	2.1	1.7
Couldn't afford repellent	.7	2.2	.7	.6	.3		.8
Mosquitoes never bite you	10.5	10.5	9.7	9.8	11.8	11.1	9.8
Use other methods of preventing mostquito bites	2.7	4.3	2.3	2.2	2.9	2.1	3.1
Didn't see any mosquitos	31.5	15.9	24.1	27.5	34.7	38.5	45.2
I do not go outdoors	8.6	9.2	9.1	8.3	4.8	9.2	12.0
Other(specify)	8.3	10.1	11.7	9.9	6.6	7.7	4.2
Male							
Didn't feel you were at risk of exposure to WNV/not worried	27.1	37.8	27.9	28.5	24.1	22.6	23.2
Didn't have time	2.3	4.4	2.9	2.4	2.4	1.0	.5
Worried about the health effects of using repellents	7.7	7.6	10.6	4.6	13.9	5.1	2.1
Didn't have repellent available when needed	4.9	7.6	6.4	8.4	1.8	2.4	2.6
Couldn't afford repellent	.5	1.9	.5				.8
Mosquitoes never bite you	11.4	10.1	9.5	10.8	12.0	14.4	11.9
Use other methods of preventing mostquito bites	2.8	4.7	2.7	2.9	2.3	2.8	2.1
Didn't see any mosquitos	31.2	14.9	23.9	26.1	35.0	39.3	48.3
I do not go outdoors	4.8	4.7	4.7	6.8	1.5	5.9	5.8
Other(specify)	7.4	6.3	10.9	9.6	7.0	6.5	2.7
Female							
Didn't feel you were at risk of exposure to WNV/not worried	18.9	15.6	19.2	19.0	22.7	19.6	16.0
Didn't have time	2.2	3.0	1.5	4.0	1.5	2.5	1.0
Worried about the health effects of using repellents	8.7	12.5	8.6	12.6	7.9	8.1	4.0
Didn't have repellent available when needed	3.6	5.8	6.6	3.7	3.5	1.9	1.1
Couldn't afford repellent	1.0	2.5	1.0	1.2	.6		.8
Mosquitoes never bite you	9.5	11.0	9.9	8.8	11.6	7.6	8.1
Use other methods of preventing mostquito bites	2.6	3.8	1.8	1.4	3.5	1.3	3.9
Didn't see any mosquitos	31.8	17.1	24.3	29.0	34.3	37.7	42.7
I do not go outdoors	12.6	14.3	14.4	10.0	8.3	12.5	16.9
Other(specify)	9.2	14.4	12.7	10.4	6.1	8.9	5.3

Denominator is:

All survey respondents who sometimes, seldom, or never used a mosquito repellents when outdoors.

What was the MAIN reason you did not use repellents/use repellents more often?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,633	128	354	401	558	538	654
Didn't feel you were at risk of exposure to WNV/not worried		560	31	80	91	130	108	120
Didn't have time		51	5	7	12	10	11	6
Worried about the health effects of using repellents		194	13	30	35	58	35	23
Didn't have repellent available when needed		84	8	21	20	15	11	9
Couldn't afford repellent		15	2	3	4	2		4
Mosquitoes never bite you		270	13	36	36	60	61	64
Use other methods of preventing mostquito bites		66	3	8	6	17	11	21
Didn't see any mosquitos		865	19	81	111	180	195	279
I do not go outdoors		246	12	36	36	32	51	79
Other(specify)		201	15	40	40	36	41	29
Don't know/Not sure		79	7	12	10	18	13	19
Refused		2					1	1
Male	Total	1,087	55	160	162	241	242	227
	Didn't feel you were at risk of exposure to WNV/not worried	268	19	43	45	58	52	51
	Didn't have time	19	3	4	3	5	3	1
	Worried about the health effects of using repellents	72	4	15	6	30	13	4
	Didn't have repellent available when needed	43	4	11	11	5	6	6
	Couldn't afford repellent	4	1	1				2
	Mosquitoes never bite you	133	6	17	18	28	37	27
	Use other methods of preventing mostquito bites	25	1	4	4	6	6	4
	Didn't see any mosquitos	358	8	37	39	83	87	104
	I do not go outdoors	57	2	8	14	4	16	13
	Other(specify)	75	3	16	16	16	18	6
	Don't know/Not sure	33	4	4	6	6	4	9
Female	Total	1,546	73	194	239	317	296	427
	Didn't feel you were at risk of exposure to WNV/not worried	292	12	37	46	72	56	69
	Didn't have time	32	2	3	9	5	8	5
	Worried about the health effects of using repellents	122	9	15	29	28	22	19
	Didn't have repellent available when needed	41	4	10	9	10	5	3
	Couldn't afford repellent	11	1	2	4	2		2
	Mosquitoes never bite you	137	7	19	18	32	24	37
	Use other methods of preventing mostquito bites	41	2	4	2	11	5	17
	Didn't see any mosquitos	507	11	44	72	97	108	175
	I do not go outdoors	189	10	28	22	28	35	66
	Other(specify)	126	12	24	24	20	23	23
	Don't know/Not sure	46	3	8	4	12	9	10
	Refused	2					1	1

Denominator is:

All survey respondents who sometimes, seldom, or never used a mosquito repellents when outdoors.

To protect against West Nile Virus, when is it recommended that you use mosquito repellent containing DEET?

NOTE: Sum is greater than 100% since up to six responses can be recorded.

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Male	Dawn	5.1	4.0	4.6	4.7	5.6	7.2	4.3
	Dusk	13.7	13.1	14.9	15.4	12.9	14.4	11.1
	Whenever outdoors	31.5	21.7	35.8	34.0	30.4	33.5	31.1
	When mosquitoes are biting	13.1	8.2	10.4	13.6	14.6	16.2	15.0
	Mid-day	2.1	2.0	3.0	2.7	.9	2.8	1.3
	Other	6.6	9.4	6.7	6.6	5.5	6.1	6.0
	Never	4.5	3.5	3.5	4.8	6.8	3.7	4.1
	Don't know/Not sure	34.8	43.7	34.3	29.2	34.3	32.8	37.4
	Dawn	5.4	5.7	5.2	5.3	7.2	5.9	2.9
	Dusk	13.5	14.5	17.1	13.5	13.4	12.4	8.9
	Whenever outdoors	29.2	17.7	35.7	33.5	28.1	32.3	24.0
	When mosquitoes are biting	15.9	10.6	11.8	15.6	15.1	21.5	21.7
	Mid-day	2.5	3.8	3.2	3.1	.6	3.5	1.3
	Other	6.7	13.9	5.1	6.3	5.4	6.1	5.1
	Never	4.7	3.3	3.8	5.1	7.2	2.7	5.1
Don't know/Not sure	34.2	37.2	34.6	30.5	33.8	32.0	38.6	
Female	Dawn	4.7	2.1	4.0	4.1	4.1	8.5	5.3
	Dusk	13.9	11.6	12.6	17.4	12.3	16.3	12.8
	Whenever outdoors	33.8	26.1	36.0	34.6	32.6	34.6	36.5
	When mosquitoes are biting	10.5	5.6	8.8	11.5	14.1	11.0	9.9
	Mid-day	1.6		2.7	2.3	1.2	2.0	1.3
	Other	6.4	4.6	8.4	6.8	5.6	6.0	6.6
	Never	4.4	3.7	3.2	4.6	6.5	4.7	3.4
	Don't know/Not sure	35.5	50.8	34.1	27.9	34.7	33.6	36.5

Denominator is:

All survey respondents.

To protect against West Nile Virus, when is it recommended that you use mosquito repellent containing DEET?

NOTE: Sum is greater than 100% since up to six responses can be recorded.

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		2,990	146	410	476	614	601	743
	Dawn	149	5	16	24	30	39	35
	Dusk	384	16	55	71	73	80	89
	Whenever outdoors	969	29	143	165	194	202	236
	When mosquitoes are biting	408	14	44	61	92	93	104
	Mid-day	51	2	10	12	5	12	10
	Other	194	12	27	36	34	39	46
	Never	134	5	16	20	35	26	32
	Don't know/Not sure	1,030	69	142	140	209	196	274
	Refused	14	1	2	2	3	4	2
Male	Dawn	62	4	7	10	16	15	10
	Dusk	140	8	25	23	29	31	24
	Whenever outdoors	347	8	61	60	75	88	55
	When mosquitoes are biting	207	7	23	27	40	55	55
	Mid-day	22	2	4	5	1	6	4
	Other	71	9	7	11	14	18	12
	Never	54	2	8	8	14	9	13
	Don't know/Not sure	411	24	62	53	89	88	95
	Refused	6		1	2	1	1	1
Female	Dawn	87	1	9	14	14	24	25
	Dusk	244	8	30	48	44	49	65
	Whenever outdoors	622	21	82	105	119	114	181
	When mosquitoes are biting	201	7	21	34	52	38	49
	Mid-day	29		6	7	4	6	6
	Other	123	3	20	25	20	21	34
	Never	80	3	8	12	21	17	19
	Don't know/Not sure	619	45	80	87	120	108	179
	Refused	8	1	1		2	3	1

Denominator is:

All survey respondents.

In the past 6 months, were there any animals or humans infected with West Nile Virus in your area?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	5.5	4.2	5.6	6.1	6.8	5.7	3.8
No	84.6	83.4	82.2	83.3	84.8	86.4	87.8
Don't know/Not sure	9.9	12.5	12.2	10.7	8.4	7.9	8.4
Male							
Yes	4.8	2.9	4.1	5.4	7.9	3.5	3.8
No	84.6	79.4	83.0	83.7	84.1	91.2	87.1
Don't know/Not sure	10.6	17.7	12.9	10.9	8.1	5.3	9.1
Female							
Yes	6.1	5.5	7.2	6.7	5.8	7.8	3.9
No	84.6	87.7	81.4	82.8	85.4	81.8	88.3
Don't know/Not sure	9.3	6.8	11.4	10.5	8.8	10.4	7.8

Denominator is:
All survey respondents.

In the past 6 months, were there any animals or humans infected with West Nile Virus in your area?

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	2,990	146	409	476	614	602	743
Yes	169	6	24	33	44	35	27
No	2,523	121	331	389	511	517	654
Don't know/Not sure	294	19	53	54	58	49	61
Refused	4		1		1	1	1
Male							
Total	1,183	60	176	177	256	268	246
Yes	59	2	8	10	19	11	9
No	1,004	45	145	146	212	240	216
Don't know/Not sure	119	13	23	21	24	17	21
Refused	1				1		
Female							
Total	1,807	86	233	299	358	334	497
Yes	110	4	16	23	25	24	18
No	1,519	76	186	243	299	277	438
Don't know/Not sure	175	6	30	33	34	32	40
Refused	3		1			1	1

Denominator is:
All survey respondents.

Would you support a mosquito control program in your community if it had to be paid with tax dollars per household?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	64.2	57.9	59.0	62.6	66.2	67.2	71.5
No	18.2	31.1	20.6	18.6	14.2	15.1	13.1
Community already has a mosquito control program	2.8		.1	2.0	4.2	4.7	5.6
Need more information	8.9	5.2	11.6	11.9	9.9	8.9	4.6
Don't know/Not sure	5.8	5.8	8.7	4.9	5.5	4.2	5.2
Male							
Yes	62.5	51.0	57.0	61.9	67.6	67.6	69.1
No	22.6	43.0	24.5	23.4	14.6	16.7	16.8
Community already has a mosquito control program	2.9			1.7	4.8	4.7	6.4
Need more information	7.6	1.6	9.9	11.4	7.2	8.7	4.5
Don't know/Not sure	4.5	4.4	8.6	1.7	5.9	2.3	3.4
Female							
Yes	65.9	65.3	61.1	63.3	64.8	66.8	73.3
No	14.0	18.3	16.5	13.6	13.7	13.5	10.4
Community already has a mosquito control program	2.8		.2	2.3	3.7	4.7	5.0
Need more information	10.2	9.0	13.4	12.4	12.6	9.1	4.7
Don't know/Not sure	7.0	7.4	8.8	8.3	5.2	6.0	6.6

Denominator is:

All survey respondents.

Would you support a mosquito control program in your community if it had to be paid with tax dollars per household?

(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		2,990	146	409	476	614	602	743
Yes		1,934	85	237	299	399	398	516
No		485	43	87	82	89	91	93
Community already has a mosquito control program		109		1	10	26	27	45
Need more information		269	8	49	57	63	54	38
Don't know/Not sure		180	10	33	28	34	27	48
Refused		13		2		3	5	3
Male	Total	1,183	60	176	177	256	268	246
	Yes	752	30	97	111	169	179	166
	No	237	26	47	39	39	46	40
	Community already has a mosquito control program	45			4	13	11	17
	Need more information	96	1	20	19	20	24	12
	Don't know/Not sure	49	3	12	4	14	6	10
	Refused	4				1	2	1
Female	Total	1,807	86	233	299	358	334	497
	Yes	1,182	55	140	188	230	219	350
	No	248	17	40	43	50	45	53
	Community already has a mosquito control program	64		1	6	13	16	28
	Need more information	173	7	29	38	43	30	26
	Don't know/Not sure	131	7	21	24	20	21	38
	Refused	9		2		2	3	2

Denominator is:

All survey respondents.

If testing showed there were lots of West Nile Virus infected mosquitoes in your community, would you support spraying to reduce the number of mosquitoes?

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	85.0	82.8	80.6	84.2	83.2	86.2	93.2
No	6.2	11.7	6.4	5.2	7.6	5.5	2.4
Don't know/Not sure	8.8	5.6	13.1	10.6	9.2	8.3	4.5
Male							
Yes	85.2	77.9	80.8	87.7	84.2	87.4	93.4
No	7.3	16.3	8.3	4.5	7.7	5.0	3.5
Don't know/Not sure	7.5	5.8	10.9	7.8	8.1	7.6	3.1
Female							
Yes	84.7	87.9	80.3	80.6	82.2	85.0	93.0
No	5.2	6.8	4.2	5.9	7.6	5.9	1.5
Don't know/Not sure	10.0	5.3	15.5	13.4	10.1	9.0	5.5

Denominator is:
All survey respondents.

If testing showed there were lots of West Nile Virus infected mosquitoes in your community, would you support spraying to reduce the number of mosquitoes?

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	2,990	146	409	476	614	602	743
Yes	2,539	122	327	393	505	510	682
No	170	15	27	26	48	36	18
Don't know/Not sure	268	8	52	57	58	53	40
Refused	13	1	3		3	3	3
Male							
Total	1,183	60	176	177	256	268	246
Yes	1,017	48	142	155	214	230	228
No	76	8	16	9	17	17	9
Don't know/Not sure	85	3	18	13	23	20	8
Refused	5	1			2	1	1
Female							
Total	1,807	86	233	299	358	334	497
Yes	1,522	74	185	238	291	280	454
No	94	7	11	17	31	19	9
Don't know/Not sure	183	5	34	44	35	33	32
Refused	8		3		1	2	2

Denominator is:
All survey respondents.

What is the MAIN reason you would not support mosquito spraying in your community?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Believe the health effects from spraying are worse than WNV		43.0	34.5	42.5	53.5	44.1	49.8	32.5
Concerned about environmental effects of spraying		27.3	20.9	40.6	31.9	24.5	26.4	11.2
Money should be spent on something else		7.5	18.3		2.7	5.1	3.5	19.1
Not necessary since people can use personal protection		9.3	12.4	4.9	11.9	9.7	6.4	8.5
Other		10.4	13.9	12.0		13.0	10.4	8.5
Don't know/Not sure		2.5				3.6	3.5	20.1
Male	Believe the health effects from spraying are worse than WNV	45.8	37.3	53.4	56.2	49.0	46.2	28.2
	Concerned about environmental effects of spraying	15.5	10.2	32.9	18.8	9.2	11.5	
	Money should be spent on something else	12.2	25.4		6.3	10.5	7.7	17.4
	Not necessary since people can use personal protection	9.2	10.2	2.7	18.8	10.5	3.8	14.1
	Other	14.4	17.0	11.0		20.9	23.1	7.1
	Don't know/Not sure	2.8					7.7	33.2
Female	Believe the health effects from spraying are worse than WNV	39.3	27.3	19.0	51.3	39.3	52.9	39.1
	Concerned about environmental effects of spraying	43.0	48.5	57.1	42.1	39.3	38.6	28.5
	Money should be spent on something else	1.2						21.8
	Not necessary since people can use personal protection	9.4	18.2	9.5	6.6	8.9	8.6	
	Other	5.0	6.1	14.3		5.4		10.7
	Don't know/Not sure	2.0				7.1		

Denominator is:

All survey respondents who reported they would not support spraying to reduce the number of mosquitoes in their communities.

What is the MAIN reason you would not support mosquito spraying in your community?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		170	15	27	26	48	36	18
Believe the health effects from spraying are worse than WNV		73	4	11	13	21	18	6
Concerned about environmental effects of spraying		48	4	10	8	15	9	2
Money should be spent on something else		8	2		1	2	1	2
Not necessary since people can use personal protection		16	2	2	4	4	3	1
Other		18	3	4		4	4	3
Don't know/Not sure		6				2	1	3
Refused		1						1
Male	Total	76	8	16	9	17	17	9
	Believe the health effects from spraying are worse than WNV	32	2	8	4	8	8	2
	Concerned about environmental effects of spraying	12	1	5	2	2	2	
	Money should be spent on something else	7	2		1	2	1	1
	Not necessary since people can use personal protection	8	1	1	2	2	1	1
	Other	12	2	2		3	4	1
	Don't know/Not sure	4					1	3
	Refused	1						1
Female	Total	94	7	11	17	31	19	9
	Believe the health effects from spraying are worse than WNV	41	2	3	9	13	10	4
	Concerned about environmental effects of spraying	36	3	5	6	13	7	2
	Money should be spent on something else	1						1
	Not necessary since people can use personal protection	8	1	1	2	2	2	
	Other	6	1	2		1		2
	Don't know/Not sure	2				2		

Denominator is:

All survey respondents who reported they would not support spraying to reduce the number of mosquitoes in their communities.