

Have you had a blood stool test using a home kit?

(Weighted Column Percents)

		Age Groups			
		Total	50-59	60-64	65+
Yes		41.4	23.5	44.5	56.7
No		58.6	76.5	55.5	43.3
Male	Yes	35.6	17.9	40.8	51.6
	No	64.4	82.1	59.2	48.4
Female	Yes	46.8	29.5	47.5	61.1
	No	53.2	70.5	52.5	38.9

Denominator is:
All survey respondents who are 50 or older.

Have you had a blood stool test using a home kit?

(Unweighted Frequencies)

		Age Groups			
		Total	50-59	60-64	65+
Total		1,680	515	318	847
Yes		789	157	143	489
No		873	354	172	347
Don't know/Not sure		17	4	3	10
Refused		1			1
Male	Total	684	240	128	316
	Yes	272	58	50	164
	No	405	181	77	147
	Don't know/Not sure	6	1	1	4
	Refused	1			1
Female	Total	996	275	190	531
	Yes	517	99	93	325
	No	468	173	95	200
	Don't know/Not sure	11	3	2	6

Denominator is:
All survey respondents who are 50 or older.

Was the stool test you were just referring to a test at home using a special kit, or did it happen in a medical setting, such as a doctor's office?

(Weighted Column Percents)

		Age Groups			
		Total	50-59	60-64	65+
At home		89.0	91.0	92.0	87.2
Medical setting, such as a doctor's office		11.0	9.0	8.0	12.8
Male	At home	88.5	91.8	90.0	86.8
	Medical setting, such as a doctor's office	11.5	8.2	10.0	13.2
Female	At home	89.3	90.5	93.5	87.4
	Medical setting, such as a doctor's office	10.7	9.5	6.5	12.6

Denominator is:

All survey respondents who are 50 or older and have had a blood stool test using a home kit.

Was the stool test you were just referring to a test at home using a special kit, or did it happen in a medical setting, such as a doctor's office?

(Unweighted Frequencies)

		Age Groups			
		Total	50-59	60-64	65+
Total		789	157	143	489
At home		705	142	130	433
Medical setting, such as a doctor's office		79	14	13	52
Don't know/Not sure		5	1		4
Male	Total	272	58	50	164
	At home	244	53	46	145
	Medical setting, such as a doctor's office	28	5	4	19
Female	Total	517	99	93	325
	At home	461	89	84	288
	Medical setting, such as a doctor's office	51	9	9	33
	Don't know/Not sure	5	1		4

Denominator is:

All survey respondents who are 50 or older and have had a blood stool test using a home kit.

How long has it been since you had a blood stool test using a home kit?

(Weighted Column Percents)

		Age Groups			
		Total	50-59	60-64	65+
Within the past year		24.3	37.6	20.0	20.5
Within the past 2 years		12.7	7.6	9.5	15.9
Within the past 3 years		9.7	11.0	11.7	8.4
Within the past 5 years		15.0	13.5	20.6	13.6
5 or more years ago		38.3	30.2	38.2	41.6
Male	Within the past year	29.8	43.3	27.6	25.4
	Within the past 2 years	13.4	3.6	9.9	18.3
	Within the past 3 years	10.6	12.2	11.9	9.6
	Within the past 5 years	13.8	15.5	18.2	11.6
	5 or more years ago	32.3	25.3	32.3	35.0
Female	Within the past year	20.4	33.8	14.7	16.7
	Within the past 2 years	12.1	10.2	9.2	14.0
	Within the past 3 years	9.0	10.3	11.5	7.6
	Within the past 5 years	15.9	12.2	22.3	15.1
	5 or more years ago	42.6	33.5	42.3	46.6

Denominator is:

All survey respondents who are 50 or older and have had a blood stool test using a home kit.

How long has it been since you had a blood stool test using a home kit?

(Unweighted Frequencies)

		Age Groups			
		Total	50-59	60-64	65+
Total		705	142	130	433
Within the past year		155	48	25	82
Within the past 2 years		85	14	14	57
Within the past 3 years		61	12	13	36
Within the past 5 years		92	18	21	53
5 or more years ago		265	41	51	173
Don't know/Not sure		46	9	6	31
Refused		1			1
Male	Total	244	53	46	145
	Within the past year	64	19	11	34
	Within the past 2 years	34	4	6	24
	Within the past 3 years	26	5	5	16
	Within the past 5 years	31	7	8	16
	5 or more years ago	79	15	14	50
	Don't know/Not sure	10	3	2	5
Female	Total	461	89	84	288
	Within the past year	91	29	14	48
	Within the past 2 years	51	10	8	33
	Within the past 3 years	35	7	8	20
	Within the past 5 years	61	11	13	37
	5 or more years ago	186	26	37	123
	Don't know/Not sure	36	6	4	26
Refused		1			1

Denominator is:

All survey respondents who are 50 or older and have had a blood stool test using a home kit.

Have you ever had a sigmoidoscopy or a colonoscopy exam?

(Weighted Column Percents)

		Age Groups			
		Total	50-59	60-64	65+
Yes		68.9	49.3	79.2	82.6
No		31.1	50.7	20.8	17.4
Male	Yes	67.2	48.7	79.0	81.2
	No	32.8	51.3	21.0	18.8
Female	Yes	70.4	49.9	79.4	83.7
	No	29.6	50.1	20.6	16.3

Denominator is:
All survey respondents who are 50 or older.

Have you ever had a sigmoidoscopy or a colonoscopy exam?

(Unweighted Frequencies)

		Age Groups			
		Total	50-59	60-64	65+
Total		1,677	514	318	845
Yes		1,241	302	252	687
No		429	211	66	152
Don't know/Not sure		7	1		6
Male	Total	682	239	128	315
	Yes	491	140	101	250
	No	190	99	27	64
	Don't know/Not sure	1			1
Female	Total	995	275	190	530
	Yes	750	162	151	437
	No	239	112	39	88
	Don't know/Not sure	6	1		5

Denominator is:
All survey respondents who are 50 or older.

Was your most recent exam a sigmoidoscopy or a colonoscopy?

(Weighted Column Percents)

		Age Groups			
		Total	50-59	60-64	65+
Sigmoidoscopy		8.9	7.5	5.4	11.2
Colonoscopy		91.1	92.5	94.6	88.8
Male	Sigmoidoscopy	9.2	5.0	7.9	12.3
	Colonoscopy	90.8	95.0	92.1	87.7
Female	Sigmoidoscopy	8.7	10.0	3.4	10.3
	Colonoscopy	91.3	90.0	96.6	89.7

Denominator is:

All survey respondents who are 50 or older and have had a Sigmoidoscopy or colonoscopy exam.

Was your most recent exam a sigmoidoscopy or a colonoscopy?

(Unweighted Frequencies)

		Age Groups			
		Total	50-59	60-64	65+
Total		1,239	302	251	686
Sigmoidoscopy		110	22	15	73
Colonoscopy		1,090	274	234	582
Don't know/Not sure		36	4	2	30
Refused		3	2		1
Male	Total	491	140	101	250
	Sigmoidoscopy	48	10	7	31
	Colonoscopy	430	126	94	210
	Don't know/Not sure	11	2		9
	Refused	2	2		
Female	Total	748	162	150	436
	Sigmoidoscopy	62	12	8	42
	Colonoscopy	660	148	140	372
	Don't know/Not sure	25	2	2	21
	Refused	1			1

Denominator is:

All survey respondents who are 50 or older and have had a Sigmoidoscopy or colonoscopy exam.

How long has it been since you had your last sigmoidoscopy or colonoscopy?

(Weighted Column Percents)

		Age Groups			
		Total	50-59	60-64	65+
Within the past year		16.6	17.7	18.5	15.2
Within the past 2 years		15.6	18.8	14.6	14.2
Within the past 3 years		13.0	13.2	12.3	13.2
Within the past 5 years		24.0	25.5	21.2	24.2
5 or more years ago		25.3	21.8	27.8	26.2
10 or more years ago		5.6	3.1	5.7	6.9
Male	Within the past year	14.5	16.1	15.3	13.2
	Within the past 2 years	18.4	20.9	18.7	16.8
	Within the past 3 years	13.0	14.9	10.3	12.9
	Within the past 5 years	25.1	24.8	22.8	26.3
	5 or more years ago	23.5	18.6	27.3	25.0
	10 or more years ago	5.4	4.7	5.6	5.7
Female	Within the past year	18.4	19.2	21.0	16.9
	Within the past 2 years	13.1	16.6	11.3	12.0
	Within the past 3 years	13.0	11.4	13.8	13.5
	Within the past 5 years	23.0	26.3	20.0	22.5
	5 or more years ago	26.8	24.9	28.2	27.2
	10 or more years ago	5.7	1.5	5.8	7.9

Denominator is:

All survey respondents who are 50 or older and have had a Sigmoidoscopy or colonoscopy exam.

How long has it been since you had your last sigmoidoscopy or colonoscopy?

(Unweighted Frequencies)

		Age Groups			
		Total	50-59	60-64	65+
Total		1,238	301	251	686
Within the past year		205	56	43	106
Within the past 2 years		178	51	36	91
Within the past 3 years		162	34	34	94
Within the past 5 years		275	74	53	148
5 or more years ago		312	71	69	172
10 or more years ago		77	12	14	51
Don't know/Not sure		28	2	2	24
Refused		1	1		
Male	Total	491	140	101	250
	Within the past year	79	25	17	37
	Within the past 2 years	81	24	19	38
	Within the past 3 years	64	17	11	36
	Within the past 5 years	105	30	22	53
	5 or more years ago	121	34	26	61
	10 or more years ago	29	8	4	17
	Don't know/Not sure	11	1	2	8
	Refused	1	1		
Female	Total	747	161	150	436
	Within the past year	126	31	26	69
	Within the past 2 years	97	27	17	53
	Within the past 3 years	98	17	23	58
	Within the past 5 years	170	44	31	95
	5 or more years ago	191	37	43	111
	10 or more years ago	48	4	10	34
	Don't know/Not sure	17	1		16

Denominator is:

All survey respondents who are 50 or older and have had a Sigmoidoscopy or colonoscopy exam.

At risk for colorectal cancer: Those respondents 50+ who have not had a blood stool test in two years.

(Weighted Column Percents)

		Age Groups			
		Total	50-59	60-64	65+
Not at Risk		13.7	9.5	12.2	18.7
At Risk		86.3	90.5	87.8	81.3
Male	Not at Risk	13.8	7.6	14.0	20.5
	At Risk	86.2	92.4	86.0	79.5
Female	Not at Risk	13.6	11.5	10.6	17.0
	At Risk	86.4	88.5	89.4	83.0

Denominator is:
All survey respondents who are 50 or older.

At risk for colorectal cancer: Those respondents 50+ who have not had a blood stool test in two years.

(Unweighted Frequencies)

		Age Groups			
		Total	50-59	60-64	65+
Total		1,596	500	305	791
Not at Risk		240	62	39	139
At Risk		1,291	425	257	609
Don't know/Not Sure/Refused/Missing		65	13	9	43
Male	Total	656	235	124	297
	Not at Risk	98	23	17	58
	At Risk	541	208	104	229
	Don't know/Not Sure/Refused/Missing	17	4	3	10
Female	Total	940	265	181	494
	Not at Risk	142	39	22	81
	At Risk	750	217	153	380
	Don't know/Not Sure/Refused/Missing	48	9	6	33

Denominator is:
All survey respondents who are 50 or older.

At risk for colorectal cancer: Respondents aged 50+ that have never had a sigmoidoscopy or colonoscopy.

(Weighted Column Percents)

		Age Groups			
		Total	50-59	60-64	65+
Not at Risk		68.9	49.3	79.2	82.6
At Risk		31.1	50.7	20.8	17.4
Male	Not at Risk	67.2	48.7	79.0	81.2
	At Risk	32.8	51.3	21.0	18.8
Female	Not at Risk	70.4	49.9	79.4	83.7
	At Risk	29.6	50.1	20.6	16.3

Denominator is:
All survey respondents who are 50 or older.

At risk for colorectal cancer: Respondents aged 50+ that have never had a sigmoidoscopy or colonoscopy.

(Unweighted Frequencies)

		Age Groups			
		Total	50-59	60-64	65+
Total		1,677	514	318	845
Not at Risk		1,241	302	252	687
At Risk		429	211	66	152
Don't know/Not Sure/Refused/Missing		7	1		6
Male	Total	682	239	128	315
	Not at Risk	491	140	101	250
	At Risk	190	99	27	64
	Don't know/Not Sure/Refused/Missing	1			1
Female	Total	995	275	190	530
	Not at Risk	750	162	151	437
	At Risk	239	112	39	88
	Don't know/Not Sure/Refused/Missing	6	1		5

Denominator is:
All survey respondents who are 50 or older.