

DRUGS - Access to Tobacco

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.Summary. During the past 30 days, did you get tobacco
(cigarettes, chew, snuff, or cigars)?

| | Total | Female | Male | Gender unknown |
|--|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| Yes, got tobacco | 13.7 | 13.9 | 13.1 | 15.9 |
| Didn't get tobacco from survey choices | 19.2 | 15.6 | 22.0 | 25.5 |
| No, did not get tobacco at all | 67.2 | 70.5 | 64.9 | 58.6 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.Summary. During the past 30 days, did you get tobacco
(cigarettes, chew, snuff, or cigars)?

| | Total | Female | Male | Gender unknown |
|--|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped question | 522 | 203 | 270 | 49 |
| Yes, got tobacco | 659 | 322 | 284 | 53 |
| Didn't get tobacco from survey choices | 954 | 358 | 512 | 84 |
| No, did not get tobacco at all | 3,367 | 1,677 | 1,460 | 230 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.a. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from grocery stores?

| | Total | Female | Male | Gender unknown |
|------------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 times | 91.7 | 91.2 | 92.0 | 92.8 |
| 1 time | 1.8 | 2.5 | 1.5 | .6 |
| 2 times | 1.8 | 1.2 | 2.2 | 3.3 |
| 3 times | .9 | .6 | 1.2 | .4 |
| 4 times | .9 | .5 | 1.2 | 1.0 |
| 5-9 times | .5 | .8 | .2 | |
| 10-14 times | .3 | .2 | .4 | .4 |
| 15 or more times | 2.1 | 3.0 | 1.4 | 1.4 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.a. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from grocery stores?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 3,659 | 1,783 | 1,607 | 269 |
| 0 times | 1,695 | 711 | 846 | 138 |
| 1 time | 38 | 18 | 18 | 2 |
| 2 times | 32 | 14 | 16 | 2 |
| 3 times | 20 | 8 | 11 | 1 |
| 4 times | 16 | 5 | 10 | 1 |
| 5-9 times | 8 | 4 | 4 | |
| 10-14 times | 5 | 2 | 2 | 1 |
| 15 or more times | 29 | 15 | 12 | 2 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.b. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from vending machines?

| | Total | Female | Male | Gender unknown |
|------------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 times | 95.0 | 96.2 | 94.0 | 93.8 |
| 1 time | 1.0 | .4 | 1.7 | .2 |
| 2 times | .6 | .3 | .8 | 1.3 |
| 3 times | .8 | .5 | .9 | 2.3 |
| 4 times | .7 | .9 | .4 | 1.0 |
| 5-9 times | .1 | .1 | .2 | |
| 10-14 times | .3 | | .7 | |
| 15 or more times | 1.4 | 1.7 | 1.3 | 1.4 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.b. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from vending machines?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 3,687 | 1,797 | 1,619 | 271 |
| 0 times | 1,734 | 737 | 859 | 138 |
| 1 time | 24 | 5 | 18 | 1 |
| 2 times | 10 | 3 | 5 | 2 |
| 3 times | 14 | 5 | 8 | 1 |
| 4 times | 9 | 6 | 2 | 1 |
| 5-9 times | 4 | 1 | 3 | |
| 10-14 times | 2 | | 2 | |
| 15 or more times | 18 | 6 | 10 | 2 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.c. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from convenience stores (such as 7-Eleven)?

| | Total | Female | Male | Gender unknown |
|------------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 times | 90.5 | 90.3 | 90.5 | 91.9 |
| 1 time | 2.5 | 2.6 | 2.5 | 1.4 |
| 2 times | 1.1 | .6 | 1.6 | 1.0 |
| 3 times | 1.2 | .5 | 2.1 | .4 |
| 4 times | 1.0 | 1.1 | .8 | 1.0 |
| 5-9 times | 1.5 | 2.3 | .5 | 2.2 |
| 10-14 times | .3 | .4 | .2 | .4 |
| 15 or more times | 1.9 | 2.2 | 1.8 | 1.6 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.c. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from convenience stores (such as 7-Eleven)?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 3,692 | 1,798 | 1,625 | 269 |
| 0 times | 1,655 | 697 | 823 | 135 |
| 1 time | 48 | 22 | 22 | 4 |
| 2 times | 21 | 5 | 15 | 1 |
| 3 times | 19 | 6 | 12 | 1 |
| 4 times | 16 | 7 | 8 | 1 |
| 5-9 times | 15 | 9 | 5 | 1 |
| 10-14 times | 9 | 5 | 3 | 1 |
| 15 or more times | 27 | 11 | 13 | 3 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.d. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from drug stores?

| | Total | Female | Male | Gender unknown |
|------------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 times | 94.0 | 95.7 | 93.2 | 90.0 |
| 1 time | 1.4 | .6 | 2.1 | 1.3 |
| 2 times | 1.0 | 1.0 | 1.1 | .7 |
| 3 times | .9 | .5 | 1.3 | 1.0 |
| 4 times | .8 | .9 | .5 | 2.3 |
| 5-9 times | .4 | .1 | .6 | 1.0 |
| 10-14 times | .0 | .0 | | |
| 15 or more times | 1.4 | 1.3 | 1.1 | 3.7 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.d. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from drug stores?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 3,695 | 1,797 | 1,626 | 272 |
| 0 times | 1,725 | 736 | 855 | 134 |
| 1 time | 21 | 6 | 13 | 2 |
| 2 times | 14 | 4 | 8 | 2 |
| 3 times | 15 | 6 | 8 | 1 |
| 4 times | 9 | 4 | 4 | 1 |
| 5-9 times | 6 | 1 | 4 | 1 |
| 10-14 times | 1 | 1 | | |
| 15 or more times | 16 | 5 | 8 | 3 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.e. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from gas stations?

| | Total | Female | Male | Gender unknown |
|------------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 times | 90.2 | 90.6 | 89.8 | 89.7 |
| 1 time | 2.4 | 2.4 | 2.5 | 1.5 |
| 2 times | 1.8 | 2.1 | 1.3 | 2.7 |
| 3 times | .9 | .8 | .9 | 1.1 |
| 4 times | 1.0 | 1.2 | .8 | 1.1 |
| 5-9 times | .3 | .3 | .4 | |
| 10-14 times | .8 | .3 | 1.4 | |
| 15 or more times | 2.7 | 2.3 | 2.9 | 4.0 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.e. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from gas stations?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 3,704 | 1,805 | 1,626 | 273 |
| 0 times | 1,636 | 689 | 816 | 131 |
| 1 time | 45 | 20 | 21 | 4 |
| 2 times | 30 | 12 | 16 | 2 |
| 3 times | 21 | 9 | 11 | 1 |
| 4 times | 15 | 6 | 8 | 1 |
| 5-9 times | 10 | 6 | 4 | |
| 10-14 times | 7 | 2 | 5 | |
| 15 or more times | 34 | 11 | 19 | 4 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.f. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from friends 18 or older?

| | Total | Female | Male | Gender unknown |
|------------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 times | 75.6 | 70.4 | 79.2 | 82.1 |
| 1 time | 6.7 | 7.1 | 7.3 | 1.8 |
| 2 times | 2.6 | 2.8 | 2.3 | 3.2 |
| 3 times | 3.3 | 4.0 | 2.7 | 3.0 |
| 4 times | 1.6 | 2.0 | 1.2 | 1.8 |
| 5-9 times | 2.7 | 4.2 | 1.8 | .4 |
| 10-14 times | 2.0 | 3.1 | 1.2 | 1.5 |
| 15 or more times | 5.4 | 6.5 | 4.2 | 6.2 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.f. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from friends 18 or older?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 3,678 | 1,796 | 1,612 | 270 |
| 0 times | 1,390 | 541 | 728 | 121 |
| 1 time | 118 | 52 | 61 | 5 |
| 2 times | 63 | 31 | 25 | 7 |
| 3 times | 56 | 32 | 23 | 1 |
| 4 times | 31 | 15 | 13 | 3 |
| 5-9 times | 46 | 30 | 15 | 1 |
| 10-14 times | 25 | 16 | 7 | 2 |
| 15 or more times | 95 | 47 | 42 | 6 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.g. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from friends under 18?

| | Total | Female | Male | Gender unknown |
|------------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 times | 72.5 | 68.5 | 76.1 | 71.6 |
| 1 time | 8.3 | 8.6 | 7.9 | 8.7 |
| 2 times | 3.9 | 5.1 | 3.4 | 1.5 |
| 3 times | 2.4 | 3.4 | 1.8 | 1.4 |
| 4 times | 3.3 | 5.0 | 1.4 | 5.5 |
| 5-9 times | 2.7 | 3.0 | 2.2 | 4.0 |
| 10-14 times | 1.1 | 1.2 | 1.0 | 1.4 |
| 15 or more times | 5.8 | 5.2 | 6.3 | 5.9 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.g. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from friends under 18?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 3,689 | 1,808 | 1,614 | 267 |
| 0 times | 1,316 | 505 | 708 | 103 |
| 1 time | 156 | 70 | 65 | 21 |
| 2 times | 79 | 44 | 31 | 4 |
| 3 times | 48 | 29 | 17 | 2 |
| 4 times | 56 | 36 | 14 | 6 |
| 5-9 times | 43 | 23 | 16 | 4 |
| 10-14 times | 22 | 8 | 11 | 3 |
| 15 or more times | 93 | 37 | 50 | 6 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.h. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) by taking them from home without permission?

| | Total | Female | Male | Gender unknown |
|------------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 times | 84.5 | 81.5 | 86.8 | 86.2 |
| 1 time | 4.2 | 5.4 | 3.3 | 2.8 |
| 2 times | 2.0 | 2.6 | 1.8 | .5 |
| 3 times | 2.1 | 2.3 | 2.3 | |
| 4 times | 1.6 | 3.0 | .6 | .3 |
| 5-9 times | 1.4 | 1.3 | 1.2 | 3.6 |
| 10-14 times | 1.0 | 1.3 | 1.0 | |
| 15 or more times | 3.2 | 2.7 | 3.0 | 6.7 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.h. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) by taking them from home without permission?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 3,702 | 1,802 | 1,630 | 270 |
| 0 times | 1,542 | 625 | 789 | 128 |
| 1 time | 79 | 43 | 30 | 6 |
| 2 times | 37 | 17 | 19 | 1 |
| 3 times | 34 | 15 | 19 | |
| 4 times | 21 | 15 | 5 | 1 |
| 5-9 times | 22 | 14 | 5 | 3 |
| 10-14 times | 14 | 6 | 8 | |
| 15 or more times | 51 | 23 | 21 | 7 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.i. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from a parent?

| | Total | Female | Male | Gender unknown |
|------------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 times | 89.8 | 89.6 | 90.8 | 85.3 |
| 1 time | 2.5 | 3.2 | 2.1 | 1.5 |
| 2 times | 1.3 | .9 | 1.2 | 3.4 |
| 3 times | .7 | .9 | .7 | |
| 4 times | .6 | .8 | .5 | |
| 5-9 times | .6 | .9 | .6 | |
| 10-14 times | .6 | .4 | .6 | 2.2 |
| 15 or more times | 3.8 | 3.4 | 3.6 | 7.6 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.i. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from a parent?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 3,698 | 1,803 | 1,625 | 270 |
| 0 times | 1,639 | 679 | 828 | 132 |
| 1 time | 49 | 27 | 19 | 3 |
| 2 times | 25 | 11 | 12 | 2 |
| 3 times | 14 | 8 | 6 | |
| 4 times | 9 | 4 | 5 | |
| 5-9 times | 8 | 6 | 2 | |
| 10-14 times | 9 | 2 | 6 | 1 |
| 15 or more times | 51 | 20 | 23 | 8 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.j. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from a brother or sister?

| | Total | Female | Male | Gender unknown |
|------------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 times | 88.9 | 87.9 | 90.5 | 85.4 |
| 1 time | 3.0 | 3.6 | 2.4 | 3.7 |
| 2 times | .9 | .9 | .9 | .4 |
| 3 times | 1.6 | 1.3 | 1.8 | 1.8 |
| 4 times | 1.4 | 1.7 | .6 | 3.7 |
| 5-9 times | .9 | 1.3 | .8 | |
| 10-14 times | .4 | .4 | .4 | |
| 15 or more times | 2.9 | 2.8 | 2.6 | 5.0 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.j. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from a brother or sister?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 3,697 | 1,801 | 1,627 | 269 |
| 0 times | 1,599 | 657 | 809 | 133 |
| 1 time | 67 | 37 | 27 | 3 |
| 2 times | 24 | 11 | 12 | 1 |
| 3 times | 27 | 14 | 10 | 3 |
| 4 times | 18 | 10 | 6 | 2 |
| 5-9 times | 18 | 8 | 10 | |
| 10-14 times | 6 | 3 | 3 | |
| 15 or more times | 46 | 19 | 22 | 5 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.k. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from the Internet?

| | Total | Female | Male | Gender unknown |
|------------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 times | 96.7 | 98.3 | 95.4 | 96.2 |
| 1 time | .9 | .3 | 1.5 | |
| 2 times | .6 | .0 | .6 | 3.1 |
| 3 times | .2 | .1 | .3 | |
| 4 times | .5 | .6 | .6 | |
| 5-9 times | .1 | | .1 | |
| 10-14 times | .3 | .2 | .3 | |
| 15 or more times | .8 | .4 | 1.2 | .7 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.k. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from the Internet?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 3,705 | 1,804 | 1,630 | 271 |
| 0 times | 1,751 | 746 | 863 | 142 |
| 1 time | 15 | 3 | 12 | |
| 2 times | 6 | 1 | 4 | 1 |
| 3 times | 4 | 2 | 2 | |
| 4 times | 6 | 1 | 5 | |
| 5-9 times | 3 | | 3 | |
| 10-14 times | 3 | 1 | 2 | |
| 15 or more times | 9 | 2 | 5 | 2 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.I. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from people selling tobacco on the street?

| | Total | Female | Male | Gender unknown |
|------------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| 0 times | 93.8 | 94.1 | 93.3 | 94.8 |
| 1 time | 1.7 | 1.3 | 1.8 | 3.0 |
| 2 times | .2 | .2 | .2 | |
| 3 times | .8 | .8 | .8 | .5 |
| 4 times | 1.3 | 1.7 | 1.3 | |
| 5-9 times | .3 | .3 | .4 | |
| 10-14 times | .4 | .1 | .7 | |
| 15 or more times | 1.5 | 1.5 | 1.5 | 1.7 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E6.I. During the past 30 days, did you get tobacco (cigarettes, chew, snuff, or cigars) from people selling tobacco on the street?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 3,694 | 1,799 | 1,623 | 272 |
| 0 times | 1,712 | 725 | 848 | 139 |
| 1 time | 32 | 13 | 18 | 1 |
| 2 times | 4 | 3 | 1 | |
| 3 times | 15 | 5 | 9 | 1 |
| 4 times | 11 | 4 | 7 | |
| 5-9 times | 10 | 4 | 6 | |
| 10-14 times | 3 | 1 | 2 | |
| 15 or more times | 21 | 6 | 12 | 3 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E7. During the past 30 days, how many times has any store or gas station refused to sell you cigarettes?

| | Total | Female | Male | Gender unknown |
|---|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| I did not try to buy cigarettes | 97.1 | 97.5 | 97.0 | 95.3 |
| None (I was able to buy cigarettes each time I tried) | 1.1 | 1.2 | 1.2 | .4 |
| 1 time | .7 | .7 | .6 | 1.7 |
| 2 times | .4 | .2 | .4 | 1.7 |
| 3 times | .1 | .1 | .2 | |
| 4 times | .0 | | .0 | |
| 5 times | .1 | | .1 | |
| 6 or more times | .5 | .4 | .5 | .9 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E7. During the past 30 days, how many times has any store or gas station refused to sell you cigarettes?

| | Total | Female | Male | Gender unknown |
|---|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: skipped Q | 533 | 183 | 300 | 50 |
| I did not try to buy cigarettes | 4,829 | 2,325 | 2,149 | 355 |
| None (I was able to buy cigarettes each time I tried) | 57 | 25 | 30 | 2 |
| 1 time | 33 | 13 | 17 | 3 |
| 2 times | 15 | 6 | 6 | 3 |
| 3 times | 6 | 2 | 4 | |
| 4 times | 1 | | 1 | |
| 5 times | 5 | | 5 | |
| 6 or more times | 23 | 6 | 14 | 3 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.a. How hard or easy do you think it would be to get tobacco (cigarettes or chewing tobacco) from grocery stores?

| | Total | Female | Male | Gender unknown |
|--------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| Very easy | 5.2 | 3.3 | 6.9 | 8.3 |
| Sort of easy | 13.0 | 13.6 | 12.6 | 11.7 |
| Sort of hard | 32.7 | 33.9 | 31.4 | 32.3 |
| Very hard | 49.1 | 49.2 | 49.2 | 47.7 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.a. How hard or easy do you think it would be to get tobacco (cigarettes or chewing tobacco) from grocery stores?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 593 | 205 | 332 | 56 |
| Very easy | 282 | 88 | 171 | 23 |
| Sort of easy | 606 | 304 | 260 | 42 |
| Sort of hard | 1,608 | 802 | 677 | 129 |
| Very hard | 2,413 | 1,161 | 1,086 | 166 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.b. How hard or easy do you think it would be to get tobacco (cigarettes or chewing tobacco) from convenience stores (such as 7-Eleven)?

| | Total | Female | Male | Gender unknown |
|--------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| Very easy | 9.5 | 7.8 | 11.2 | 10.7 |
| Sort of easy | 20.3 | 22.2 | 18.2 | 19.2 |
| Sort of hard | 33.4 | 35.5 | 31.2 | 32.5 |
| Very hard | 36.9 | 34.6 | 39.4 | 37.5 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.b. How hard or easy do you think it would be to get tobacco (cigarettes or chewing tobacco) from convenience stores (such as 7-Eleven)?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 613 | 214 | 342 | 57 |
| Very easy | 450 | 172 | 240 | 38 |
| Sort of easy | 964 | 493 | 399 | 72 |
| Sort of hard | 1,667 | 855 | 690 | 122 |
| Very hard | 1,808 | 826 | 855 | 127 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.c. How hard or easy do you think it would be to get tobacco (cigarettes or chewing tobacco) from friends 18 or older?

| | Total | Female | Male | Gender unknown |
|--------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| Very easy | 43.6 | 45.8 | 41.5 | 41.1 |
| Sort of easy | 25.2 | 26.7 | 23.5 | 24.8 |
| Sort of hard | 13.4 | 12.9 | 14.2 | 11.9 |
| Very hard | 17.8 | 14.7 | 20.8 | 22.2 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.c. How hard or easy do you think it would be to get tobacco (cigarettes or chewing tobacco) from friends 18 or older?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 614 | 226 | 334 | 54 |
| Very easy | 2,112 | 1,053 | 901 | 158 |
| Sort of easy | 1,279 | 633 | 553 | 93 |
| Sort of hard | 662 | 317 | 300 | 45 |
| Very hard | 835 | 331 | 438 | 66 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.d. How hard or easy do you think it would be to get tobacco (cigarettes or chewing tobacco) from friends under 18?

| | Total | Female | Male | Gender unknown |
|--------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| Very easy | 33.1 | 33.6 | 32.0 | 36.1 |
| Sort of easy | 24.6 | 25.3 | 24.4 | 20.3 |
| Sort of hard | 17.3 | 17.7 | 17.3 | 14.6 |
| Very hard | 25.0 | 23.3 | 26.3 | 29.0 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.d. How hard or easy do you think it would be to get tobacco (cigarettes or chewing tobacco) from friends under 18?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 625 | 233 | 338 | 54 |
| Very easy | 1,585 | 774 | 682 | 129 |
| Sort of easy | 1,174 | 573 | 518 | 83 |
| Sort of hard | 896 | 440 | 395 | 61 |
| Very hard | 1,222 | 540 | 593 | 89 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.e. How hard or easy do you think it would be to get tobacco
(cigarettes or chewing tobacco) from a parent?

| | Total | Female | Male | Gender unknown |
|--------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| Very easy | 8.3 | 6.8 | 9.5 | 11.7 |
| Sort of easy | 7.3 | 8.9 | 5.6 | 6.4 |
| Sort of hard | 11.5 | 10.5 | 13.2 | 7.9 |
| Very hard | 72.9 | 73.7 | 71.8 | 74.0 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.e. How hard or easy do you think it would be to get tobacco
(cigarettes or chewing tobacco) from a parent?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 628 | 230 | 340 | 58 |
| Very easy | 413 | 179 | 200 | 34 |
| Sort of easy | 355 | 199 | 135 | 21 |
| Sort of hard | 570 | 260 | 272 | 38 |
| Very hard | 3,536 | 1,692 | 1,579 | 265 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.f. How hard or easy do you think it would be to get tobacco
(cigarettes or chewing tobacco) from a brother or sister?

| | Total | Female | Male | Gender unknown |
|--------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| Very easy | 14.4 | 13.5 | 14.8 | 18.2 |
| Sort of easy | 14.0 | 15.6 | 12.1 | 14.6 |
| Sort of hard | 17.2 | 17.7 | 17.2 | 13.4 |
| Very hard | 54.4 | 53.2 | 55.9 | 53.8 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.f. How hard or easy do you think it would be to get tobacco (cigarettes or chewing tobacco) from a brother or sister?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 653 | 246 | 350 | 57 |
| Very easy | 711 | 332 | 314 | 65 |
| Sort of easy | 684 | 352 | 282 | 50 |
| Sort of hard | 811 | 420 | 340 | 51 |
| Very hard | 2,643 | 1,210 | 1,240 | 193 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.g. How hard or easy do you think it would be to get tobacco (cigarettes or chewing tobacco) from through the Internet?

| | Total | Female | Male | Gender unknown |
|--------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| Very easy | 20.1 | 18.0 | 22.1 | 22.7 |
| Sort of easy | 16.1 | 17.3 | 14.7 | 16.1 |
| Sort of hard | 19.7 | 21.5 | 17.7 | 19.9 |
| Very hard | 44.1 | 43.2 | 45.5 | 41.3 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.g. How hard or easy do you think it would be to get tobacco (cigarettes or chewing tobacco) from through the Internet?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 688 | 262 | 366 | 60 |
| Very easy | 960 | 414 | 465 | 81 |
| Sort of easy | 788 | 411 | 323 | 54 |
| Sort of hard | 979 | 520 | 387 | 72 |
| Very hard | 2,087 | 953 | 985 | 149 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.h. How hard or easy do you think it would be to get tobacco
(cigarettes or chewing tobacco) from just taking it at home without
permission?

| | Total | Female | Male | Gender unknown |
|--------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| Very easy | 32.5 | 35.1 | 30.0 | 29.5 |
| Sort of easy | 14.2 | 15.3 | 13.2 | 11.8 |
| Sort of hard | 10.6 | 10.8 | 10.5 | 9.5 |
| Very hard | 42.7 | 38.7 | 46.3 | 49.2 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.h. How hard or easy do you think it would be to get tobacco (cigarettes or
chewing tobacco) from just taking it at home without permission?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 637 | 240 | 339 | 58 |
| Very easy | 1,548 | 791 | 649 | 108 |
| Sort of easy | 704 | 372 | 281 | 51 |
| Sort of hard | 544 | 267 | 240 | 37 |
| Very hard | 2,069 | 890 | 1,017 | 162 |

Unweighted counts.

Oregon Healthy Teens 2001 Data Summary, 8th Grade
E8.i. How hard or easy do you think it would be to get tobacco
(cigarettes or chewing tobacco) from people selling it on the street?

| | Total | Female | Male | Gender unknown |
|--------------|-------|--------|-------|----------------|
| Total | 100.0 | 100.0 | 100.0 | 100.0 |
| Very easy | 37.2 | 36.4 | 38.3 | 35.8 |
| Sort of easy | 23.6 | 26.1 | 21.5 | 18.9 |
| Sort of hard | 14.2 | 14.5 | 13.8 | 15.4 |
| Very hard | 25.0 | 23.1 | 26.4 | 29.9 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2001 Data Summary, 8th Grade

E8.i. How hard or easy do you think it would be to get tobacco (cigarettes or chewing tobacco) from people selling it on the street?

| | Total | Female | Male | Gender unknown |
|--------------------|-------|--------|-------|----------------|
| Total | 5,502 | 2,560 | 2,526 | 416 |
| Missing: Skipped Q | 603 | 219 | 330 | 54 |
| Very easy | 1,817 | 854 | 824 | 139 |
| Sort of easy | 1,127 | 608 | 449 | 70 |
| Sort of hard | 739 | 359 | 323 | 57 |
| Very hard | 1,216 | 520 | 600 | 96 |

Unweighted counts.