

TABLE 7-17. Neonatal, Postneonatal, and Infant Death Rates by Mother's Risk Factors, Oregon Residents, Birth Cohort 2001

Risk Factor	Neonatal ¹		Post-Neonatal ²		Infant ³	
	No.	Rate	No.	Rate	No.	Rate
Total	156	3.4	75	1.7	231	5.1
Marital Status						
Married	99	3.1	31	1.0	130	4.1
Unmarried	57	4.2	44	3.2	101	7.4
Mother's Age						
10-14	—	—	—	—	—	—
15-19	14	2.9	23	4.8	37	7.7
20-24	39	3.2	18	1.5	57	4.7
25-29	47	3.8	17	1.4	64	5.2
30-34	26	2.6	11	1.1	37	3.7
35-39	22	4.8	6	1.3	28	6.1
40-44	5	5.0	—	—	5	5.0
45+	2	—	—	—	2	—
Non-Hispanic						
White	117	3.5	53	1.6	170	5.1
African American	3	—	6	6.6	9	9.9
American Indian	3	—	1	—	4	—
Asian ⁴	6	2.7	1	—	7	3.2
Total Hispanic	27	3.4	12	1.5	39	4.9
Mother's Education						
8 th Grade or Less	9	2.9	3	—	12	3.9
Some High School	24	3.8	26	4.2	50	8.0
HS diploma/GED	49	3.4	25	1.7	74	5.1
More than High School	65	3.1	20	1.0	85	4.0
Start of Prenatal Care						
1 st Trimester	125	3.4	54	1.5	179	4.9
2 nd Trimester	18	2.7	14	2.1	32	4.8
3 rd Trimester	3	—	6	4.6	9	6.9
No Care	10	24.4	1	—	11	26.8
Tobacco Use						
Yes	25	4.3	21	3.7	46	8.0
No	123	3.1	52	1.3	175	4.5
Alcohol Use						
Yes	3	—	—	—	3	—
No	144	3.3	73	1.7	217	4.9
Multiple Birth						
Yes	24	18.8	1	—	25	19.5
No	132	3.0	74	1.7	206	4.7

— Quantity is zero or rate is based on fewer than five occurrences.

NOTE: Because of unreported items, the sum of all categories may not equal the total.

All rates per 1,000 live births.

¹ Neonatal deaths include infant deaths of less than 28 days.

² Postneonatal deaths occur from day 28 through 364 after birth.

³ Infant death is the death of a child prior to its first birthday.

⁴ Includes Chinese, Japanese, Filipino, and Other Asian & Pacific Islander.