

**TABLE 5-3. Deaths, Infant Deaths, Neonatal Deaths, and Fetal Deaths,
by County of Residence, Oregon, 2004**

County of Residence	Deaths		Infant Deaths		Neonatal Deaths		Fetal deaths	
	Number	Rate ¹	Number	Rate ²	Number	Rate ²	Number	Ratio ³
Total	30,201	8.4	252	5.5	178	3.9	184	4.0
Baker	207	§ 12.5	2	13.2	1	6.6	2	13.2
Benton	486	§ 5.9	2	2.7	1	1.3	3	4.0
Clackamas	2,730	§ 7.7	17	4.1	12	2.9	11	2.7
Clatsop	359	§ 9.9	2	5.0	2	5.0	1	2.5
Columbia	402	8.8	2	4.2	1	2.1	1	2.1
Coos	828	§ 13.2	4	6.3	3	4.7	3	4.7
Crook	173	8.4	—	—	—	—	1	4.0
Curry	284	§ 13.4	2	12.8	1	6.4	—	—
Deschutes	961	§ 7.1	10	6.0	7	4.2	2	1.2
Douglas	1,211	§ 11.8	6	5.4	3	2.7	4	3.6
Gilliam	27	§ 14.2	—	—	—	—	—	—
Grant	77	9.9	1	14.5	1	14.5	—	—
Harney	66	8.6	1	13.2	1	13.2	—	—
Hood River	181	8.6	4	12.8	3	9.6	—	—
Jackson	1,885	§ 9.9	13	6.1	7	3.3	10	4.7
Jefferson	161	8.0	1	3.2	1	3.2	3	9.6
Josephine	1,022	§ 13.0	5	6.2	3	3.8	3	3.8
Klamath	705	§ 10.9	5	6.8	4	5.4	3	4.1
Lake	87	§ 11.6	1	17.5	—	—	1	17.5
Lane	2,963	§ 8.9	18	5.2	14	4.0	14	4.0
Lincoln	526	§ 11.8	5	10.8	5	10.8	2	4.3
Linn	1,068	§ 10.0	8	5.7	8	5.7	5	3.6
Malheur	277	8.7	2	4.4	1	2.2	3	6.6
Marion	2,431	8.1	22	4.7	13	2.8	21	4.5
Morrow	83	7.1	1	5.6	1	5.6	1	5.6
Multnomah	5,410	§ 7.9	54	5.8	39	4.2	42	4.5
Polk	551	8.5	10	12.1	5	6.1	—	—
Sherman	20	10.5	—	—	—	—	1	66.7
Tillamook	262	§ 10.5	—	—	—	—	2	7.3
Umatilla	610	8.4	4	3.7	3	2.8	4	3.7
Union	232	9.3	—	—	—	—	2	7.5
Wallowa	70	9.8	—	—	—	—	1	17.5
Wasco	285	§ 11.9	4	15.1	4	15.1	—	—
Washington	2,801	§ 5.8	43	5.6	32	4.2	32	4.2
Wheeler	22	§ 14.2	—	—	—	—	—	—
Yamhill	738	8.3	3	2.6	2	1.7	6	5.2

— Quantity is zero.

§ Indicates rate is statistically significantly different from the state.

WARNING: Rates or ratios based on less than 5 events are unreliable.

NOTE: Infant deaths occur in the first year of life. Neonatal deaths occur within the first 27 days of life. Fetal deaths include fetuses whose birthweight was 350 grams or more or if birthweight was unknown, gestational age was 20 weeks or more.

1 Rates per 1,000 population for deaths.

2 Rates per 1,000 live births for infant and neonatal deaths.

3 Ratios per 1,000 live births for fetal deaths.