

**TABLE 7-8. Early Neonatal Deaths¹ by Weeks of Gestation and Weight
Oregon Residents, Birth Cohort 2006**

Birthweight (In Grams)	Total	Weeks of Gestation									
		<20	20-23	24-27	28-31	32-35	36	37-39	40	41+	N.S.
Total	144	13	57	26	11	8	5	16	2	4	2
001-349	25	13	12	–	–	–	–	–	–	–	–
350-499	30	–	26	4	–	–	–	–	–	–	–
<500	55	13	38	4	–	–	–	–	–	–	–
500-749	34	–	18	16	–	–	–	–	–	–	–
750-999	9	–	–	6	3	–	–	–	–	–	–
1000-1249	2	–	1	–	1	–	–	–	–	–	–
1250-1499	3	–	–	–	2	–	–	1	–	–	–
1500-1999	9	–	–	–	3	4	–	2	–	–	–
2000-2499	11	–	–	–	1	2	2	4	1	–	1
<2500	123	13	57	26	10	6	2	7	1	–	1
2500-2999	10	–	–	–	1	1	2	6	–	–	–
3000-3499	7	–	–	–	–	1	1	3	–	2	–
3500-3999	2	–	–	–	–	–	–	–	–	2	–
4000-4499	1	–	–	–	–	–	–	–	1	–	–
4500+	–	–	–	–	–	–	–	–	–	–	–
Unknown	1	–	–	–	–	–	–	–	–	–	1

– Quantity is zero.

¹ Early neonatal deaths occur through day 6 after birth.

NOTE: Calculated gestation from reported date of last menses. If calculated gestation is unknown, the clinical estimate of gestation is used. Total includes reports with unknown birthweight and/or gestation.