

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2009**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
<b>Total*</b> .....	31,547	228	36	62	294	448	802	2,192	4,029	4,978	7,867	10,610	1
Male ....	15,797	127	22	31	209	306	530	1,330	2,478	2,780	3,970	4,014	—
Female ....	15,749	100	14	31	85	142	272	862	1,551	2,198	3,897	6,596	1
<b>Infections &amp; Parasitic Disease (A00-B99)</b> ....	624	6	3	2	2	5	25	124	156	78	103	120	—
Male ....	364	2	2	1	1	2	12	90	102	43	66	43	—
Female ....	260	4	1	1	1	3	13	34	54	35	37	77	—
Tuberculosis (A16-A19) .....	2	—	—	—	1	—	—	1	—	—	—	—	—
Male ....	1	—	—	—	—	—	—	1	—	—	—	—	—
Female ....	1	—	—	—	1	—	—	—	—	—	—	—	—
Meningococcal infection (A39) .....	2	—	—	—	—	—	—	—	1	—	—	1	—
Male ....	1	—	—	—	—	—	—	—	1	—	—	—	—
Female ....	1	—	—	—	—	—	—	—	—	—	—	1	—
Septicemia (A40-A41) .....	227	1	2	1	—	3	7	19	50	39	56	49	—
Male ....	113	—	1	1	—	2	—	12	24	19	38	16	—
Female ....	114	1	1	—	—	1	7	7	26	20	18	33	—
Creutzfeldt-Jacob disease (A81.0) .....	4	—	—	—	—	—	—	—	2	1	—	1	—
Male ....	3	—	—	—	—	—	—	—	2	1	—	—	—
Female ....	1	—	—	—	—	—	—	—	—	—	—	1	—
Viral hepatitis (B15-B19) .....	175	—	—	—	—	—	6	72	73	17	6	1	—
Male ....	126	—	—	—	—	—	5	52	54	13	1	1	—
Female ....	49	—	—	—	—	—	1	20	19	4	5	—	—
HIV/AIDS (B20-B24) <sup>2</sup> .....	46	—	—	—	—	1	6	25	10	2	2	—	—
Male ....	37	—	—	—	—	—	4	22	9	1	1	—	—
Female ....	9	—	—	—	—	1	2	3	1	1	1	—	—
<b>Malignant Neoplasms (C00-C97)</b> .....	7,470	—	6	8	19	40	134	562	1,429	1,816	2,061	1,395	—
Male ....	3,941	—	5	4	11	21	54	271	813	986	1,085	691	—
Female ....	3,529	—	1	4	8	19	80	291	616	830	976	704	—
Lip, oral cavity & pharynx (C00-C14) .....	103	—	—	—	—	2	4	8	23	27	19	20	—
Male ....	60	—	—	—	—	2	2	5	16	16	11	8	—
Female ....	43	—	—	—	—	—	2	3	7	11	8	12	—
Digestive Organs (C15-C26) .....	1,725	—	—	—	1	6	33	165	386	391	435	308	—
Male ....	995	—	—	—	—	2	14	107	264	235	237	136	—
Female ....	730	—	—	—	1	4	19	58	122	156	198	172	—
Esophagus (C15) .....	193	—	—	—	—	1	—	26	40	56	48	22	—
Male ....	156	—	—	—	—	1	—	21	33	46	37	18	—
Female ....	37	—	—	—	—	—	—	5	7	10	11	4	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2009 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Stomach (C16) .....	88	—	—	—	—	1	7	10	17	20	20	13	—
Male ....	56	—	—	—	—	—	2	5	12	14	13	10	—
Female ....	32	—	—	—	—	1	5	5	5	6	7	3	—
Colon, rectum & anus (C18-C21) .....	653	—	—	—	—	1	11	55	120	129	186	151	—
Male ....	338	—	—	—	—	—	4	29	73	75	96	61	—
Female ....	315	—	—	—	—	1	7	26	47	54	90	90	—
Colon (C18) .....	508	—	—	—	—	—	8	39	84	102	148	127	—
Male ....	251	—	—	—	—	—	3	22	49	59	68	50	—
Female ....	257	—	—	—	—	—	5	17	35	43	80	77	—
Rectosigmoid junction (C19) .....	38	—	—	—	—	—	1	1	9	10	12	5	—
Male ....	25	—	—	—	—	—	—	—	6	6	10	3	—
Female ....	13	—	—	—	—	—	1	1	3	4	2	2	—
Rectum (C20) .....	94	—	—	—	—	1	2	11	24	14	25	17	—
Male ....	56	—	—	—	—	—	1	5	16	9	18	7	—
Female ....	38	—	—	—	—	1	1	6	8	5	7	10	—
Liver & intrahepatic bile ducts (C22) .....	274	—	—	—	1	2	6	37	93	67	46	22	—
Male ....	192	—	—	—	—	1	5	30	78	43	23	12	—
Female ....	82	—	—	—	1	1	1	7	15	24	23	10	—
Pancreas (C25) .....	438	—	—	—	—	1	5	33	104	98	117	80	—
Male ....	218	—	—	—	—	—	2	20	60	50	58	28	—
Female ....	220	—	—	—	—	1	3	13	44	48	59	52	—
Respiratory, intrathoracic organs (C30-C39) ...	2,115	—	—	1	1	—	13	123	383	625	683	286	—
Male ....	1,110	—	—	—	—	—	4	56	231	334	339	146	—
Female ....	1,005	—	—	1	1	—	9	67	152	291	344	140	—
Larynx (C32) .....	41	—	—	—	—	—	—	1	8	12	15	5	—
Male ....	29	—	—	—	—	—	—	1	4	7	13	4	—
Female ....	12	—	—	—	—	—	—	—	4	5	2	1	—
Trachea, bronchus & lung (C33-C34) .....	2,063	—	—	1	1	—	13	122	374	609	665	278	—
Male ....	1,078	—	—	—	—	—	4	55	227	326	326	140	—
Female ....	985	—	—	1	1	—	9	67	147	283	339	138	—
Bronchus & lung (C34) .....	2,062	—	—	1	1	—	12	122	374	609	665	278	—
Male ....	1,078	—	—	—	—	—	4	55	227	326	326	140	—
Female ....	984	—	—	1	1	—	8	67	147	283	339	138	—
Skin (C43-C44) .....	191	—	—	—	1	3	12	24	43	35	38	35	—
Male ....	107	—	—	—	—	1	7	14	22	18	23	22	—
Female ....	84	—	—	—	1	2	5	10	21	17	15	13	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2009 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Melanoma of skin (C43) .....	151	—	—	—	1	3	10	23	36	31	28	19	—
Male ....	83	—	—	—	—	1	7	13	19	17	15	11	—
Female ....	68	—	—	—	1	2	3	10	17	14	13	8	—
Mesothelioma (C45) .....	50	—	—	—	—	—	1	2	5	16	18	8	—
Male ....	35	—	—	—	—	—	1	2	1	13	13	5	—
Female ....	15	—	—	—	—	—	—	—	4	3	5	3	—
Breast (C50) .....	457	—	—	—	—	3	17	50	109	108	85	85	—
Male ....	4	—	—	—	—	—	—	1	1	—	1	1	—
Female ....	453	—	—	—	—	3	17	49	108	108	84	84	—
Female genital organs (C51-C58) .....	365	—	—	—	1	3	11	49	76	79	86	60	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	365	—	—	—	1	3	11	49	76	79	86	60	—
Cervix uteri (C53) .....	40	—	—	—	—	1	9	11	8	6	2	3	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	40	—	—	—	—	1	9	11	8	6	2	3	—
Corpus uteri (C54-C55) <sup>3</sup> .....	87	—	—	—	—	—	—	10	19	18	21	19	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	87	—	—	—	—	—	—	10	19	18	21	19	—
Ovary (C56) .....	213	—	—	—	1	2	2	26	43	49	57	33	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	213	—	—	—	1	2	2	26	43	49	57	33	—
Male genital organs (C60-C63) .....	442	—	—	—	—	1	—	8	44	82	157	150	—
Male ....	442	—	—	—	—	1	—	8	44	82	157	150	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Prostate (C61) .....	436	—	—	—	—	—	—	6	42	82	157	149	—
Male ....	436	—	—	—	—	—	—	6	42	82	157	149	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Kidney & renal pelvis (C64-C65) .....	176	—	1	1	—	—	4	13	41	44	37	35	—
Male ....	112	—	1	—	—	—	3	10	28	31	23	16	—
Female ....	64	—	—	1	—	—	1	3	13	13	14	19	—
Bladder (C67) .....	204	—	—	—	—	—	—	5	24	52	63	60	—
Male ....	153	—	—	—	—	—	—	4	16	42	51	40	—
Female ....	51	—	—	—	—	—	—	1	8	10	12	20	—
Brain, etc. (C70-C72) <sup>4</sup> .....	230	—	1	2	4	9	13	40	54	50	50	7	—
Male ....	154	—	1	2	3	6	7	27	40	35	27	6	—
Female ....	76	—	—	—	1	3	6	13	14	15	23	1	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2009 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Thyroid/endocrine gland (C73-C75) .....	28	—	1	—	—	1	1	4	6	6	6	3	—
Male ....	10	—	—	—	—	1	1	1	3	1	3	—	—
Female ....	18	—	1	—	—	—	—	3	3	5	3	3	—
Lymphoid & hematopoietic (C81-C96) .....	747	—	2	3	6	12	11	32	111	159	225	186	—
Male ....	428	—	2	1	4	8	8	16	75	102	120	92	—
Female ....	319	—	—	2	2	4	3	16	36	57	105	94	—
Hodgkin's disease (C81) .....	18	—	—	—	—	—	2	1	4	3	5	3	—
Male ....	10	—	—	—	—	—	2	1	2	1	3	1	—
Female ....	8	—	—	—	—	—	—	—	2	2	2	2	—
Non-Hodgkin's lymphoma (C82-C85) .....	277	—	—	—	1	2	3	10	42	65	80	74	—
Male ....	158	—	—	—	—	1	2	4	30	44	44	33	—
Female ....	119	—	—	—	1	1	1	6	12	21	36	41	—
Leukemia (C91-C95) .....	307	—	2	3	5	9	5	16	46	60	78	83	—
Male ....	183	—	2	1	4	6	3	8	32	39	41	47	—
Female ....	124	—	—	2	1	3	2	8	14	21	37	36	—
Lymphoid leukemia (C91) .....	107	—	1	1	2	8	2	5	11	19	27	31	—
Male ....	66	—	1	—	2	5	1	3	8	12	16	18	—
Female ....	41	—	—	1	—	3	1	2	3	7	11	13	—
Myeloid leukemia (C92) .....	146	—	—	1	2	1	1	8	30	32	37	34	—
Male ....	80	—	—	—	1	1	1	3	20	20	17	17	—
Female ....	66	—	—	1	1	—	—	5	10	12	20	17	—
Multiple myeloma (C88, C90) <sup>5</sup> .....	144	—	—	—	—	—	1	5	19	31	62	26	—
Male ....	76	—	—	—	—	—	1	3	11	18	32	11	—
Female ....	68	—	—	—	—	—	—	2	8	13	30	15	—
Neoplas. Not Specif. as Malig. (D00-D48) <sup>6</sup> ..	243	—	—	1	—	3	4	13	23	40	82	77	—
Male ....	125	—	—	—	—	2	4	10	11	20	44	34	—
Female ....	118	—	—	1	—	1	—	3	12	20	38	43	—
Myelodysplastic syndromes (D46) .....	85	—	—	—	—	—	—	2	5	14	36	28	—
Male ....	47	—	—	—	—	—	—	2	3	8	21	13	—
Female ....	38	—	—	—	—	—	—	—	2	6	15	15	—
Diseases of the Blood (D50-89) <sup>7</sup> .....	103	2	1	—	3	2	7	4	14	15	21	34	—
Male ....	45	1	—	—	1	1	5	2	9	5	8	13	—
Female ....	58	1	1	—	2	1	2	2	5	10	13	21	—
Anemias (D50-D64) .....	54	—	—	—	—	2	1	—	5	8	13	25	—
Male ....	19	—	—	—	—	1	—	—	4	3	3	8	—
Female ....	35	—	—	—	—	1	1	—	1	5	10	17	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2009 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
<b>Endocrine &amp; Nutritional Dis. (E00-E88)<sup>8</sup></b> .....	1,523	4	1	5	8	12	47	119	257	290	397	383	—
Male .....	774	4	1	2	5	5	29	75	164	176	174	139	—
Female .....	749	—	—	3	3	7	18	44	93	114	223	244	—
<b>Diabetes mellitus (E10-E14)</b> .....	1,069	—	—	—	1	6	28	99	171	219	286	259	—
Male .....	559	—	—	—	1	2	19	63	109	130	133	102	—
Female .....	510	—	—	—	—	4	9	36	62	89	153	157	—
<b>Nutritional deficiencies (E40-E64)</b> .....	22	—	—	—	—	—	—	1	2	1	6	12	—
Male .....	8	—	—	—	—	—	—	—	1	1	1	5	—
Female .....	14	—	—	—	—	—	—	1	1	—	5	7	—
<b>Malnutrition (E40-E46)</b> .....	19	—	—	—	—	—	—	1	2	—	6	10	—
Male .....	5	—	—	—	—	—	—	—	1	—	1	3	—
Female .....	14	—	—	—	—	—	—	1	1	—	5	7	—
<b>Mental Disorders (F01-F99)<sup>9</sup></b> .....	1,987	—	1	—	1	7	21	67	104	125	457	1,204	—
Male .....	748	—	—	—	1	6	18	45	69	72	195	342	—
Female .....	1,239	—	1	—	—	1	3	22	35	53	262	862	—
<b>Organic dementia (F01, F03)<sup>10</sup></b> .....	1,690	—	1	—	—	—	—	3	24	70	421	1,171	—
Male .....	547	—	—	—	—	—	—	2	12	35	173	325	—
Female .....	1,143	—	1	—	—	—	—	1	12	35	248	846	—
<b>Due to alcohol (F10)<sup>11</sup></b> .....	148	—	—	—	—	1	14	44	46	31	11	1	—
Male .....	115	—	—	—	—	1	13	35	34	23	8	1	—
Female .....	33	—	—	—	—	—	1	9	12	8	3	—	—
<b>Due to psychoactive substance (F11-F19)</b> .....	78	—	—	—	1	5	3	13	25	16	11	4	—
Male .....	52	—	—	—	1	5	1	7	18	9	9	2	—
Female .....	26	—	—	—	—	—	2	6	7	7	2	2	—
<b>Nervous System Disease (G00-G99)</b> .....	2,093	2	2	3	13	18	25	63	137	216	625	989	—
Male .....	896	1	1	3	10	14	14	28	74	106	312	333	—
Female .....	1,197	1	1	—	3	4	11	35	63	110	313	656	—
<b>Meningitis (G00, G03)</b> .....	10	—	1	—	—	1	—	3	2	2	1	—	—
Male .....	5	—	1	—	—	1	—	1	1	1	—	—	—
Female .....	5	—	—	—	—	—	—	2	1	1	1	—	—
<b>Amyotrophic lateral sclerosis (G12.2)</b> .....	118	—	—	—	—	1	—	6	39	44	17	11	—
Male .....	56	—	—	—	—	1	—	3	19	18	9	6	—
Female .....	62	—	—	—	—	—	—	3	20	26	8	5	—
<b>Parkinson's disease (G20-G21)</b> .....	344	—	—	—	—	—	—	—	5	39	148	152	—
Male .....	232	—	—	—	—	—	—	—	3	29	105	95	—
Female .....	112	—	—	—	—	—	—	—	2	10	43	57	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2009 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Alzheimer's disease (G30) .....	1,212	—	—	—	—	—	—	5	12	55	367	773	—
Male ....	391	—	—	—	—	—	—	—	7	24	151	209	—
Female ....	821	—	—	—	—	—	—	5	5	31	216	564	—
Multiple sclerosis (G35) .....	69	—	—	—	1	—	2	11	21	19	9	6	—
Male ....	24	—	—	—	1	—	—	5	10	4	2	2	—
Female ....	45	—	—	—	—	—	2	6	11	15	7	4	—
Epilepsy (G40-G41) .....	18	—	—	—	2	4	2	6	1	—	1	2	—
Male ....	12	—	—	—	2	3	1	3	1	—	1	1	—
Female ....	6	—	—	—	—	1	1	3	—	—	—	1	—
<b>Circulatory System Diseases (I00-I99) .....</b>	<b>8,931</b>	<b>6</b>	<b>2</b>	<b>2</b>	<b>5</b>	<b>36</b>	<b>95</b>	<b>396</b>	<b>857</b>	<b>1,210</b>	<b>2,298</b>	<b>4,024</b>	<b>—</b>
Male ....	4,443	4	1	1	4	28	74	289	597	735	1,198	1,512	—
Female ....	4,488	2	1	1	1	8	21	107	260	475	1,100	2,512	—
Major cardiovascular disease (I00-I78) .....	8,893	6	2	2	5	36	95	390	847	1,207	2,290	4,013	—
Male ....	4,422	4	1	1	4	28	74	286	590	733	1,197	1,504	—
Female ....	4,471	2	1	1	1	8	21	104	257	474	1,093	2,509	—
Heart disease (I00-I09, I11, I13, I20-I51) ....	6,226	2	1	2	5	25	69	290	634	886	1,548	2,764	—
Male ....	3,281	2	1	1	4	20	56	224	457	573	843	1,100	—
Female ....	2,945	—	—	1	1	5	13	66	177	313	705	1,664	—
Rheumatic heart disease (I00-I09) <sup>12</sup> .....	69	—	—	—	—	—	—	4	7	9	21	28	—
Male ....	23	—	—	—	—	—	—	3	1	3	5	11	—
Female ....	46	—	—	—	—	—	—	1	6	6	16	17	—
Hypertensive heart disease (I11) .....	256	—	—	—	—	—	5	9	14	14	62	152	—
Male ....	95	—	—	—	—	—	4	8	11	6	31	35	—
Female ....	161	—	—	—	—	—	1	1	3	8	31	117	—
Hypertensive heart & renal dis. (I13) .....	39	—	—	—	—	—	—	1	1	5	12	20	—
Male ....	15	—	—	—	—	—	—	1	—	3	4	7	—
Female ....	24	—	—	—	—	—	—	—	1	2	8	13	—
Ischemic heart disease (I20-I25) .....	3,656	—	—	—	1	7	44	207	466	614	938	1,379	—
Male ....	2,186	—	—	—	1	7	38	162	360	427	557	634	—
Female ....	1,470	—	—	—	—	—	6	45	106	187	381	745	—
Myocardial infarction (I21-I22) .....	1,169	—	—	—	—	2	15	68	159	213	317	395	—
Male ....	652	—	—	—	—	2	11	58	121	131	175	154	—
Female ....	517	—	—	—	—	—	4	10	38	82	142	241	—
Other acute ischemic hrt. dis. (I24) .....	28	—	—	—	—	—	—	1	2	5	9	11	—
Male ....	14	—	—	—	—	—	—	1	2	4	3	4	—
Female ....	14	—	—	—	—	—	—	—	—	1	6	7	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2009 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Chronic isch. heart dis. (I20, I25) .....	2,459	—	—	—	1	5	29	138	305	396	612	973	—
Male ....	1,520	—	—	—	1	5	27	103	237	292	379	476	—
Female ....	939	—	—	—	—	—	2	35	68	104	233	497	—
Atheroscler. cardiovascular dis. <sup>13</sup> ...	184	—	—	—	—	1	2	10	24	39	36	72	—
Male ....	107	—	—	—	—	1	2	8	19	24	21	32	—
Female ....	77	—	—	—	—	—	—	2	5	15	15	40	—
Other chr. ischemic heart dis. <sup>14</sup> .....	2,275	—	—	—	1	4	27	128	281	357	576	901	—
Male ....	1,413	—	—	—	1	4	25	95	218	268	358	444	—
Female ....	862	—	—	—	—	—	2	33	63	89	218	457	—
Nonrheumatic mitral valve dis. (I34) .....	49	—	—	—	—	—	—	1	2	4	14	28	—
Male ....	25	—	—	—	—	—	—	1	—	3	8	13	—
Female ....	24	—	—	—	—	—	—	—	2	1	6	15	—
Nonrheumatic aortic valve dis. (I35) .....	372	—	—	—	—	—	1	1	11	22	94	243	—
Male ....	148	—	—	—	—	—	—	—	7	10	40	91	—
Female ....	224	—	—	—	—	—	1	1	4	12	54	152	—
Cardiomyopathy (I42) .....	204	—	1	2	3	9	5	21	32	29	45	57	—
Male ....	133	—	1	1	3	8	5	16	22	20	29	28	—
Female ....	71	—	—	1	—	1	—	5	10	9	16	29	—
Heart failure (I50) .....	663	1	—	—	—	3	3	8	26	64	137	421	—
Male ....	272	1	—	—	—	2	2	7	17	33	71	139	—
Female ....	391	—	—	—	—	1	1	1	9	31	66	282	—
Congestive heart failure (I50.0) .....	597	—	—	—	—	2	3	5	22	54	126	385	—
Male ....	243	—	—	—	—	2	2	5	15	28	65	126	—
Female ....	354	—	—	—	—	—	1	—	7	26	61	259	—
Left ventricular heart failure (I50.1) .....	3	—	—	—	—	—	—	—	—	1	1	1	—
Male ....	3	—	—	—	—	—	—	—	—	1	1	1	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Heart failure, unspecified (I50.9) .....	63	1	—	—	—	1	—	3	4	9	10	35	—
Male ....	26	1	—	—	—	—	—	2	2	4	5	12	—
Female ....	37	—	—	—	—	1	—	1	2	5	5	23	—
HBP (I10, I12, I15) <sup>15</sup> .....	424	—	—	—	—	2	5	21	54	51	81	210	—
Male ....	169	—	—	—	—	1	3	15	29	29	42	50	—
Female ....	255	—	—	—	—	1	2	6	25	22	39	160	—
Cerebrovascular disease (I60-I69) <sup>10</sup> .....	1,900	4	1	—	—	2	17	69	131	218	549	909	—
Male ....	810	2	—	—	—	1	12	40	81	103	258	313	—
Female ....	1,090	2	1	—	—	1	5	29	50	115	291	596	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2009 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Subarachnoid hemorrhage (I60) .....	60	—	—	—	—	1	3	14	10	12	11	9	—
Male ....	19	—	—	—	—	1	1	6	3	5	2	1	—
Female ....	41	—	—	—	—	—	2	8	7	7	9	8	—
Intracerebral hemorrhage (I61-I62) <sup>16</sup> .....	371	—	—	—	—	1	10	27	51	60	115	107	—
Male ....	195	—	—	—	—	—	8	17	33	31	58	48	—
Female ....	176	—	—	—	—	1	2	10	18	29	57	59	—
Cerebral infarction (I63) .....	67	1	—	—	—	—	2	6	6	6	18	28	—
Male ....	28	1	—	—	—	—	2	5	3	2	4	11	—
Female ....	39	—	—	—	—	—	—	1	3	4	14	17	—
Stroke (type not specified) (I64) .....	1,052	1	—	—	—	—	1	15	51	104	292	588	—
Male ....	409	1	—	—	—	—	—	9	34	47	137	181	—
Female ....	643	—	—	—	—	—	1	6	17	57	155	407	—
Atherosclerosis (I70) .....	79	—	—	—	—	—	—	1	6	6	21	45	—
Male ....	34	—	—	—	—	—	—	1	4	4	9	16	—
Female ....	45	—	—	—	—	—	—	—	2	2	12	29	—
Aortic aneurysm & dissection (I71) .....	149	—	—	—	—	7	4	5	15	22	59	37	—
Male ....	76	—	—	—	—	6	3	3	13	10	27	14	—
Female ....	73	—	—	—	—	1	1	2	2	12	32	23	—
Diseases of arteries (I72-I78) <sup>17</sup> .....	114	—	—	—	—	—	—	4	7	23	32	48	—
Male ....	51	—	—	—	—	—	—	3	6	13	18	11	—
Female ....	63	—	—	—	—	—	—	1	1	10	14	37	—
<b>Respiratory System Diseases (J00-J99) .....</b>	<b>3,023</b>	<b>3</b>	<b>3</b>	<b>7</b>	<b>8</b>	<b>20</b>	<b>39</b>	<b>105</b>	<b>312</b>	<b>593</b>	<b>966</b>	<b>967</b>	<b>—</b>
Male ....	1,464	3	—	3	4	8	20	58	154	299	488	427	—
Female ....	1,559	—	3	4	4	12	19	47	158	294	478	540	—
Influenza & pneumonia (J09-J18) .....	509	3	3	5	3	14	16	31	39	58	123	214	—
Male ....	246	3	—	3	2	7	9	18	22	36	63	83	—
Female ....	263	—	3	2	1	7	7	13	17	22	60	131	—
Influenza (J09-J11) .....	61	—	1	2	2	9	10	15	10	5	5	2	—
Male ....	35	—	—	2	2	5	6	8	5	3	4	—	—
Female ....	26	—	1	—	—	4	4	7	5	2	1	2	—
Pneumonia (J12-J18) .....	448	3	2	3	1	5	6	16	29	53	118	212	—
Male ....	211	3	—	1	—	2	3	10	17	33	59	83	—
Female ....	237	—	2	2	1	3	3	6	12	20	59	129	—
Other acute lower resp. infect'ns (J20-J22) ....	4	—	—	—	—	1	—	—	—	—	—	3	—
Male ....	2	—	—	—	—	—	—	—	—	—	—	2	—
Female ....	2	—	—	—	—	1	—	—	—	—	—	1	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2009 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.	
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
Acute bronchitis (J20-J21) <sup>18</sup> .....	4	—	—	—	—	1	—	—	—	—	—	—	3	—
Male ....	2	—	—	—	—	—	—	—	—	—	—	—	2	—
Female ....	2	—	—	—	—	1	—	—	—	—	—	—	1	—
Chronic lower respiratory dis. (J40-J42) <sup>19</sup> .....	1,935	—	—	1	1	2	14	51	216	451	671	528	—	—
Male ....	904	—	—	—	—	—	7	28	99	217	319	234	—	—
Female ....	1,031	—	—	1	1	2	7	23	117	234	352	294	—	—
Bronchitis, chronic & unspec. (J40-J42) .....	7	—	—	—	—	1	1	—	—	—	—	—	5	—
Male ....	3	—	—	—	—	—	1	—	—	—	—	—	2	—
Female ....	4	—	—	—	—	1	—	—	—	—	—	—	3	—
Emphysema (J43) .....	229	—	—	—	—	—	—	6	25	58	91	49	—	—
Male ....	112	—	—	—	—	—	—	3	12	27	44	26	—	—
Female ....	117	—	—	—	—	—	—	3	13	31	47	23	—	—
Asthma (J45-J46) .....	70	—	—	1	—	1	7	15	11	11	10	14	—	—
Male ....	25	—	—	—	—	—	4	8	3	7	1	2	—	—
Female ....	45	—	—	1	—	1	3	7	8	4	9	12	—	—
Other CLRD (J44, J47) .....	1,629	—	—	—	1	—	6	30	180	382	570	460	—	—
Male ....	764	—	—	—	—	—	2	17	84	183	274	204	—	—
Female ....	865	—	—	—	1	—	4	13	96	199	296	256	—	—
Bronchiectasis (J47) .....	25	—	—	—	—	—	—	—	1	5	8	11	—	—
Male ....	6	—	—	—	—	—	—	—	—	1	3	2	—	—
Female ....	19	—	—	—	—	—	—	—	1	4	5	9	—	—
Pneumoconioses (J60-J66, J68) <sup>20</sup> .....	8	—	—	—	—	—	—	—	—	2	3	3	—	—
Male ....	8	—	—	—	—	—	—	—	—	2	3	3	—	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pneumonitis due to solids & liquids (J69) .....	154	—	—	—	2	1	2	4	9	9	44	83	—	—
Male ....	82	—	—	—	1	1	1	2	6	5	26	40	—	—
Female ....	72	—	—	—	1	—	1	2	3	4	18	43	—	—
<b>Digestive System Diseases (K00-K92) .....</b>	<b>1,327</b>	<b>1</b>	<b>—</b>	<b>1</b>	<b>4</b>	<b>11</b>	<b>56</b>	<b>209</b>	<b>244</b>	<b>219</b>	<b>260</b>	<b>322</b>	<b>—</b>	<b>—</b>
Male ....	689	1	—	1	2	7	32	136	163	122	110	115	—	—
Female ....	638	—	—	—	2	4	24	73	81	97	150	207	—	—
Peptic ulcer (K25-K28) .....	44	—	—	—	1	—	—	5	6	9	10	13	—	—
Male ....	22	—	—	—	1	—	—	4	5	5	3	4	—	—
Female ....	22	—	—	—	—	—	—	1	1	4	7	9	—	—
Diseases of the appendix (K35-K38) .....	6	—	—	1	—	—	—	1	1	—	2	1	—	—
Male ....	4	—	—	1	—	—	—	1	—	—	2	—	—	—
Female ....	2	—	—	—	—	—	—	—	1	—	—	1	—	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2009 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Appendicitis (K35-K37) .....	6	—	—	1	—	—	—	1	1	—	2	1	—
Male ....	4	—	—	1	—	—	—	1	—	—	2	—	—
Female ....	2	—	—	—	—	—	—	—	1	—	—	1	—
Hernia (K40-K46) .....	35	1	—	—	—	—	—	3	4	5	6	16	—
Male ....	9	1	—	—	—	—	—	—	2	2	1	3	—
Female ....	26	—	—	—	—	—	—	3	2	3	5	13	—
Vascular disorders of the intestine (K55) .....	110	—	—	—	—	—	—	4	11	19	39	37	—
Male ....	43	—	—	—	—	—	—	2	9	7	9	16	—
Female ....	67	—	—	—	—	—	—	2	2	12	30	21	—
Chronic liver disease (K70, K73-K74) <sup>21</sup> .....	504	—	—	—	—	8	43	149	149	92	41	22	—
Male ....	327	—	—	—	—	4	25	100	101	58	26	13	—
Female ....	177	—	—	—	—	4	18	49	48	34	15	9	—
Alcoholic liver disease (K70) <sup>22</sup> .....	367	—	—	—	—	8	37	122	119	61	18	2	—
Male ....	253	—	—	—	—	4	23	83	85	42	14	2	—
Female ....	114	—	—	—	—	4	14	39	34	19	4	—	—
Cholelithiasis (K80-K82) <sup>23</sup> .....	53	—	—	—	—	—	1	1	3	6	20	22	—
Male ....	29	—	—	—	—	—	—	1	3	2	12	11	—
Female ....	24	—	—	—	—	—	1	—	—	4	8	11	—
Diseases of the Skin (L00-L98) <sup>24</sup> .....	53	—	—	—	—	—	—	5	10	7	13	18	—
Male ....	21	—	—	—	—	—	—	2	8	5	3	3	—
Female ....	32	—	—	—	—	—	—	3	2	2	10	15	—
Musculoskeletal Disease (M00-M99) <sup>25</sup> .....	228	—	—	2	1	—	4	19	26	41	42	93	—
Male ....	69	—	—	—	1	—	3	5	11	18	12	19	—
Female ....	159	—	—	2	—	—	1	14	15	23	30	74	—
Genitourinary System Dis. (N00-N99) .....	582	1	1	1	—	4	2	14	39	83	175	262	—
Male ....	260	1	—	—	—	1	2	8	20	36	81	111	—
Female ....	322	—	1	1	—	3	—	6	19	47	94	151	—
Nephritis (N00-N07, N17-N19, N25-N27) <sup>26</sup> ....	388	1	1	1	—	4	1	12	26	60	123	159	—
Male ....	182	1	—	—	—	1	1	6	14	28	61	70	—
Female ....	206	—	1	1	—	3	—	6	12	32	62	89	—
Acute nephrotic syndr. (N00-N01, N04) <sup>27</sup> ..	1	—	—	—	—	—	—	—	—	—	—	1	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	1	—	—	—	—	—	—	—	—	—	—	1	—
Chr. nephritis (N02-N03, N05-N07, N26) <sup>28</sup>	68	—	—	1	—	1	—	2	3	8	18	35	—
Male ....	41	—	—	—	—	—	—	2	2	5	9	23	—
Female ....	27	—	—	1	—	1	—	—	1	3	9	12	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2009 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Renal failure (N17-N19) .....	318	1	1	—	—	3	1	10	23	52	105	122	—
Male ....	141	1	—	—	—	1	1	4	12	23	52	47	—
Female ....	177	—	1	—	—	2	—	6	11	29	53	75	—
Other disorders of kidney (N25, N27) .....	1	—	—	—	—	—	—	—	—	—	—	1	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	1	—	—	—	—	—	—	—	—	—	—	1	—
Kidney infect'ns (N10-N12, N13.6, N15.1) .....	6	—	—	—	—	—	—	—	—	3	—	3	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	6	—	—	—	—	—	—	—	—	3	—	3	—
Urinary tract infection (N39.0) .....	129	—	—	—	—	—	1	1	10	11	27	79	—
Male ....	47	—	—	—	—	—	1	1	4	4	8	29	—
Female ....	82	—	—	—	—	—	—	—	6	7	19	50	—
Hyperplasia of prostate (N40) .....	8	—	—	—	—	—	—	—	—	2	3	3	—
Male ....	8	—	—	—	—	—	—	—	—	2	3	3	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female pelvic inflam. dis. (N70-N76) <sup>29</sup> .....	1	—	—	—	—	—	—	—	—	—	1	—	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	1	—	—	—	—	—	—	—	—	—	1	—	—
Pregnancy & Childbirth (O00-O99) <sup>30</sup> .....	7	—	—	—	2	5	—	—	—	—	—	—	—
Male ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Female ....	7	—	—	—	2	5	—	—	—	—	—	—	—
Perinatal Conditions (P00-P96) .....	111	111	—	—	—	—	—	—	—	—	—	—	—
Male ....	59	59	—	—	—	—	—	—	—	—	—	—	—
Female ....	52	52	—	—	—	—	—	—	—	—	—	—	—
Congenital Malformations (Q00-Q99) <sup>31</sup> .....	99	40	—	5	3	5	3	8	12	5	7	11	—
Male ....	51	22	—	4	1	3	3	4	6	2	5	1	—
Female ....	47	17	—	1	2	2	—	4	6	3	2	10	—
Malformation of the heart (Q20-Q24) .....	26	4	—	1	1	—	3	3	3	4	3	4	—
Male ....	11	2	—	1	1	—	3	—	1	1	2	—	—
Female ....	15	2	—	—	—	—	—	3	2	3	1	4	—
Other malf. of the circul. sys. (Q25-Q28) .....	8	1	—	1	—	1	—	—	1	—	2	2	—
Male ....	4	1	—	1	—	1	—	—	—	—	1	—	—
Female ....	4	—	—	—	—	—	—	—	1	—	1	2	—
Malf. of the respiratory system (Q30-Q34) .....	7	7	—	—	—	—	—	—	—	—	—	—	—
Male ....	5	5	—	—	—	—	—	—	—	—	—	—	—
Female ....	2	2	—	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2009 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
<b>Symptoms &amp; Signs (R00-R99)<sup>32</sup></b> .....	688	32	2	—	2	5	11	35	64	53	130	353	1
Male ....	267	20	2	—	2	4	8	19	38	29	49	96	—
Female ....	421	12	—	—	—	1	3	16	26	24	81	257	1
<b>Senility (R54)</b> .....	108	—	—	—	—	—	—	—	—	1	8	99	—
Male ....	24	—	—	—	—	—	—	—	—	—	2	22	—
Female ....	84	—	—	—	—	—	—	—	—	1	6	77	—
<b>Sudden infant death syndrome (R95)</b> .....	29	29	—	—	—	—	—	—	—	—	—	—	—
Male ....	18	18	—	—	—	—	—	—	—	—	—	—	—
Female ....	11	11	—	—	—	—	—	—	—	—	—	—	—
<b>External Causes of Death (V01-Y89)</b> .....	2,454	20	14	25	223	275	329	449	345	187	229	358	—
Male ....	1,580	9	10	12	166	204	252	288	239	126	139	135	—
Female ....	874	11	4	13	57	71	77	161	106	61	90	223	—
<b>Accidents (V01-X59, Y85-Y86)</b> .....	1,577	14	10	14	140	163	185	243	184	120	177	327	—
Male ....	955	7	7	6	103	121	150	148	129	74	99	111	—
Female ....	622	7	3	8	37	42	35	95	55	46	78	216	—
<b>Transport accidents (V01-V99, Y85)</b> .....	433	—	3	9	79	65	68	71	62	34	28	14	—
Male ....	310	—	2	2	52	53	55	48	45	23	21	9	—
Female ....	123	—	1	7	27	12	13	23	17	11	7	5	—
<b>Motor vehicle acc. (Many codes)<sup>33</sup></b> .....	386	—	3	9	73	60	61	59	54	25	28	14	—
Male ....	270	—	2	2	46	48	48	40	39	15	21	9	—
Female ....	116	—	1	7	27	12	13	19	15	10	7	5	—
<b>Motor veh. traf. acc. (Many codes)<sup>34</sup></b> .....	363	—	1	9	70	58	56	57	51	25	26	10	—
Male ....	251	—	1	2	43	47	43	38	37	15	19	6	—
Female ....	112	—	—	7	27	11	13	19	14	10	7	4	—
<b>Water transport accidents (V90-V94)</b> .....	10	—	—	—	1	1	2	1	4	1	—	—	—
Male ....	10	—	—	—	1	1	2	1	4	1	—	—	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—
<b>Air transport accidents (V95-V97)</b> .....	13	—	—	—	—	3	2	5	—	3	—	—	—
Male ....	10	—	—	—	—	3	2	3	—	2	—	—	—
Female ....	3	—	—	—	—	—	—	2	—	1	—	—	—
<b>Nontransport accidents (W00-X59, Y86)</b> .....	1,144	14	7	5	61	98	117	172	122	86	149	313	—
Male ....	645	7	5	4	51	68	95	100	84	51	78	102	—
Female ....	499	7	2	1	10	30	22	72	38	35	71	211	—
<b>Falls (W00-W19)</b> .....	470	—	1	—	5	7	6	16	25	36	116	258	—
Male ....	204	—	1	—	4	5	5	11	16	25	58	79	—
Female ....	266	—	—	—	1	2	1	5	9	11	58	179	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2009 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	
Firearms (W32-W34) .....	5	—	—	1	—	—	2	1	—	1	—	—	—
Male ....	4	—	—	1	—	—	2	—	—	1	—	—	—
Female ....	1	—	—	—	—	—	—	1	—	—	—	—	—
Drowning & submersion (W65-W74) .....	59	1	5	3	17	2	8	8	9	4	1	1	—
Male ....	44	—	3	2	15	1	8	5	7	2	—	1	—
Female ....	15	1	2	1	2	1	—	3	2	2	1	—	—
Exposure to smoke & fire (X00-X09) .....	22	—	1	—	1	2	1	3	3	5	5	1	—
Male ....	16	—	1	—	—	1	1	2	2	4	4	1	—
Female ....	6	—	—	—	1	1	—	1	1	1	1	—	—
Poisoning (X40-X49) <sup>35</sup> .....	394	1	—	—	32	75	88	121	59	9	6	3	—
Male ....	257	—	—	—	26	52	68	64	36	3	6	2	—
Female ....	137	1	—	—	6	23	20	57	23	6	—	1	—
Suicide (X60-X84, Y87.0) .....	640	—	—	5	55	79	113	158	119	54	41	16	—
Male ....	483	—	—	2	44	61	82	113	85	46	34	16	—
Female ....	157	—	—	3	11	18	31	45	34	8	7	—	—
Poisoning (X60-X69) .....	117	—	—	—	3	9	24	49	18	8	5	1	—
Male ....	59	—	—	—	1	3	14	25	7	4	4	1	—
Female ....	58	—	—	—	2	6	10	24	11	4	1	—	—
Hanging/suffocation (X70) .....	130	—	—	4	22	18	25	32	18	6	3	2	—
Male ....	99	—	—	1	15	15	19	25	15	5	2	2	—
Female ....	31	—	—	3	7	3	6	7	3	1	1	—	—
Firearm discharge (X72-X74) .....	341	—	—	1	27	48	54	58	71	39	30	13	—
Male ....	292	—	—	1	25	39	43	49	59	37	26	13	—
Female ....	49	—	—	—	2	9	11	9	12	2	4	—	—
Homicide (X85-Y09, Y87.1) .....	102	1	3	3	22	16	13	17	20	3	2	2	—
Male ....	66	—	3	2	14	11	8	10	15	1	—	2	—
Female ....	36	1	—	1	8	5	5	7	5	2	2	—	—
Firearm discharge (X93-X95) .....	55	—	1	3	11	10	5	10	12	2	—	1	—
Male ....	39	—	1	2	8	7	2	8	9	1	—	1	—
Female ....	16	—	—	1	3	3	3	2	3	1	—	—	—
Legal intervention (Y35, Y89.0) <sup>36</sup> .....	8	—	—	—	1	2	1	2	—	2	—	—	—
Male ....	8	—	—	—	1	2	1	2	—	2	—	—	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—
Undeterm. intent (Y10-Y34, Y87.2, Y89.9) .....	94	4	1	3	4	15	15	27	18	4	2	1	—
Male ....	50	2	—	2	3	9	10	13	8	1	2	—	—
Female ....	44	2	1	1	1	6	5	14	10	3	—	1	—

See footnotes at end of table.

**TABLE 6-6. Number of Deaths from Selected Causes by Age and Sex, Oregon Residents, 2009 — Continued**

Causes of Death (and their ICD-10 codes) <sup>1</sup>	Total	Age Groups											N.S.	
		< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+		
War and its sequelae (Y36, Y89.1) <sup>37</sup> .....	1	—	—	—	—	—	—	—	—	—	—	1	—	—
Male ....	1	—	—	—	—	—	—	—	—	—	—	1	—	—
Female ....	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Medical care complications (Y40-Y84, Y88) .....	32	1	—	—	1	—	2	2	4	4	6	12	—	—
Male ....	17	—	—	—	1	—	1	2	2	2	3	6	—	—
Female ....	15	1	—	—	—	—	1	—	2	2	3	6	—	—
Injury by firearms (Many codes) <sup>38</sup> .....	413	—	1	6	39	60	62	72	85	44	30	14	—	—
Male ....	346	—	1	5	34	48	48	60	69	41	26	14	—	—
Female ....	67	—	—	1	5	12	14	12	16	3	4	—	—	—
Alcohol-induced deaths (Many codes) <sup>39,40</sup> .....	571	—	—	—	1	12	60	185	178	101	31	3	—	—
Male ....	410	—	—	—	1	8	44	130	128	72	24	3	—	—
Female ....	161	—	—	—	—	4	16	55	50	29	7	—	—	—
Drug-induced deaths (Many codes) <sup>41,42</sup> .....	574	2	—	—	37	91	112	177	102	29	17	7	—	—
Male ....	341	1	—	—	28	59	78	84	61	12	14	4	—	—
Female ....	233	1	—	—	9	32	34	93	41	17	3	3	—	—
Injury at work <sup>43</sup> .....	54	—	—	—	6	4	12	17	12	3	—	—	—	—
Male ....	49	—	—	—	5	4	11	16	10	3	—	—	—	—
Female ....	5	—	—	—	1	—	1	1	2	—	—	—	—	—

<sup>1</sup> International Statistical Classification of Diseases and Related Health Problems, Tenth Revision. Geneva: World Health Organization, 1992.

<sup>2</sup> Human immunodeficiency virus/Acquired immune deficiency syndrome.

<sup>3</sup> Including uterus, part unspecified.

<sup>4</sup> Including meninges and other parts of the central nervous system.

<sup>5</sup> Including immunoproliferative neoplasms.

<sup>6</sup> Including in situ neoplasms, benign neoplasms, and neoplasms of uncertain or unknown behavior.

<sup>7</sup> Including diseases of the blood forming-organs and disorders involving the immune mechanism.

<sup>8</sup> Including metabolic diseases.

<sup>9</sup> Including behavioral disorders.

<sup>10</sup> In 2005, the National Center for Health Statistics changed the ICD-10 codes to which certain brain disorders were coded. In prior years, "multi-infarct dementia" was coded to I63.9 (cerebral infarction, unspecified) and "vascular dementia" as I67.9 (cerebrovascular disease, unspecified). Beginning in 2005, "multi-infarct dementia" is assigned to code F01.1 and "vascular dementia" to F01.9. Therefore, certain deaths formerly attributed to the cerebrovascular disease rubric are now counted as forms of organic dementia, with a net loss of 111 for the former and a similar gain for the latter.

<sup>11</sup> For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.

<sup>12</sup> Including acute rheumatic fever.

<sup>13</sup> The ICD-10 code is I25.0.

<sup>14</sup> Including angina, arteriosclerotic heart disease, coronary heart disease, and related disorders. The ICD-10 codes are I20, I25.1-I25.9.

<sup>15</sup> Hypertension with/without Renal Disease.

<sup>16</sup> Including other intracranial hemorrhages.

<sup>17</sup> Including diseases of the arterioles and capillaries.

<sup>18</sup> Including acute bronchiolitis.

- 19 Formerly chronic obstructive pulmonary disease (COPD).
- 20 Including respiratory conditions due to inhalation of chemicals, gases, fumes and vapors.
- 21 Including liver cirrhosis.
- 22 For all deaths due to alcohol, see "Alcohol-induced deaths" at the end of the table.
- 23 Including other diseases of the gallbladder.
- 24 Including subcutaneous tissues.
- 25 Including connective tissue.
- 26 Including nephrotic syndrome and nephrosis.
- 27 Including acute and rapidly progressive nephritic and nephrotic syndrome.
- 28 Including chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified.
- 29 Inflammatory diseases of female pelvic organs.
- 30 Including the puerperium.
- 31 Including congenital deformations and chromosomal abnormalities.
- 32 Including abnormal clinical and laboratory findings not elsewhere classified.
- 33 Including the following ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
- 34 Including the following ICD-10 codes: V02-V04(.1,.9), V09.2, V12-V14(.3-.9), V19(.4-.6), V20-V28(.3-.9), V29(.4-.9), V30-V39(.4-.9), V40-V49(.4-.9), V50-V59(.4-.9), V60-V69(.4-.9), V70-V79(.4-.9), V80(.3-.5), V81.1, V82.1, V83-V86(.0-.3), V87(.0-.8), V89.2.
- 35 Including exposure to noxious substances.
- 36 Legal intervention is the intentional or unintentional death of a person resulting from the actions of a law enforcement agent. This figure may not include all such deaths, if the certifying medical examiner failed to note (on the death certificate) the involvement of a law enforcement agent.
- 37 Includes late effects of injuries sustained in war. (The deaths of Oregon residents who died outside the U.S. while on active-duty are not reported to Oregon's Center for Health Statistics by the U.S. Department of Defense.)
- 38 Including accidental, suicidal, homicidal, and undetermined intent gunshot deaths (ICD-10 codes W32-W34, X72-X74, X93-X95, Y22-Y24, and Y35.0). Note that this category includes injuries included in other cause of death categories.
- 39 Including: alcoholic mental/behavioral disorders, degeneration of nervous system, polyneuropathy, alcoholic myopathy, cardiomyopathy, gastritis, liver disease, chronic pancreatitis, alcohol in the blood, accidental poisoning by alcohol, intentional self-poisoning, and poisoning of undetermined intent. Note that disorders included here are also included in other cause of death categories.
- 40 The ICD-10 codes for the above categories are E24.4, F10, G31.2, G62.1, G72.1, I42.6, K29.2, K70, K86.0, R78.0, X45, X65, and Y15. respectively. (Components of this category were revised beginning in 2004, resulting in the inclusion of additional codes/deaths.)
- 41 Includes a variety of conditions affecting multiple organ systems, such as poisonings/overdoses and mental/behavioral disorders due to substance use/abuse. Other conditions, such as, drug-induced hypoglycemia and drug-induced Parkinsonism are also included here. Note that disorders included here are also included in other cause of death categories.
- 42 The ICD-10 codes for the above categories are: D52.1, D59.0, D59.2, D61.1, D64.2, E06.4, E16.0, E23.1, E24.2, E27.3, E66.1, F11.0-F11.5, F11.7-F11.9, F12.0-F12.5, F12.7-F12.9, F13.0-F13.5, F13.7-F13.9, F14.0-F14.5, F14.7-F14.9, F15.0-F15.5, F15.7-F15.9, F16.0-F16.5, F16.7-F16.9, F17.0, F17.3-F17.5, F17.7-F17.9, F18.0-F18.5, F18.7-F18.9, F19.0-F19.5, F19.7-F19.9, G21.1, G24.0, G25.1, G25.4, G25.6, G44.4, G62.0, G72.0, I95.2, J70.2-J70.4, L10.5, L27.0-L27.1, M10.2, M32.0, M80.4, M81.4, M83.5, M87.1, R78.1-R78.5, X40-X44, X60-X64, X85, Y10-Y14. (Components of this category were revised beginning in 2004 resulting in the inclusion of additional codes/deaths.)
- 43 Recorded as a separate item on the death certificate by the Medical Examiner.
- \* Including unknown age and unknown sex.
- Quantity is 0.