

Table 1: Oregon Cancer Incidence by Site, Sex, and Year (2006-2010)

Primary Site	Year	Total		Male		Female	
		Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend
All Sites	Average	19,499	462.3	9,896	508.7	9,601	429.2
	5-Year PC		-8.3		-11.1		-5.9
	2006	19,059	473.7	9,673	526.6	9,386	436.3
	2007	19,308	468.9	9,863	522.9	9,445	429.8
	2008	20,285	480.3	10,488	538.8	9,797	436.8
	2009	19,709	456.8	9,811	491.8	9,896	433.7
	2010	19,132	434.2	9,645	468.1	9,482	410.5
Bones and Joints	Average	37	1.0	22	1.2	15	0.8
	5-Year PC		23.4		22.9		26.8
	2006	29	0.7	18	0.9	11	0.6
	2007	50	1.3	26	1.5	24	1.1
	2008	36	1.0	23	1.3	13	0.7
	2009	34	0.9	20	1.0	14	0.8
	2010	36	0.9	22	1.1	14	0.7
Brain\Other Nervous System	Average	302	7.5	174	9.0	128	6.2
	5-Year PC		-14.5		-17.9		-12.8
	2006	304	7.8	164	8.8	140	7.1
	2007	307	7.8	186	9.8	121	6.0
	2008	311	7.8	188	9.8	123	5.9
	2009	307	7.5	184	9.5	123	5.8
	2010	282	6.7	148	7.2	134	6.2
Brain	Average	288	7.1	168	8.7	120	5.7
	5-Year PC		-15.1		-17.2		-15.1
	2006	289	7.4	159	8.5	130	6.5
	2007	295	7.4	179	9.4	116	5.7
	2008	296	7.4	180	9.4	116	5.6
	2009	294	7.2	179	9.2	115	5.5
	2010	266	6.3	145	7.0	121	5.5
Breast	Average	2,911	68.8	19	1.0	2,891	129.5
	5-Year PC		-6.7		-14.1		-5.8
	2006	2,849	70.3	17	0.9	2,832	131.9
	2007	2,890	69.9	17	0.8	2,873	131.4
	2008	2,900	68.2	27	1.5	2,873	128.1
	2009	3,030	70.1	19	1.0	3,011	132.0
	2010	2,885	65.6	17	0.8	2,868	124.3

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

All Sites includes invasive cases only except for bladder, which includes in situ.

~ Statistic could not be calculated.

^ Rate is not displayed for fewer than 11 cases due to instability of rates based on small numbers.

n/a = Not applicable.

PC= Percent changes were calculated using 2006 and 2010 rates.

Total count may exceed male and female combined due to additional sex coding.

Table 1: Oregon Cancer Incidence by Site, Sex, and Year (2006-2010)

Primary Site	Year	Total		Male		Female	
		Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend
Digestive System	Average	3,297	77.7	1,785	92.2	1,512	65.4
	5-Year PC		-7.4		-6.9		-7.8
	2006	3,220	79.8	1,711	93.8	1,509	67.8
	2007	3,224	77.5	1,738	92.1	1,486	65.0
	2008	3,369	79.2	1,852	95.4	1,517	65.2
	2009	3,401	78.8	1,841	92.9	1,560	66.7
	2010	3,273	73.9	1,782	87.3	1,489	62.5
Colon and Rectum	Average	1,719	40.8	869	45.4	849	36.8
	5-Year PC		-16.0		-16.9		-14.0
	2006	1,764	43.9	885	48.9	879	39.4
	2007	1,724	41.7	885	47.3	839	36.8
	2008	1,750	41.4	883	45.8	867	37.4
	2009	1,741	40.8	882	45.3	859	37.0
	2010	1,614	36.9	811	40.6	802	33.9
Esophagus	Average	235	5.5	188	9.7	47	2.0
	5-Year PC		-21.3		-23.4		-16.5
	2006	248	6.1	199	10.9	49	2.2
	2007	216	5.2	171	8.9	45	2.0
	2008	252	5.9	208	10.8	44	1.9
	2009	244	5.7	191	9.8	53	2.1
	2010	214	4.8	170	8.4	44	1.8
Gallbladder	Average	38	0.9	13	0.7	24	1.0
	5-Year PC		16.0		~		10.8
	2006	29	0.7	8	^	21	1.0
	2007	44	1.0	18	0.9	26	1.1
	2008	40	0.9	17	0.9	23	1.0
	2009	37	0.9	12	0.6	25	1.0
	2010	38	0.8	11	0.6	27	1.1
Liver\Intrahepatic Bile Duct	Average	298	6.7	211	10.0	87	3.8
	5-Year PC		32.9		45.5		12.5
	2006	234	5.6	155	7.8	79	3.5
	2007	269	6.3	189	9.5	80	3.5
	2008	295	6.7	223	10.6	72	3.1
	2009	346	7.5	235	10.7	111	4.7
	2010	347	7.4	253	11.3	94	4.0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

~ Statistic could not be calculated.

^ Rate is not displayed for fewer than 11 cases due to instability of rates based on small numbers.

n/a = Not applicable.

PC= Percent changes were calculated using 2006 and 2010 rates.

Total count may exceed male and female combined due to additional sex coding.

Table 1: Oregon Cancer Incidence by Site, Sex, and Year (2006-2010)

Primary Site	Year	Total		Male		Female	
		Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend
Liver	Average	267	6.0	198	9.4	69	3.0
	5-Year PC		28.2		39.4		4.3
	2006	210	5.0	149	7.5	61	2.8
	2007	242	5.6	177	8.8	65	2.8
	2008	276	6.2	213	10.1	63	2.7
	2009	303	6.6	217	9.8	86	3.7
	2010	303	6.4	235	10.4	68	2.9
Pancreas	Average	494	11.6	245	12.8	249	10.6
	5-Year PC		-3.7		-2.9		-5.0
	2006	456	11.4	226	12.6	230	10.4
	2007	505	12.0	242	12.9	263	11.2
	2008	515	12.0	256	13.3	259	10.8
	2009	507	11.7	253	12.9	254	10.7
	2010	487	11.0	249	12.3	238	9.9
Small Intestine	Average	86	2.0	47	2.4	39	1.7
	5-Year PC		24.3		20.1		23.6
	2006	74	1.8	41	2.2	33	1.5
	2007	93	2.3	51	2.7	42	1.9
	2008	67	1.6	42	2.2	25	1.1
	2009	97	2.2	45	2.3	52	2.2
	2010	99	2.2	54	2.6	45	1.9
Stomach	Average	214	5.1	134	7.1	79	3.5
	5-Year PC		-2.7		5.2		-16.9
	2006	217	5.4	127	7.1	90	4.0
	2007	186	4.5	112	6.0	74	3.3
	2008	215	5.2	138	7.3	77	3.5
	2009	222	5.2	146	7.5	76	3.2
	2010	228	5.2	148	7.4	79	3.3
Endocrine System	Average	470	11.9	122	6.2	348	17.6
	5-Year PC		15.8		3.6		20.6
	2006	424	11.0	118	6.0	306	15.9
	2007	450	11.7	123	6.6	327	16.8
	2008	513	13.0	134	6.8	379	19.2
	2009	457	11.3	111	5.5	346	17.0
	2010	506	12.7	124	6.2	382	19.2

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

~ Statistic could not be calculated.

^ Rate is not displayed for fewer than 11 cases due to instability of rates based on small numbers.

n/a = Not applicable.

PC= Percent changes were calculated using 2006 and 2010 rates.

Total count may exceed male and female combined due to additional sex coding.

Table 1: Oregon Cancer Incidence by Site, Sex, and Year (2006-2010)

Primary Site	Year	Total		Male		Female	
		Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend
Thyroid	Average	444	11.3	108	5.5	336	17.0
	5-Year PC		18.2		3.8		23.6
	2006	393	10.2	104	5.3	289	15.0
	2007	427	11.1	109	5.8	318	16.3
	2008	480	12.2	113	5.7	367	18.6
	2009	441	10.9	105	5.2	336	16.5
	2010	479	12.0	109	5.5	370	18.6
Eye and Orbit	Average	50	1.2	27	1.4	23	1.1
	5-Year PC		-16.3		-33.4		2.8
	2006	49	1.2	25	1.4	24	1.2
	2007	56	1.4	32	1.6	24	1.2
	2008	43	1.0	25	1.3	18	0.8
	2009	58	1.4	35	1.8	23	1.0
	2010	43	1.0	18	0.9	25	1.2
Genital System - Female	Average	1,124	50.4	n/a	n/a	1,124	50.4
	5-Year PC		-5.5		n/a		-5.5
	2006	1,078	50.4	n/a	n/a	1,078	50.4
	2007	1,058	48.6	n/a	n/a	1,058	48.6
	2008	1,187	53.0	n/a	n/a	1,187	53.0
	2009	1,192	52.5	n/a	n/a	1,191	52.5
	2010	1,104	47.6	n/a	n/a	1,104	47.6
Cervix	Average	139	7.2	n/a	n/a	138	7.2
	5-Year PC		-11.5		n/a		-11.5
	2006	124	6.6	n/a	n/a	124	6.6
	2007	153	8.0	n/a	n/a	153	8.0
	2008	158	8.1	n/a	n/a	158	8.1
	2009	144	7.4	n/a	n/a	143	7.4
	2010	114	5.8	n/a	n/a	114	5.8
Ovary	Average	302	13.4	n/a	n/a	302	13.4
	5-Year PC		-30.9		n/a		-30.9
	2006	343	15.9	n/a	n/a	343	15.9
	2007	284	12.8	n/a	n/a	284	12.8
	2008	340	14.9	n/a	n/a	340	14.9
	2009	289	12.7	n/a	n/a	289	12.7
	2010	256	11.0	n/a	n/a	256	11.0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

~ Statistic could not be calculated.

^ Rate is not displayed for fewer than 11 cases due to instability of rates based on small numbers.

n/a = Not applicable.

PC= Percent changes were calculated using 2006 and 2010 rates.

Total count may exceed male and female combined due to additional sex coding.

Table 1: Oregon Cancer Incidence by Site, Sex, and Year (2006-2010)

Primary Site	Year	Total		Male		Female	
		Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend
Uterus	Average	586	25.5	n/a	n/a	586	25.5
	5-Year PC		7.1		n/a		7.1
	2006	531	24.2	n/a	n/a	531	24.2
	2007	538	24.1	n/a	n/a	538	24.1
	2008	586	25.3	n/a	n/a	586	25.3
	2009	655	27.8	n/a	n/a	655	27.8
	2010	620	25.9	n/a	n/a	620	25.9
Genital System - Male	Average	2,951	146.7	2,951	146.7	n/a	n/a
	5-Year PC		-17.7		-17.7		n/a
	2006	2,905	155.1	2,905	155.1	n/a	n/a
	2007	3,004	155.3	3,004	155.3	n/a	n/a
	2008	3,243	161.2	3,243	161.2	n/a	n/a
	2009	2,851	136.6	2,851	136.6	n/a	n/a
	2010	2,752	127.6	2,752	127.6	n/a	n/a
Prostate	Average	2,815	139.3	2,815	139.3	n/a	n/a
	5-Year PC		-18.5		-18.5		n/a
	2006	2,779	148.0	2,779	148.0	n/a	n/a
	2007	2,848	146.6	2,848	146.6	n/a	n/a
	2008	3,096	153.2	3,096	153.2	n/a	n/a
	2009	2,731	130.2	2,731	130.2	n/a	n/a
	2010	2,623	120.6	2,623	120.6	n/a	n/a
Testis	Average	118	6.5	118	6.5	n/a	n/a
	5-Year PC		0.0		0.0		n/a
	2006	108	6.0	108	6.0	n/a	n/a
	2007	135	7.5	135	7.5	n/a	n/a
	2008	126	6.9	126	6.9	n/a	n/a
	2009	109	5.9	109	5.9	n/a	n/a
	2010	112	6.0	112	6.0	n/a	n/a
Leukemia	Average	472	11.5	265	14.2	208	9.4
	5-Year PC		-7.6		-8.2		-8.2
	2006	469	12.0	262	14.7	207	9.8
	2007	480	12.1	268	14.7	212	9.8
	2008	474	11.6	279	15.1	195	8.8
	2009	464	11.0	248	13.1	216	9.5
	2010	475	11.1	266	13.5	209	9.0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

~ Statistic could not be calculated.

^ Rate is not displayed for fewer than 11 cases due to instability of rates based on small numbers.

n/a = Not applicable.

PC= Percent changes were calculated using 2006 and 2010 rates.

Total count may exceed male and female combined due to additional sex coding.

Table 1: Oregon Cancer Incidence by Site, Sex, and Year (2006-2010)

Primary Site	Year	Total		Male		Female	
		Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend
Lymphoma	Average	893	21.7	497	26.1	396	17.9
	5-Year PC		-7.9		-9.0		-7.0
	2006	888	22.4	505	27.5	383	18.1
	2007	848	21.1	472	25.4	376	17.1
	2008	949	22.8	535	27.8	414	18.5
	2009	907	21.5	480	25.0	427	18.7
	2010	874	20.6	493	25.0	381	16.9
Hodgkin Lymphoma	Average	115	3.0	64	3.4	51	2.6
	5-Year PC		-7.3		7.5		-21.1
	2006	112	3.0	56	3.0	56	3.0
	2007	120	3.1	75	4.1	45	2.3
	2008	107	2.8	67	3.5	40	2.1
	2009	127	3.2	60	3.1	67	3.3
	2010	107	2.8	62	3.2	45	2.4
Non-Hodgkin Lymphoma	Average	779	18.7	433	22.8	346	15.3
	5-Year PC		-8.0		-11.0		-4.3
	2006	776	19.4	449	24.5	327	15.2
	2007	728	17.9	397	21.4	331	14.9
	2008	842	20.0	468	24.3	374	16.5
	2009	780	18.3	420	21.9	360	15.4
	2010	767	17.8	431	21.8	336	14.5
Mesothelioma	Average	46	1.1	33	1.8	14	0.6
	5-Year PC		-19.6		-38.2		24.9
	2006	62	1.6	45	2.7	17	0.7
	2007	40	1.0	28	1.6	12	0.5
	2008	31	0.8	24	1.4	7	^
	2009	45	1.1	34	1.9	11	0.5
	2010	54	1.2	32	1.7	22	0.9
Myeloma	Average	208	4.9	122	6.4	87	3.7
	5-Year PC		-21.5		-7.1		-41.2
	2006	226	5.6	122	6.8	104	4.7
	2007	218	5.2	132	7.1	86	3.8
	2008	199	4.7	110	5.7	89	3.8
	2009	202	4.7	115	6.1	87	3.5
	2010	197	4.4	130	6.3	67	2.8

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

~ Statistic could not be calculated.

^ Rate is not displayed for fewer than 11 cases due to instability of rates based on small numbers.

n/a = Not applicable.

PC= Percent changes were calculated using 2006 and 2010 rates.

Total count may exceed male and female combined due to additional sex coding.

Table 1: Oregon Cancer Incidence by Site, Sex, and Year (2006-2010)

Primary Site	Year	Total		Male		Female	
		Invasive Cancer Counts	Rate/ Current Trend	Invasive Cancer Counts	Rate/ Current Trend	Invasive Cancer Counts	Rate/ Current Trend
Oral Cavity and Pharynx	Average	452	10.5	307	14.9	146	6.4
	5-Year PC		-10.7		-17.0		0.7
	2006	433	10.6	300	15.7	133	6.1
	2007	454	10.9	306	15.7	148	6.6
	2008	459	10.5	313	15.0	146	6.5
	2009	479	10.8	321	15.1	158	6.8
	2010	437	9.5	293	13.1	144	6.1
Respiratory System	Average	2,799	66.6	1,449	76.1	1,350	59.3
	5-Year PC		-15.1		-19.0		-11.7
	2006	2,823	70.6	1,497	83.2	1,326	61.2
	2007	2,791	68.0	1,416	76.7	1,375	61.6
	2008	2,889	68.7	1,499	78.5	1,390	60.8
	2009	2,844	66.3	1,468	75.7	1,375	59.3
	2010	2,648	59.9	1,363	67.4	1,285	54.0
Larynx	Average	116	2.7	90	4.5	26	1.1
	5-Year PC		-17.7		-27.3		19.5
	2006	123	3.0	102	5.4	21	1.0
	2007	128	3.0	91	4.6	37	1.7
	2008	112	2.6	95	4.6	17	0.8
	2009	107	2.4	80	4.0	27	1.1
	2010	111	2.5	84	3.9	27	1.1
Lung and Bronchus	Average	2,652	63.2	1,339	70.6	1,313	57.7
	5-Year PC		-15.7		-19.5		-12.4
	2006	2,681	67.2	1,386	77.3	1,295	59.7
	2007	2,637	64.4	1,310	71.3	1,327	59.4
	2008	2,748	65.4	1,383	72.8	1,365	59.7
	2009	2,696	62.9	1,361	70.3	1,334	57.6
	2010	2,500	56.6	1,255	62.3	1,245	52.3
Skin (Excludes Basal and Squamous)	Average	1,132	27.3	616	31.6	515	24.4
	5-Year PC		5.6		8.9		2.2
	2006	1,046	26.3	550	29.6	496	24.0
	2007	1,068	26.1	599	31.1	469	22.5
	2008	1,265	30.7	692	35.6	573	27.3
	2009	1,079	25.7	580	29.0	499	23.4
	2010	1,201	27.8	661	32.3	540	24.6

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

~ Statistic could not be calculated.

^ Rate is not displayed for fewer than 11 cases due to instability of rates based on small numbers.

n/a = Not applicable.

PC= Percent changes were calculated using 2006 and 2010 rates.

Total count may exceed male and female combined due to additional sex coding.

Table 1: Oregon Cancer Incidence by Site, Sex, and Year (2006-2010)

Primary Site	Year	Total		Male		Female	
		Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend
Melanoma of the Skin	Average	1,073	25.9	585	29.9	488	23.2
	5-Year PC		7.1		9.0		4.9
	2006	977	24.5	519	27.9	458	22.2
	2007	1,019	25.0	569	29.4	450	21.8
	2008	1,199	29.1	652	33.5	547	26.2
	2009	1,033	24.6	560	28.0	473	22.2
	2010	1,137	26.3	626	30.5	511	23.3
Soft Tissue including Heart	Average	132	3.3	75	4.0	57	2.7
	5-Year PC		15.1		33.2		-3.5
	2006	121	3.1	60	3.2	61	3.0
	2007	128	3.1	78	4.0	50	2.3
	2008	146	3.6	81	4.3	65	3.0
	2009	122	3.0	76	4.0	46	2.1
	2010	145	3.5	82	4.3	63	2.9
Urinary System	Average	1,563	37.1	1,091	57.5	472	20.6
	5-Year PC		0.0		2.3		-5.4
	2006	1,469	36.3	1,025	56.4	444	20.0
	2007	1,548	37.6	1,063	57.8	485	21.6
	2008	1,618	38.6	1,123	59.7	495	21.5
	2009	1,582	36.7	1,092	56.2	490	21.1
	2010	1,598	36.4	1,152	57.7	444	18.9
Bladder	Average	910	21.7	688	37.1	222	9.5
	5-Year PC		3.0		5.1		-3.7
	2006	841	21.0	641	36.0	200	8.8
	2007	928	22.6	701	38.8	227	9.8
	2008	935	22.3	688	37.3	247	10.6
	2009	903	21.0	673	35.5	230	9.6
	2010	943	21.6	738	37.8	205	8.5
Kidney and Renal Pelvis	Average	621	14.6	383	19.3	238	10.6
	5-Year PC		-3.1		-2.6		-4.6
	2006	592	14.5	364	19.1	228	10.4
	2007	593	14.4	350	18.3	243	11.2
	2008	656	15.6	418	21.4	238	10.5
	2009	644	14.9	392	19.2	252	11.1
	2010	622	14.0	391	18.6	229	10.0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

~ Statistic could not be calculated.

^ Rate is not displayed for fewer than 11 cases due to instability of rates based on small numbers.

n/a = Not applicable.

PC= Percent changes were calculated using 2006 and 2010 rates.

Total count may exceed male and female combined due to additional sex coding.

Table 1: Oregon Cancer Incidence by Site, Sex, and Year (2006-2010)

Primary Site	Year	Total		Male		Female	
		Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend	Invasive Cancer Counts	Rate/Current Trend
Miscellaneous Sites	Average	649	15.4	334	18.0	315	13.4
	5-Year PC		-13.9		-19.5		-7.7
	2006	652	16.3	337	19.3	315	13.9
	2007	685	16.6	366	20.4	319	13.7
	2008	645	15.4	334	18.0	311	13.3
	2009	648	14.9	330	17.2	318	13.0
	2010	614	14.0	304	15.5	310	12.9

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard.

~ Statistic could not be calculated.

^ Rate is not displayed for fewer than 11 cases due to instability of rates based on small numbers.

n/a = Not applicable.

PC= Percent changes were calculated using 2006 and 2010 rates.

Total count may exceed male and female combined due to additional sex coding.