

## Health screenings among adults, Oregon 2010-2015



	2010 (%)	2011 (%)	2012 (%)	2013 (%)	2014 (%)	2015 (%)
Blood sugar test within past three years (ages 45 or older)*	62.3	62.8	60.0	65.4	63.8	63.1
Cholesterol checked within past five years*	70.9	70.1	NA	71.9	NA	74.1
Current <sup>1</sup> on colorectal cancer screening (50-75 years old)	59.1	58.4	63.7	64.0	66.0	69.4
FOBT within past year (50-75 years old)	11.9	9.4	9.8	8.6	10.9	11.3
Mammogram within past two years (women 50-74 years old)	75.3	74.7	75.4	73.8	77.0	77.1
Pap test within past three years (women 21-65 years old with a cervix)*	82.9	78.7	80.7	NA	83.4	80.3

FOBT = Fecal occult blood test; NA = not applicable or available

\* Age-adjusted to the 2000 standard population.

<sup>1</sup> Current on colorectal cancer screening includes: having a fecal occult blood test (FOBT) in the past year; a colonoscopy within the past 10 years; or, a sigmoidoscopy within the past five years as well as an FOBT within the past three years.

Source: Oregon Behavioral Risk Factors Surveillance System 2010-2015.

Note: For an explanation of age-adjusted estimates, please see <http://public.health.oregon.gov/DiseasesConditions/ChronicDisease/DataReports/Pages/TechnicalNotes.aspx>.

Suggested citation: Oregon Health Authority, Public Health Division, Health Promotion and Chronic Disease Prevention section. Health screenings among adults, Oregon 2010-2015.

<http://public.health.oregon.gov/DiseasesConditions/ChronicDisease/DataReports/Pages/AdultData.aspx>. Created November 11, 2016. Accessed [DOWNLOAD DATE].