

# Diseases, infections, microorganisms and conditions reportable by laboratories: 2013

## Bacteria

- *Bacillus anthracis*
- *Bordetella pertussis*
- *Borrelia*
- *Brucella*
- *Campylobacter*
- *Chlamydia trachomatis*
- *Chlamydophila psittaci*
- *Clostridium botulinum*
- *Clostridium tetani*
- *Corynebacterium diphtheriae*
- *Coxiella burnetii*
- *Enterobacteriaceae* family isolates found to be non-susceptible to any carbapenem antibiotic
- *Ehrlichia/Anaplasma*
- *Escherichia coli* (Shiga-toxigenic)<sup>6</sup>
- *Francisella tularensis*
- *Haemophilus ducreyi*
- *Haemophilus influenzae*<sup>5,7</sup>
- *Legionella*
- *Leptospira*
- *Listeria monocytogenes*<sup>5</sup>
- *Mycobacterium bovis*<sup>5</sup>
- *Mycobacterium tuberculosis*<sup>5</sup>
- *Neisseria gonorrhoeae*
- *Neisseria meningitidis*<sup>5,7</sup>
- *Rickettsia*
- *Salmonella*<sup>5</sup>
- *Shigella*<sup>5</sup>
- *Treponema pallidum*
- *Vibrio cholerae*<sup>5</sup>
- *Vibrio, non-cholerae*<sup>5</sup>
- *Yersinia, pestis*<sup>5</sup>
- *Yersinia, non-pestis*<sup>5</sup>

## Fungi

- *Cryptococcus*<sup>5</sup>

## Parasites

- *Babesia*
- *Cryptosporidium*
- *Cyclospora*
- *Giardia*
- *Plasmodium*
- *Taenia solium*<sup>8</sup>
- *Trichinella*

## Viruses

- Arboviruses<sup>1</sup>
- Arenaviruses<sup>10</sup>
- Filoviruses<sup>10</sup>
- Hantavirus
- Hepatitis A<sup>9</sup>
- Hepatitis B<sup>9</sup>
- Hepatitis C
- Hepatitis D (delta)
- Hepatitis E
- Hemorrhagic fever viruses<sup>10</sup>
- HIV infection and AIDS
- Influenza, novel strain<sup>11</sup>
- Measles (rubeola)
- Mumps
- Polio
- Rabies
- Rubella
- SARS-coronavirus
- Variola major (smallpox)
- West Nile
- Yellow fever

## Other important reportables

- Any “uncommon illness of potential public health significance”<sup>1</sup>
- Any outbreak of disease<sup>1</sup>
- Any other arthropod-borne viruses<sup>1</sup>
  - California encephalitis
    - › Colorado tick fever
    - › Dengue
    - › Eastern equine encephalitis
    - › Kyasanur Forest
    - › St. Louis encephalitis
- All blood lead testing results, but lead poisoning should be reported to the local health department within one working day<sup>12</sup>
- All CD4 counts and HIV viral loads
- Creutzfeldt-Jakob disease (CJD) and other prion illnesses

## Footnotes

- <sup>1</sup> Oregon Revised Statute 433.004; Oregon Administrative Rule 333-018 ([http://arcweb.sos.state.or.us/pages/rules/oars\\_300/oar\\_333/333\\_018.html](http://arcweb.sos.state.or.us/pages/rules/oars_300/oar_333/333_018.html))
- <sup>2</sup> Refer to [www.healthoregon.org/lhd](http://www.healthoregon.org/lhd) for a list of local health departments, reporting FAQs, and more details about what to report. When in doubt, report.
- <sup>3</sup> ORS 433.004 and OAR 333-018-0013 ([http://arcweb.sos.state.or.us/pages/rules/oars\\_300/oar\\_333/333\\_018.html](http://arcweb.sos.state.or.us/pages/rules/oars_300/oar_333/333_018.html)); Manual for Mandatory Electronic Laboratory Reporting ([www.healthoregon.org/elrresources](http://www.healthoregon.org/elrresources))
- <sup>4</sup> ORS 431.262; OAR 333-018 ([http://arcweb.sos.state.or.us/pages/rules/oars\\_300/oar\\_333/333\\_018.html](http://arcweb.sos.state.or.us/pages/rules/oars_300/oar_333/333_018.html)); OAR 333-026-0030 [http://arcweb.sos.state.or.us/pages/rules/oars\\_300/oar\\_333/333\\_026.html](http://arcweb.sos.state.or.us/pages/rules/oars_300/oar_333/333_026.html))
- <sup>5</sup> Isolates must be forwarded to the Oregon State Public Health Laboratory (phone, 503-693-4100).
- <sup>6</sup> All confirmed or suspect isolates of *E. coli* O157, and all non-O157 Shiga-toxin-positive broths, must be forwarded to the Oregon State Public Health Laboratory (phone 503-693-4100).
- <sup>7</sup> Report only isolates from normally sterile sites (e.g., neither sputum nor throat cultures).
- <sup>8</sup> Report cysticercosis and all undifferentiated *Taenia* spp. (e.g., eggs in stool O & P).
- <sup>9</sup> IgM-positive HAV and HBV serum specimens must be forwarded to the Oregon State Public Health Laboratory.
- <sup>10</sup> Hemorrhagic fever caused by viruses of the filovirus (e.g., Ebola, Marburg) or arenavirus (e.g., Lassa, Machupo) families are reportable.
- <sup>11</sup> Influenza A virus that cannot be subtyped by commercially distributed assays.
- <sup>12</sup> “Lead poisoning” means a blood lead level of at least 10 micrograms per deciliter.