


Oregon
Tuberculosis Control Program
TB Case Data
2000


TB Cases and Incidence Oregon, 1981-2000




TB in the most affected Counties Oregon, 2000

County	TB Cases	Incidence	% of State
Multnomah	41	6.2	34%
Washington	31	7.0	26%
Marion	12	4.2	10%
Lane	10	3.1	8%
Total of 4 counties	94	---	78%


TB Cases by Gender & Age Oregon, 2000




TB Cases by Race & Ethnicity Oregon, 2000




TB Case Rates by Race & Ethnicity Oregon, 2000




TB Cases by Origin Oregon 1996-2000




Foreign Born TB Cases by Country Oregon, 2000




Pediatric TB Cases Oregon, 1996-2000



TB/HIV Co-Morbidity Oregon, 1996-2000




Homelessness in TB Cases Oregon, 1996-2000




■ Homeless in year before TB diagnosis


TB Cases in Correctional Facilities Oregon 1996-2000



TB Cases in Long Term Care Oregon 1996-2000



TB and Substance Use Oregon 1996-2000



TB Drug Resistance Patterns Oregon 2000

- 1(1%) Multi-drug resistant (MDR) cases
MDR = isoniazid (INH) and rifampin (RM) resistant
 - 23(25%) Resistant to at least one TB drug
 - 11 (12%) at least INH resistant
 - Other drugs: ethambutol, streptomycin, ethionamide
- (n=93 culture positive cases)