



Oregon
Tuberculosis Control Program
TB Case Data
2003

TB Cases and Incidence Oregon, 1984-2003




TB Cases by County of Residence Oregon, 2003




TB in the most affected Counties Oregon, 2003

County	TB Cases	Incidence	% of State
Multnomah	35	5.2	33%
Washington	18	3.8	17%
Lane	12	3.6	11%
Marion	11	3.7	10%
Total of 4 counties	76	---	72%


TB Cases by Gender & Age Oregon, 2003




TB Cases by Race & Ethnicity Oregon, 2003



TB Case Rates by Race & Ethnicity Oregon, 2003




TB Cases by Origin Oregon 1994-2003




Foreign Born US Born


Foreign Born TB Cases by Country Oregon, 2003




Pediatric TB Cases Oregon, 1994-2003



TB/HIV Co-Morbidity Oregon, 1994-2003




Homelessness in TB Cases Oregon, 1994-2003




■ Homeless in year before TB diagnosis


TB Cases in Correctional Facilities Oregon 1999-2003



TB Cases in Long Term Care Oregon 1999-2003



TB and Substance Use Oregon 1999-2003



TB Drug Resistance Patterns Oregon 2003

- Zero (0%) Multi-drug resistant (MDR) cases
MDR = isoniazid (INH) and rifampin (RM) resistant
 - 16 (18%) Resistant to at least one TB drug
 - 7 (8%) at least INH resistant
 - Other drugs: streptomycin, pyrazinamide, rifampin
- (n=87 culture positive cases)