
EHDI Program

October 2013 Data Update

ONE: Screening


THREE: Diagnostic Evaluation

SIX: Early Intervention




Oregon
Health
Authority


Screening Trends: 2007-2013



Screening by Birth Facility: 2010-2013



Diagnostic F/U Trends: 2010-2013




THREE

Diagnostic Evaluation by Region

The % of referred infants with diagnostic follow-up varies by region.

	2011	2012 (Preliminary)	2013 (quarters 1 and 2, Preliminary)
Region	% (n) of referred infants with documented follow-up		
Portland Metro	67.8% (301/444)	64.5% (273/423)	59.8% (131/219)
Coastal/NW OR	60.0% (18/30)	34.3% (12/35)	Too small to report
Willamette Valley	58.9% (206/350)	60.1% (230/383)	54.5% (133/244)
Eastern OR	48.1% (39/81)	50.6% (41/81)	Too small to report
Southern OR	30.8% (62/201)	21.6% (43/199)	20.5% (23/112)
Central OR	25.8% (23/89)	42.0% (47/112)	21.8% (12/55)
North Central OR	30.0% (6/20)	14.3% (2/14)	Too small to report

EI Enrollment Trends: 2007-2013



Two surveys

- To fulfill requirements of CDC grant
- **EHDI-Information System**
 - Level of user satisfaction with the EHDI data system
 - Surveying audiologists, parent guides, nurse consultants, early intervention providers, midwives/birth center staff, hospital screening coordinators
- **Quality Assurance Report Satisfaction survey**
 - Level of user satisfaction with quality assurance reports
 - Hospital newborn screening coordinators, managers