

Oregon Immunization Emergency-kit Requirements Check List 2016

Required Adverse Reaction Kit Contents – ALL CONTENTS MUST BE IN A SINGLE EASILY ACCESSIBLE KIT
QUARTERLY reviews must be completed and recorded to assure that the supplies are complete and that none of the medications will expire sooner than one month after the date of the next review per OAR 855-019-0280.

Required Documentation, Equipment and Supplies: (This is a 2-sided document: see other side for footnotes)

- Immunization Training Certificate*
- **You must be in possession of a Yellow Fever Stamp in order to administer this vaccine**
- Current Healthcare Provider CPR Card^o
- Copy of Adverse Events Protocol
- 1 each: Pediatric and Adult size resuscitation face masks with one-way valve
- Sphygmomanometer and Stethoscope Manual or **Automatic Device with proof of calibration** _____
- Paper and pen(s) (See Emergency Treatment Documentation page)
 - o Syringes: For Diphenhydramine injection **only**:
 - 3cc syringes with 1–1½” needles for diphenhydramine (Benadryl®) administration
 - o Sterile adhesive bandages, alcohol wipes,
 - o Gloves

Required Medications

- Epinephrine solutions:
 - o Epinephrine auto-injectors; 2 adult units and 2 pediatric units **EXP: _____**
- Diphenhydramine (Benadryl®): Keep 2 vials available **EXP: _____**
 - o Injectable: 50mg /mL IM

Optional Medications

- Hydroxyzine (Atarax® or Vistaril®) **Do not stock if using Benadryl®**
 - o Liquid: 10mg/5mL or 25mg/5ml **EXP: _____**
- Ammonia ampules (smelling salts) for fainting only **EXP: _____**

Optional Oxygen Supplies for Rural Areas or where 911 response may be delayed:

- O₂ Container **Level checked: _____**
- Nasal cannula: the regulator should not be set to exceed 6 liters of O₂/minute
- Face mask: the regulator should be set at 10–12 liters of O₂/minute with a minimum of 5 liters of O₂/minute
- Breathing bag with mask with O₂ regulator should be set between 12–15 liters/minute
- Oral airways: small, medium and large

By signing below, I acknowledge I have reviewed the Adverse Events Protocol & met all requirements:

Pharmacist Signature: _____ **Date Reviewed:** _____

- * The pharmacist has completed a course of training approved by the Board and maintained competency. The pharmacist training must include injection site and CPR specific to the age and population the pharmacist treats.
- ◇ The pharmacist holds a current health care provider Cardiopulmonary Resuscitation (CPR) certification issued by the American Heart Association or the American Red Cross or any other equivalent program that contains a hands-on training component, is intended for a healthcare provider, and is valid for not more than three years, and documentation of the certification is placed on file in the pharmacy.

Data Sources: 2015 Oregon Board of Pharmacy Website and 2015 Oregon Health Authority Immunization Protocol for Pharmacists Guidelines for Managing Severe Adverse Events.