


## Illness & Injury

# Influenza hospitalizations

Oregon’s Emerging Infection Program (EIP) tracks laboratory-confirmed influenza hospitalizations in the Portland tri-county area (Clackamas, Multnomah, and Washington counties). These figures likely represent half of the influenza hospitalizations occurring in the state. Last season marked the first time in 4 years that the influenza hospitalization rate has decreased in the Portland tri-county area. The severity of the influenza season varies due to differences in circulating strains from season to season and whether the vaccine matches the circulating strain. The 2014–2015 season was particularly severe, leading to more hospitalizations than occurred during the 2009–2010 H1N1 pandemic (Figure 1).

FIGURE 1

**Influenza hospitalizations by season, Clackamas, Multnomah, and Washington counties**




Source: Oregon Emerging Infections Program

At highest risk for severe disease are infants, persons ≥ 65 years of age, and persons with chronic diseases. During 2009–2010, hospitalizations were highest in 0 to 4 year olds, whereas since the 2010–2011 season they have been highest in those aged 65 years and older (Figure 2).

FIGURE 2

### Influenza hospitalizations among the most vulnerable age groups by season, Clackamas, Multnomah, and Washington counties



Source: Oregon Emerging Infections Program

The best means available to prevent influenza is annual vaccination. Influenza viruses mutate frequently, so a new vaccine is needed every year to adjust to the changing viruses. In addition to annual vaccination of everyone against influenza, hand washing, covering one's cough, and staying home when sick will also help to reduce the spread of the flu.

**Additional Resources:** [Influenza \(vaccine-preventable\) disease details](#)

**About the Data:** Hospitalization data are collected annually by the Oregon Emerging Infections Program as part of the CDC Influenza Hospitalization Surveillance Network (FluSurv). Cases include any resident of the Portland Tri-county area (Multnomah, Washington and Clackamas counties) hospitalized with laboratory-confirmed influenza infection in Portland Tri-county area hospitals. Population estimates by age group used in calculating rates are from the National Center for Health Statistics (NCHS). Data can be accessed through FluView: Influenza Hospitalization Surveillance Network, Centers for Disease Control and Prevention, <http://gis.cdc.gov/GRASP/Fluview/FluHospRates.html>

**For More Information Contact:** [flu.oregon@state.or.us](mailto:flu.oregon@state.or.us); 971-673-1111

**Date Updated:** August 1, 2016

[Oregon State Health Profile](#)

---

*OHA 9153-D (Rev) 09/13: This document can be provided upon request in an alternate format for individuals with disabilities or in a language other than English for people with limited English skills. To request this publication in another format or language, contact the Publications and Design Section at 503-378-3486, 711 for TTY, or email [dhs-oha.publicationrequest@state.or.us](mailto:dhs-oha.publicationrequest@state.or.us).*